How to use each table

A page-by-page guide to AlphaDesk's tables: what each column means, a real example from the data of 28 October 2026, and what to do with it.



Every morning after 07:30 the app has refreshed the models and the decision for the latest close.
Nothing is ordered for you: you place trades at your broker and record them on the Portfolio page.

Figure 1. A daily routine through the pages. The guide follows the same order.

Three rules for every table. (1) A percentile is 100 = best; a rank or # is 1 = best. (2) Every expected return is *net* of the estimated trading cost unless the column says otherwise. (3) Nothing here is validated for trading: the decision runs in experimental mode, so its buys show as PAPER ENTER. Click any column header to sort by it; click again to reverse.

1. Trade page




Figure 2. The Trade page: today's buy and sells on top, the alternatives and the model's record below.

Best stock to buy

The decision's top-ranked stock that passes every gate, with the exact rule the model was tested on.

Column	What it means
Entry	At the close of the next session, whatever that close is. No limit price: this is how the model was tested.
Allowed size	Dollars the sizing rule allows: the smaller of 25% of the trading sleeve and the budget divided by the free name slots (up to 5 names).
Reference close	The last close, for orientation only (not an order price).
Sell target	Sell when a close reaches this far above your fill: +1.0 × the stock's 20-session volatility.
Stop loss	Sell when a close falls this far below your fill: −1.0 × volatility.
Or sell by	20 sessions after buying, whichever comes first.

How to use it

- On 28 October no stock passed: the trading budget had $1.00 left after reservations, so the box shows why instead of a buy.
- When one shows, buy at the next close, then record the buy on the Portfolio page so the decision can manage the sell.
- The AI agents' view beside it is for comparison; it decides nothing.




Figure 3. Reading a trade's levels, with KEYS (runner-up on 28 October). The blue path is illustrative.

Sell

Every stock you hold through the decision, reviewed each morning.

Column	What it means
Action	HOLD, EXIT (deadline, stop or target reached on a close) or REDUCE (above 1.05 × the size cap).
Now	The last close.
Net	Your profit or loss so far in dollars: shares × (last close − your fill), before the sale's cost; green above zero, red below.
Sell target / Stop loss	The two price levels from your fill.
Deadline	The last session to hold it.

Example. TSM: last close $439.51, Net +$0.01 (filled at $438.26 on 28 October). Sell target $482.76, Stop loss $397.86, deadline 25 November. Action HOLD: *bought this session: no same-day exit.*

How to use it

- Act only on EXIT or REDUCE, at the next close.
- HOLD means do nothing; the levels stay fixed from your fill.

Runners-up

The next best-ranked stocks, with the same columns as the best buy, in case you prefer another or the best one is blocked.

Column	What it means
Ticker / place	The stock and its place in the ranking.
Expected net	The average 20-session result of similar past picks, after costs.
P(profit)	The estimated chance the trade ends above zero.
Size	What you could buy today; $0 means below the $1 minimum order.

Example. KEYS, place 2: expected net +0.67%, P(profit) 54%, Sell target $384.35, Stop loss $292.86; size $0 (below the $1.00 minimum).

How to use it

- Prefer the best buy: the runners-up passed fewer checks or were blocked by your account.
- Many stocks share the same expected net (46 tied on 28 October): the money map has only 10 bins.

The model's live record

Calibration: what the model said against what happened, on its own past decisions.

Column	What it means
P(profit) said	A band of predicted chances, such as 50-60%.
Times	How many picks fell in the band.

Column	What it means
Average said	The average predicted chance in the band.
Happened	The share that actually ended in profit.

How to use it

- If *Happened* stays well below *Average said*, the model is overconfident: trust its probabilities less.
- It fills in after picks mature (21 sessions).

2. Trend page



Figure 4. The Trend page in pairs of panels. The two AI briefs on top use the separate Gemini key.

Sector rotation (Every sector)

Where each of the 11 sector funds is in its cycle against the S&P 500.

Column	What it means
Stage	Improving, Leading, Weakening or Lagging (Figure 5).
Sessions in it	How long it has been there; 5 or fewer is a fresh change.
vs SPY, 1 month	The sector's return minus SPY's.
What moved it	The part explained by yields, the curve, oil, the dollar, credit and VIX; the rest is the sector's own news.

How to use it

- Watch the alerts: Improving is an early 'in', Weakening an early 'out'.
- Use it as context for the Trade page, not as a signal on its own.



Example: Energy (XLE), 2026-10-28
Stage: Weakening, for 1 session
Strength ratio 106.9 (above 100: beating SPY)
Momentum 99.0 (below 100: the lead is shrinking)
vs SPY, 1 month: +10.1%
What moved it: oil +16.2% (worth about +2.3%), credit stress (about +1.9%); the rest (+8.7%) is the sector's own news.
Reading: still ahead of the market, but the lead is fading: an early 'out' alert, not a sell order.

Figure 5. Reading one row of the rotation table.

Sector forecast

A LightGBM model's ranking of the sectors for the next 20 sessions.

Column	What it means
#	Its rank (1 = expected to lead).

Column	What it means
Expected vs SPY	The expected excess return over SPY.
Probable winner	The sector's best-ranked stock in today's decision.

How to use it

- Not validated (its holdout interval includes zero): treat it as a second opinion.
- Run it from the panel when it says no forecast is saved.

Returns

Each market (indices, sectors, yields, commodities, VIX) over several periods.

Column	What it means
Rows	One market each.
Columns	Its change over each period; yields and the VIX move in points, the rest in percent.

How to use it

- Scan for the outlier: the period where one market moved much more than the others.

3. Screener page




Figure 6. One page, three views of the same S&P 500 stocks.

Quality view

Every stock's quality checklist and Wall Street's view, combined into one screen rank.

Column	What it means
Rank / Score	The screen: the average percentile of quality, consensus and target upside (1 = best).
Quality	0-100: the share of moat and financial-strength checks passed.
Moat	Moat checks passed of 5.
Strength / Valuation	Flags from the balance sheet and from valuation, kept apart.
Impl. growth	The growth the price implies (reverse DCF at 9%).
Fwd P/E	Price ÷ next year's expected earnings.
Consensus / Analysts	1 = strong buy … 5 = sell, and how many analysts.
Upside	Mean price target ÷ price − 1.

Example. NVDA: rank 1. Quality 92.9 (moat 4 of 5, no strength flags), forward P/E 13.5, implied growth 15.1%, consensus 1.9 from 62 analysts (Buy), target upside +52.7%.

How to use it

- Use it to find good businesses analysts like; it says nothing about the next month's price.
- Click Quality or Upside to sort; a company scoring well on both is worth a look on its ticker page.

Signals and action view

The stock models' probabilities over 20 sessions, and the daily decision's action.

Column	What it means
Verdict	BUY / WATCH / HOLD / SELL / AVOID, explained on the ticker page.
Model #	The decision's rank (1 = best).
Action	ENTER, WAIT, HOLD, EXIT, REDUCE (PAPER ENTER while experimental).
Trend	Up, down or sideways when one is likely enough; else 'no clear trend'.
Breakout / Breakdown	The chance of trading above the 20-day high (or below the low), as a multiple of the usual chance.
P(loss)	The chance of a large loss (more than 1.5 × its volatility).
Warnings	Signals that stand out against today's other stocks, one under another.

Example. AMD: Model #1, action WAIT (PAPER ENTER). Breakout 36.9% against a usual 56.6% (0.65×); breakdown 54.4% against 42.2% (1.29×); P(large loss) 6.9%. A warning also needs the stock in today's top fifth, so 1.29× alone raises none (no stock had one on 28 October).

How to use it

- Compare Model # with the warnings: a top-ranked stock with a breakdown warning deserves a second look.
- The signals' own return forecast can disagree with the decision: for AMD it was −1.4% net, while the decision expected +0.67%. They are different models.

Models view

Every stock model side by side: the ensemble's weights, each model's tested skill, and every stock's percentile.

Column	What it means
Ensemble weights	How much each model counts in the ensemble.
Role	decides, shown only, baseline, or research only (TimesFM 3.0: never in the ensemble or the decision).
Stocks	How many it scored today.
Tested IC	Its rank correlation with real results on years it had not seen (2012-24 · 2025 on); about 0 means no skill.
Show	Tick to add the model as a column below.
Decision / Ensemble / Mean (N)	Percentiles, 100 = top pick. Click a stock for every model.

Example. KEYS: Decision 99.8, Ensemble 99.8 (#2 of 499). DVA: Decision 91.9, Ensemble 92.1.

How to use it

- Look for agreement: a stock that several unrelated models put high is a steadier pick than one model's favourite.
- Press Run all models only after new data: the same inputs load the saved run.

4. Decisions page




Figure 7. The decision in full: the AI agents' comparison, your positions, every candidate and the history.

Candidates

The 15 best-ranked stocks with every number the decision used. Click a header to sort; hover Action for what blocked it.

Column	What it means
Action / Paper	WAIT, ENTER; PAPER ENTER when only your account (or validation) blocks it.
Size	What you could buy.
Expected net (± sd)	The average result after costs, and its spread.
vs SPY	Expected excess over the S&P 500.
P(profit)	Chance of ending above zero.
P(large loss)	Chance of losing more than 1.5 × volatility.
Cost	Estimated round-trip cost.

Example. AMD: WAIT, PAPER ENTER; expected net +0.67% ± 8.6%, vs SPY −0.25%, P(profit) 54%, P(large loss) 7.1%, cost 1.96%. Blocked by: trading budget $1.00 after reservations.

How to use it

- Sort by P(large loss) to see the riskiest candidates; by Cost to avoid expensive ones.
- A negative *vs SPY* means the index is expected to do better: holding SPY may be the simpler choice.

Positions

The decision's view of each lot you hold (the same as the Trade page's Sell, with the reasons).

Column	What it means
Levels (risk / profit)	The stop and target as % from your fill.
Reason	Why today's action.

Example. TSM: HOLD, levels −9.2% / +10.2%, deadline 25 November.

How to use it

- Follow EXIT and REDUCE at the next close.

Action history

One row per decision day.

Column	What it means
Data to / Executes	The close it used and the session it acts on.
Mode	experimental or validated.
Actions	Counts of each action, and paper entries.
Settings	The rules' version.

How to use it

- Check that the latest row is for the latest close: if not, run the decision.

5. Portfolio page

Holdings and Trades

What you own and every trade you recorded. The app never places orders: you trade at your broker and record it here.

Column	What it means
Units / Avg cost	Shares held and your average price.
Price / Value / Profit	The last close, the position's value, and the profit since you bought.
Since	The first purchase date.

Column	What it means
Trades: Date, Side, Units, Price, Amount	Each buy or sell you recorded.

Example. If you buy 0.5 shares of KEYS at $336.10, record Side Buy, Units 0.5, Price 336.10; Holdings then shows KEYS 0.5 at $336.10, and the decision manages its sell from that fill.

How to use it

- Record every trade the same day, or the decision will think the money is still free.
- A mistaken entry can be undone from the message that appears after saving.

6. Track record page



Figure 8. Did following each source work? Every source is judged the same way.

$1 on each recommendation

What you would have if you had put $1 into every recommendation, exactly as given.

Column	What it means
Finished / Put in / Worth now	Trades whose 20 sessions are over, dollars in, dollars now.
Profit / loss	Worth now − put in, after costs.
Still open / Open P/L	Trades not finished, valued at the latest close.

How to use it

- Compare the sources' curves on one axis: a source only helps if it beats simply holding SPY.
- The first 20 rows show; Show more adds the rest.

The model's picks

Every best buy and runner-up, followed for 20 sessions.

Column	What it means
Data to / Pick	The decision's close and the stock.
Bought / Now or day 20	Entry and the latest (or final) close.
Raw return / SPY	The stock against the index over the same days.
Result (net of cost)	The trade's result after costs.

Example. AMD, best buy on 28 October: *not bought yet*. It is judged from the close of 29 October to 20 sessions later.

How to use it

- Judge the model on many picks, never one: a single result is mostly luck.

7. Forecast models page (ETFs)

Side by side, live record, model comparison

The research forecasts for the ETF list and your holdings, and how each model has done.

Column	What it means
IC (95%)	Rank correlation between forecasts and results, with its interval.
p (Holm)	The chance of a result this good with no skill, adjusted for testing several models; below 0.05 counts.
Calib.	1.0 = forecasts are the right size; below 1 = too bold.
Cover.	Share of results inside the 90% band (0.90 is right).
Net top fifth	The top fifth's average result minus everyone's, after costs.
Brier / null	Below 1 = better probabilities than the base rate.

Example. ETF, 20 sessions (saved study): XGBoost IC 0.113, p 0.004; elastic net 0.111; coverage about 0.88.

How to use it

- Trust a model only when its interval is above zero and p (Holm) is below 0.05.
- The live record is the honest test: it scores forecasts made before the outcome.

8. Ticker page

Forecasts from each model

Every stock model's view of this one stock.

Column	What it means
Model / Role	The model and whether it decides.
Percentile	Its rank of the stock today (100 = top).
Forecast	Its expected return, where it makes one.
Tested IC	Its skill on unseen years.

Example. KEYS: Decision and Ensemble 99.8 (#2 of 499); the ensemble expects +0.67% after costs over 20 sessions.

How to use it

- Look for agreement across models with a positive tested IC; ignore a single outlier.

Earnings and Saved analysis reports

Past earnings against estimates, and every AI agent run on the stock.

Column	What it means
Report date / EPS estimate / Reported / Surprise	Each quarter's estimate, the result and the surprise.
Saved reports	Each agent run with its rating; open it to read, Copy, or Delete a failed one.

How to use it

- The agents run at most once a day per stock; a second request returns today's report.

9. Settings page

API keys and Agent models

The keys the app uses and which model each agent role runs on.

Column	What it means
Service / Key	Each provider and a masked form of its key; paste a new key to replace it. *OpenRouter, second key* is tried on the same model only after the first key hits a limit.
Agent / Provider / Model	Which AI model each analyst role uses, and its price per million tokens.

How to use it

- Keys are stored only in the local .env file, never shown in full.
- The Trend page and ticker news use the separate Gemini key (GEMINI_CONTEXT_API_KEY).
- A limit error stops calls to that model until it can work again: a daily quota until it resets (midnight Pacific for Google, 00:00 UTC otherwise), a rate limit for 30 minutes or as long as the provider asks.

Every morning

The schedule that refreshes the forecasts, every model's scores and the daily decision.

Column	What it means
On / After / Refit every	Whether it runs, from what time, and how many sessions a fitted model is kept before it is refitted (20).
TimesFM 3.0 (research only)	Ticking it accepts TimesFM 3.0's non-commercial license and adds it to the Models view; the date of acceptance is recorded. It never enters the ensemble or the decision.

Example. License accepted on 29 October 2026: from the next model run, TimesFM 3.0 appears in the Models view with the role *research only*.

How to use it

- Untick it to stop scoring TimesFM 3.0; the saved runs keep what it scored.

See also: *AlphaDesk_Model_Design.pdf* (how every model is built and tested) and *AlphaDesk_Rankings_Explained.pdf* (Rank, Model #, Decision and Ensemble).