
Index

PATITAPABAN PARIDA (pppparida9@gmail.com) has a
non-transferable license to use this Student Guide.

Note: A bolded number or letter refers to an entire lesson or appendix.

A

Adding Data Through a View 10-15

ADD_MONTHS Function 3-22, 3-23, 3-46, 3-60

Advanced Features of the SELECT Statement 6-2

Alias 1-4, 1-8, 1-14, 1-15, 1-16, 1-17, 1-25, 1-37, 1-40, 2-7,
2-20, 2-21, 2-31, 3-46, 4-12, 5-8, 5-11, 5-12, 5-20, 5-29, 7-17,
7-21, 9-33, 10-7, 10-9, 10-11, 11-22, C-11, C-12, C-15, C-20, C-21

ALL Operator 6-16, 7-11, 7-12, 7-18, 7-22

ALL_COL_COMMENTS Dictionary View 11-19

ALL_OBJECTS Dictionary View 11-5, 11-7

ALL_TAB_COMMENTS Dictionary View 11-19

ALTER SEQUENCE Statement 10-30, 10-31

ALTER TABLE Statement 9-34, 10-27

American National Standards Institute (ANSI) i-12, i-25, i-28, i-30, 3-26, 3-54,
5-4, 8-27, D-4

Ampersand Substitution 2-2, 2-24, 2-25, 2-28, 2-31, 2-32, 3-11
Double-ampersand (&&) 2-23, 2-28

ANY Operator 6-15

Arguments Function 3-3, 3-5, 3-15, 3-50

Arithmetic Expressions 1-9, 1-13, 1-16, 2-4

Arithmetic Operators 1-9, 1-10, 3-20, 3-21, 3-60

AS Keyword 1-14, 1-15, 1-16

AS Subquery 9-32, 10-7

Attributes i-18, i-19, i-20

AUTOCOMMIT Command 8-29

AVG Function 4-13

B

BETWEEN Range Condition 2-9

C

Calculations 1-9, 1-14, 1-38, 3-3, 3-14, 3-20, 3-25, 3-60, 3-61, 4-26, D-5
 Cardinality i-20
 Cartesian Product 5-2, 5-5, 5-26, 5-27, 5-28, 5-29, C-4, C-5, C-21
 CASE Expression 3-51, 3-54, 3-55, 3-56, 3-57, 3-60
 Case-manipulation Functions 3-7, 3-9, 3-10
 CAT View 11-8
 Character strings 1-16, 1-17, 1-18, 2-6, 2-15, 3-9, 3-11, 3-35, 3-38
 Character-manipulation Functions 3-7, 3-11, 3-12
 CHECK Constraint 8-7, 9-28, 10-21, 11-12, 11-13
 COALESCE Function 3-52, 3-53, 4-5
 Column Alias 1-8, 1-14, 1-15, 1-17, 1-37, 2-21, 3-46, 4-12, 5-11,
 5-12, 9-33, 10-9, 10-11, C-11, C-12
 COMMENT Statement 11-19
 COMMENTS Column 11-6, 11-19
 COMMIT Statement 8-29, 8-32, 8-33
 Composite Unique Key 9-22, 9-23
 CONCAT Function 1-16, 1-18, 1-42, 3-11-12, 3-38, 3-46, 3-60-61, 8-41, C-7, E-18
 Concatenation Operator 1-16
 Conditional Processing 3-54
 CONSTRAINT_TYPE 9-19, 11-13
 CONSTRAINTS i-9, i-30, 1-12, 1-27, 8-7, 8-17, 8-21, 9-2, 9-10,
 9-17-23, 9-26, 9-28, 9-30-32, 9-35, 9-36, 10-16, 10-38, 11-11-14,
 11-20, 11-22, E-9
 Conversion Functions 3-2, 3-6, 3-9, 3-26, 3-31, 3-60, 7-19
 COUNT Function 4-8
 CREATE INDEX Statement 10-36
 CREATE PUBLIC SYNONYM Statement 10-41
 CREATE SEQUENCE Statement 10-24
 CREATE SYNONYM Statement 10-39, 10-40, 10-41
 CREATE TABLE Statement 8-11, 9-5, 9-32, 9-36, 9-37
 Creating a Database Connection 1-24, 1-25, 1-26, E-7, E-8
 Creating a User-Defined Report E-21
 Cross Joins 5-4, 5-28, 5-29
 CURRVAL 9-7, 9-28, 10-26, 10-27, 10-28
 CYCLE Option (with Sequences) 10-25, 10-30

D

Data from More Than One Table 5-2, 5-3, 5-5, C-2, C-3, C-7

Data Structures i-9, i-14, i-17, 9-3

Data Types i-6, i-9, 1-9, 1-35, 1-36, 3-3, 3-25, 3-26, 3-48,
3-50, 3-60, 3-61, 4-5, 4-7, 5-6, 5-8, 7-8, 7-13, 7-15, 8-7,
8-11, 9-2, 9-9-12, 9-14, 9-36, 11-10-12, D-7, D-8

Data Warehouse Applications i-9

Database I, 1-2, 1-3, 1-22-29, 1-34, 1-37, 1-39, 2-2, 2-6, 3-10, 3-17-20, 3-26,
4-13, 4-16, 5-29, 6-7, 8-3, 8-13, 8-18, 8-24, 8-25, 8-29, 8-31, 8-32,
8-37, 8-38, 8-39, 9-2-6, 9-13, 9-18, 9-33-37, 10-3, 10-16, 10-20, 10-22,
10-23, 10-33, 10-34, 10-39, 10-41, 10-42, 11-3-12, 11-17-19, B-3,
C-6, C-7, C-9, C-21, D-3-6, D-15, E

Database Structures 9-5

Date i-3, i-9, i-13, i-14, i-18, i-28, 1-8, 1-9, 1-17, 1-27, 1-40, 1-42, 2-6, 2-7, 2-10,
2-11, 2-20, 2-21, 2-23, 2-26, 2-33, 2-34, 3-2-6, 3-14-27, 3-32-37, 3-41-48,
3-60-65, 4-5, 4-7, 4-24, 5-35, 6-21, 7-4, 7-6, 7-19, 8-2, 8-3, 8-6, 8-8, 8-9,
8-12-16, 8-22, 8-23, 8-27, 8-28, 8-33, 8-37-42, 9-7-17, 9-23, 9-26-30, 9-33,
10-6, 10-7, 10-16, 10-17, 10-27, 10-37, 11-4, 11-7, 11-8, 11-15, C-27, E-9

DATE Data Type 3-6, 3-18, 3-22, 3-25, 3-61, 4-7, 7-19, 9-12

Datetime Data Type 9-11, 9-12, 9-14

DBA_OBJECTS 11-5

DBMS i-2, i-13, i-14, i-21, i-23, i-26, i-27, i-30

DCL Statement 8-25, 8-29, 9-5

DDL Statement 8-11, 8-24, 8-25, 8-29, 8-36, 9-1, 9-5, 9-8, 9-35

DECODE Function 3-54, 3-56, 3-57, 3-58, 3-59, 3-60, 3-67

Default Date Display 2-6, 3-17

DEFAULT Option 9-7, 10-24, 10-25

Default Sort Order 2-21, 4-16

DELETE Statement 8-18, 8-19, 8-20, 8-21, 8-37, 8-39

DESC Keyword 2-21

DESCRIBE Command 1-35, 1-36, 8-7, 9-8, 9-33, 10-8, 10-12, 11-11, D-7

Dictionary Views i-3, 11-1, 11-2, 11-3, 11-6, 11-19, 11-20, 11-21

D

DISTINCT Keyword 1-20, 4-9, 7-11, 10-13, 10-14, 10-15, 10-27

DML Operations on Data Through a View 10-13

Double-ampersand 2-23, 2-28

DROP ANY INDEX Privilege 10-38

DROP ANY VIEW Privilege 10-20

DROP INDEX Statement 10-38

DROP SYNONYM Statement 10-41

DROP TABLE Statement 9-35

DROP VIEW Statement 10-20

DUAL Table 3-14, 3-19

Duplicate Rows i-23, 1-20, 4-8, 7-8, 7-11, 7-12, 7-18, 7-22

E

Entity Relationship i-17, i-19, i-20

Equijoins 5-2, 5-9, 5-19, 5-20, 5-29, C-2, C-8, C-9, C-14, C-15, C-21

ESCAPE Option 2-12

Execute SQL 1-2, 1-28, 1-37, D-2, D-5, D-15, E-2, E-12, E-22

Execution Plan 1-29, E-13, E-15

Explicit Data Type Conversion 3-26, 3-29, 3-30, 3-31

F

Foreign Key i-21, i-22, i-24, 5-9, 8-7, 9-17, 9-25, 9-26, 9-27,
9-31, 10-35, 11-12, 11-13, C-7, C-8

Format Model 3-22, 3-24, 3-32, 3-33, 3-35, 3-37, 3-40, 3-41

FROM Clause 1-4, 1-9, 2-4, 3-14, 4-13, 4-16, 5-12, 6-4, C-9, C-12, C-20

FULL OUTER Join 5-5, 5-22, 5-25

Functions i-3, i-7, i-10, 1-23, 2-4, 2-6, 3-1-15, 3-22-26, 3-29, 3-31, 3-41, 3-42,
3-45, 3-46, 3-47, 3-60, 3-61, 4-1-7, 4-10-13, 4-17, 4-18, 4-20, 4-23-26,
6-10, 6-19, 7-19, 8-8, 9-7, 9-28, 10-6, 10-12-15, 11-3, 11-8, E-6, E-17, E-18

fx Modifier 3-41, 3-42

G

Generate Unique Numbers 10-3, 10-23

GROUP BY Clause 4-2, 4-11, 4-12, 4-13, 4-14, 4-16, 4-17, 4-20,
4-21, 4-24, 6-12, 10-13, 10-14, 10-15

GROUP BY Column 4-14, 4-16

Group Functions 3-4, 4-1-13, 4-17, 4-18, 4-20, 4-23-26, 6-10, 6-19, 10-12-15

Group Functions in a Subquery 6-10

H

HAVING Clause 4-2, 4-18-25, 6-4, 6-11, 6-19

I

IF-THEN-ELSE Logic 3-54, 3-55, 3-57, 3-60

Implicit Data Type Conversion 3-26, 3-27, 3-28

IN Condition 2-7, 2-10, 5-2, 5-4, 5-13, 5-18, 5-19, 5-21, 5-22,
5-26, 5-27, 10-37, C-2, C-4-7, C-13, C-14, C-16, C-17

Index 1-27, 9-3, 9-6, 9-23, 9-24, 9-35, 10-2, 10-3, 10-33, 10-34-38,
10-42, 10-43, 10-46, 11-3, 11-7, 11-8, E-5, E-9

INSERT Statement 8-5, 8-11, 8-22, 8-23, 8-41, 9-8, 9-19, 10-27, 10-28

Integrity Constraint i-30, 8-7, 8-21, 9-17, 9-19, 9-22, 9-30,
9-31, 9-32, 10-16, 11-3

International Standards Organization (ISO) i-28

INTERSECT Operator 7-3, 7-13, 7-14, 7-22

INTERVAL YEAR TO MONTH 9-11, 9-14, 9-15

IS NOT NULL Condition 2-13

IS NULL Condition 2-13

J

Java i-4, i-7, i-10, i-27, E-4

Joining Tables 5-5, 5-22, 5-30, C-7

K

Keywords 1-4, 1-7, 1-31, 1-32, 5-6, 9-26, 9-27, D-4, E-14, E-16

L

LEFT OUTER Join 5-23
 LIKE Condition 2-11, 2-12
 Literal 1-17, 1-18, 1-19, 2-4, 2-11, 2-12, 3-11, 3-35, 3-51,
 3-55, 7-20, 9-7
 Logical Condition 2-14
 Logical Subsets 10-4

M

MAX Function 4-6, 4-7
 MIN Function 4-7
 MINUS Operator 7-15, 7-16, 7-17, 7-22, 7-23
 MOD Function 3-16
 Modifier 3-41, 3-42
 MONTHS_BETWEEN Function 3-6
 Multiple-column Subqueries 6-7
 Multiple-row Functions 3-4
 Multiple-row Subqueries 6-2, 6-6, 6-7, 6-14, 6-15, 6-16

N

Naming 1-33, 9-4, 9-18, 11-5
 Nested Functions 3-45, 3-61
 Nested SELECT 6-4, 6-20
 NEXTVAL 9-7, 9-28, 10-26, 10-27, 10-28
 NEXTVAL and CURRVAL Pseudocolumns 10-26, 10-27
 Nonunique Index 10-35, 10-43, 10-46
 NOT NULL Constraint 1-35, 9-19, 9-21, 9-22, 9-32, 11-10
 NOT Operator 2-17, 2-31, 6-16
 NULL Conditions 2-13, 2-31
 Null Value 1-24, 1-12, 1-13, 1-16, 2-13, 2-21, 3-47-51, 3-57, 4-5, 4-8-10,
 6-13, 6-17, 7-8, 7-13, 8-7, 9-7, 9-21, 9-24, 10-37
 NULLIF Function 3-51
 NUMBER Data Type 3-38, 7-19, 8-6
 Number Functions 3-6, 3-13
 NVL Function 3-48, 3-49, 3-52, 3-60, 4-10
 NVL2 Function 3-50

O

Object Relational i-2, i-9, i-13, i-30
 Object Relational Database Management System i-2, i-30
 Object-oriented Programming i-9
 OLTP i-9
 ON clause 5-5, 5-13-18, 5-22, 7-12, 10-16, 10-17
 ON DELETE CASCADE 9-27
 ON DELETE SET NULL 9-27
 Online Transaction Processing i-9
 OR REPLACE Option 10-8, 10-11
 Oracle Application Server 10g i-5, i-7, i-30
 Oracle Database 10g i-3, i-5, i-6, i-27, i-30, 6-7, 9-34
 Oracle Enterprise Manager 10g Grid Control i-5, i-8, i-30
 Oracle Instance i-27
 ORDBMS i-2
 Order i-18, i-23, 1-6, 1-11, 2-2, 2-18, 2-20, 2-21, 2-23, 2-27,
 2-28, 2-31-34, 3-5, 3-46, 3-53, 3-63, 3-65, 3-66,
 4-5, 4-12, 4-14, 4-16, 4-20, 4-22, 4-24, 4-27, 5-33, 6-6, 6-21,
 7-2, 7-3, 7-8, 7-10, 7-12, 7-13, 7-17, 7-18, 7-21, 7-22, 7-24,
 8-6, 9-10, 9-13, 10-11, 10-27, 11-8, 11-16, C-11, C-25
 ORDER BY Clause 2-20, 2-21, 2-23, 2-31, 2-32, 3-5, 4-14, 4-24,
 6-6, 7-17, 7-21, 7-22, 9-10, 10-27, C-11
 Order of Precedence 1-11, 2-18
 Order of Rows i-23, 2-20, 7-2, 7-21
 Outer Query 6-3, 6-4, 6-5, 6-9, 6-10, 6-12, 6-13, 6-20

P

PRIMARY KEY Constraint 9-20, 9-24
 Projection 1-3

R

RDBMS i-2, i-14, i-21, i-23, i-26, i-27, i-30
 Read Consistency 8-31, 8-37, 8-38
 READ ONLY Option 10-18
 Read-only Constraint 10-19
 REFERENCES 1-23, 1-27, 1-34, 8-29, 9-25-29, 11-13, E-6, E-9
 Referential Integrity Constraint 8-21
 Relational Database i
 Relational Database Management System i-2, i-14, i-27, i-30
 Restrict the Rows 1-3, 2-2, 2-4, 4-19, C-10
 Retrieve Data from a View 10-10
 Return a Value 3-3, 3-6, 3-14, 3-22
 RIGHT OUTER Join 5-24
 ROLLBACK Statement 8-2, 8-25-27, 8-29, 8-31, 8-34, 8-36, 8-39
 ROUND and TRUNC Functions 3-24
 ROUND Function 3-14, 3-15
 RR Date Format 3-43, 3-44
 Rules of Precedence 1-10, 1-11, 2-18, 2-19

S

SAVEPOINT Statement 8-28
 Schema 1-22-27, 9-2, 9-5, 9-6, 9-19, 9-29, 9-36, 10-1, 10-34, 10-40,
 11-2-4, 11-7, 11-21-23, B-3, E-3, E-7, E-9, E-10
 SELECT Statement i-3, 1-1-6, 1-17, 1-18, 1-37, 1-39, 2-5, 2-8, 2-9, 2-11,
 2-19, 2-20, 2-23, 2-27, 2-29, 2-31, 2-32, 3-2, 3-10, 4-8, 4-13-18,
 5-2, 5-12, 6-2-9, 6-19, 6-20, 7-8, 7-13-20, 8-19, 8-31, 8-37, 8-38, 9-32,
 10-4, 10-7, 10-12, 10-27, 11-6, 11-15, C-2, C-7, C-12, D-2
 Selection 1-3, 2-3
 Sequences 2-21, 9-6, 10-2, 10-3, 10-22, 10-23, 10-29, 10-38, 10-42,
 10-43, 11-3, 11-16, 11-17, 11-20, 11-23
 Set operators 7-1, 7-2, 7-3, 7-17, 7-18, 7-23, 7-24
 SET VERIFY ON 2-30
 Sets of Rows 4-3
 SGA i-27

S

Single-row Functions 2-6, 3-1, 3-4, 3-5, 3-6, 3-45, 3-60, 4-3
 Single-row Operator 6-4, 6-6, 6-8, 6-12, 6-14, 6-19
 Single-row Subqueries 6-2, 6-6, 6-7, 6-8, 6-9
 SOME Operator 6-15
 Sorted i-3, 2-35, 7-8, 7-10, 7-11, 7-18, 7-21, 7-22
 Sorting 2-1, 2-21, 2-31, 2-32
 SQL Developer i-2, 1-2, 1-7, 1-8, 1-14, 1-20, 1-21, 1-22,
 1-23, 1-24, 1-25, 1-27, 1-28, 1-32, 1-34, 1-35, 1-37, 1-38, 1-39,
 1-42, 2-22-30, 8-25, 8-29, 8-30, **E**
 Statement-level Rollback 8-36
 Structured Query Language i-25, i-26, 1-2
 Sub-SELECT 6-4
 Subqueries in UPDATE statements 8-16
 Subqueries to Delete Rows 8-20
 Subquery 6-3-19, 8-11, 8-13, 8-15, 8-20, 8-22, 8-23, 9-10, 9-32, 9-33, 9-36,
 10-7, 10-8, 10-9, 10-11, 10-27
 Substitution Variables 2-22, 2-23, 2-26, 2-27, 2-30-32, 8-10, **E**-13
 SUM Function 4-6, 4-16
 Summary Results for Groups 4-16
 Synonym i-19, i-20, 1-35, 6-15, 9-3, 9-6, 9-35, 10-2, 10-3, 10-39, 10-40-43,
 10-46, 11-3, 11-8, 11-9, 11-18, 11-20, 11-21, 11-22, **D**-7
 SYSDATE Function 3-18, 3-19, 8-8
 System Development Life Cycle i-11, i-12, i-17
 System Failure 8-24, 8-29, 8-30
 System Global Area i-27

T

Table Alias 5-12, 5-20, 5-29, C-12, C-15, C-21
 Table Prefixes 5-11, C-11, C-12
 Three-way Join 5-18
 TO_CHAR Function 3-32, 3-37, 3-38, 3-39, 3-40
 TO_NUMBER or TO_DATE Functions 3-41
 Transactions 8-2, 8-24, 8-25, 8-27, 8-36, 8-40, 9-35
 TRUNC Function 3-15, 3-24
 Tuple i-23
 Types of Indexes 10-35

U

UNION ALL Operator 7-11, 7-12, 7-18, 7-22
 UNION Clause 7-12
 UNION Operator 7-8, 7-9, 7-10, 7-19, 7-20, 7-21, 7-22, 7-23
 UNIQUE Constraint 9-22, 9-23, 10-33, 10-35, 10-37, 11-13
 Unique Identifier i-19, i-20
 Unique Index 9-23, 9-24, 10-35, 10-37, 10-43, 10-46
 UNIQUE Key Integrity Constraint 9-22
 UPDATE Statement 8-13, 8-14, 8-15, 8-16, 10-27
 UPPER Function 3-10
 USER_CONS_COLUMNS Dictionary View 11-14
 USER_SYNONYMS Dictionary View 11-18
 USING Clause 5-4, 5-8, 5-9, 5-10, 5-11, C-6
 Using Snippets E-17, E-18
 Using SQL Worksheet E-12, E-13

V

VALUES Clause 8-5, 8-7, 8-11, 8-22, 10-27

VARIANCE 4-4, 4-7, 4-24

VERIFY Command 2-30

Views i-3, i-8, 1-27, 9-6, 9-35, 10-2, 10-3, 10-4, 10-5, 10-6,
10-13, 10-16, 10-20, 10-21, 10-38, 10-40, 10-42, 11-1, 11-2, 11-3, 11-4,
11-5, 11-6, 11-7, 11-8, 11-15, 11-19, 11-20, 11-21, 11-23, E-9

W

When to Create an Index 10-37

WHERE Clause 2-3, 2-4, 2-5, 2-6, 2-7, 2-8, 2-10, 2-14, 2-22,
2-23, 2-26, 2-27, 2-31, 2-32, 3-10, 4-8, 4-12, 4-13, 4-18, 4-19,
4-24, 4-26, 5-7, 5-8, 5-13, 5-17, 5-29, 6-2, 6-4, 6-11, 6-12,
6-13, 6-18, 7-17, 8-14, 8-19, 10-37, 11-4, C-4, C-7, C-9, C-10,
C-11, C-17, C-20, C-21

Wildcard Search 2-11

WITH CHECK OPTION 10-7, 10-8, 10-16, 10-17, 11-13

X

XML i-4, i-6, i-27, 1-24, 1-25, E-7, E-8, E-20, E-21