

 *<SQLite Test.db> Script ✕

```
select * from Dataset_1;
```

dataset_1 1 ✕

Grid		<div><div></div><div>AZ destination</div><div></div></div>	<div><div></div><div>AZ passanger</div><div></div></div>	<div><div></div><div>AZ weather</div><div></div></div>	<div><div></div><div>123 temperature</div><div></div></div>	<div><div></div><div>AZ time</div><div></div></div>	<div><div></div><div>AZ co</div><div></div></div>
	1	No Urgent Place	Alone	Sunny	55	2PM	Restau
Text	2	No Urgent Place	Friend(s)	Sunny	80	10AM	Coffee
	3	No Urgent Place	Friend(s)	Sunny	80	10AM	Carry c
	4	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee
	5	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee
	6	No Urgent Place	Friend(s)	Sunny	80	6PM	Restau
Record	7	No Urgent Place	Friend(s)	Sunny	55	2PM	Carry c
	8	No Urgent Place	Kid(s)	Sunny	80	10AM	Restau
	9	No Urgent Place	Kid(s)	Sunny	80	10AM	Carry c
	10	No Urgent Place	Kid(s)	Sunny	80	10AM	Bar
	11	No Uraent Place	Kid(s)	Sunnv	80	2PM	Restau

*<SQLite Test.db> Script X

```
select * from Dataset_1;  
SELECT weather, temperature FROM dataset_1
```

dataset_1 1 X

SELECT weather, temperature | Enter a SQL expression to

Grid		A2 weather	123 temperature
	1	Sunny	55
	2	Sunny	80
	3	Sunny	80
	4	Sunny	80
	5	Sunny	80
	6	Sunny	80
	7	Sunny	55
	8	Sunny	80

Value

Text

Sunny

Refresh Save Cancel

Export data 200 200+

200 row(s) fetched - 0.0s, on 2025-11-18 at 18:12:06

Projects

Database (SQLite)

Database (SQLite)

ation (VARCHAR)

nger (VARCHAR)

er (VARCHAR)

perature (INTEGER)

(VARCHAR)

n (VARCHAR)

tion (VARCHAR)

r (VARCHAR)

(VARCHAR)

lStatus (VARCHAR)

ildren (INTEGER)

tion (VARCHAR)

ation (VARCHAR)

e (VARCHAR)

(VARCHAR)

(VARCHAR)

Settings

Settings

Settings

Settings

Settings

Settings

Settings

Settings

Settings

*<SQLite Test.db> Script

```
select * from Dataset_1;
```

```
SELECT weather,temperature FROM dataset_1
```

```
SELECT*FROM dataset_1 LIMIT 10
```

dataset_1 1

Enter a SQL expression to

	A-Z destinat	A-Z passang	A-Z weather	123 tempera	A-Z time
1	No Urgent Place	Alone	Sunny	55	2PM
2	No Urgent Place	Friend(s)	Sunny	80	10AM
3	No Urgent Place	Friend(s)	Sunny	80	10AM
4	No Urgent Place	Friend(s)	Sunny	80	2PM
5	No Urgent Place	Friend(s)	Sunny	80	2PM
6	No Urgent Place	Friend(s)	Sunny	80	6PM
7	No Urgent Place	Friend(s)	Sunny	55	2PM

Refresh Save Cancel

*<SQLite Test.db> Script X

```
select * from Dataset_1;
```



```
SELECT weather,temperature FROM dataset_1
```


```
SELECT*FROM dataset_1 LIMIT 10
```

```
SELECT DISTINCT passanger FROM dataset_1
```

dataset_1 1 X

 SELECT DISTINCT passanger | Enter a SQL expression to

 Grid  A-Z passanger

 Text 1 Alone

2 Friend(s)

3 Kid(s)

4 Partner

*<SQLite Test.db> Script X

```
select * from Dataset_1;  
● SELECT weather,temperature FROM dataset_1  
SELECT*FROM dataset_1 LIMIT 10  
SELECT DISTINCT passenger FROM dataset_1  
SELECT * FROM dataset_1 WHERE destination = 'Home'
```

dataset_1 1 ✕

Grid Text Record		Az destination	Az passanger	Az weather	123 temperature	Az time	Az coupon	Az expiration	Az gender
	1	Home	Alone	Sunny	55	6PM	Bar	1d	Female
	2	Home	Alone	Sunny	55	6PM	Restaurant(20-50)	1d	Female
	3	Home	Alone	Sunny	80	6PM	Coffee House	2h	Female
	4	Home	Alone	Sunny	55	6PM	Bar	1d	Male
	5	Home	Alone	Sunny	55	6PM	Restaurant(20-50)	1d	Male
	6	Home	Alone	Sunny	80	6PM	Coffee House	2h	Male
	7	Home	Alone	Sunny	55	6PM	Bar	1d	Male
	8	Home	Alone	Sunny	55	6PM	Restaurant(20-50)	1d	Male
	9	Home	Alone	Sunny	80	6PM	Coffee House	2h	Male

* <SQLite Test.db> Script X

```
select * from Dataset_1;
● SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passenger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
```

	AZ destination	AZ passenger	AZ weather	123 temperature	AZ time	AZ coupon	AZ expiration	AZ gender
1	No Urgent Place	Kid(s)	Sunny	80	10AM	Bar	1d	Female
2	Home	Alone	Sunny	55	6PM	Bar	1d	Female
3	Work	Alone	Sunny	55	7AM	Bar	1d	Female
4	No Urgent Place	Friend(s)	Sunny	80	10AM	Bar	1d	Male
5	Home	Alone	Sunny	55	6PM	Bar	1d	Male
6	Work	Alone	Sunny	55	7AM	Bar	1d	Male
7	No Urgent Place	Friend(s)	Sunny	80	10AM	Bar	1d	Male
8	Home	Alone	Sunny	55	6PM	Bar	1d	Male
9	Work	Alone	Sunny	55	7AM	Bar	1d	Male
10	No Urgent Place	Kid(s)	Sunny	80	10AM	Bar	1d	Male


```
select * from Dataset_1;  
SELECT weather,temperature FROM dataset_1  
SELECT*FROM dataset_1 LIMIT 10  
SELECT DISTINCT passanger FROM dataset_1  
SELECT * FROM dataset_1 WHERE destination = 'Home'  
SELECT *FROM dataset_1 ORDER BY coupon  
SELECT destination as Destination FROM dataset_1
```

SELECT destination as Desti Enter a SQL expression to filter results (use Ctrl+Space)

Record	AZ Destination	
	1	No Urgent Place
	2	No Urgent Place
	3	No Urgent Place
	4	No Urgent Place
	5	No Urgent Place
	6	No Urgent Place
	7	No Urgent Place
	8	No Urgent Place
	9	No Urgent Place
	10	No Urgent Place

SQLite TestLab / Script 1

```
select * from Dataset_1;  
SELECT weather,temperature FROM dataset_1  
SELECT*FROM dataset_1 LIMIT 10  
SELECT DISTINCT passanger FROM dataset_1  
SELECT * FROM dataset_1 WHERE destination = 'Home'  
SELECT *FROM dataset_1 ORDER BY coupon  
SELECT destination as Destination FROM dataset_1  
SELECT occupation FROM dataset_1 GROUP BY occupation
```

dataset_1 1

SELECT occupation FROM dataset_1 Enter a SQL expression to filter results (use Ctrl+Space)

Grid	<input checked="" type="radio"/> A-Z occupation	
Text	1 Architecture & Engineering	
	2 Arts Design Entertainment Sports & Media	
	3 Building & Grounds Cleaning & Maintenance	
	4 Business & Financial	
	5 Community & Social Services	
	6 Computer & Mathematical	
	7 Construction & Extraction	
	8 Education&Training&Library	
	9 Farming Fishing & Forestry	
Record	10 Food Preparation & Serving Related	

dataset_1 1

SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather

Grid

Text

	A-Z weather	123 avg_temp
1	Rainy	55
2	Snowy	30
3	Sunny	68.9462707319

```
select * from Dataset_1;
SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passanger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
```

*<SQLite Test.db> Script X

```
select * from Dataset_1;  
● SELECT weather,temperature FROM dataset_1  
SELECT*FROM dataset_1 LIMIT 10  
SELECT DISTINCT passanger FROM dataset_1  
SELECT * FROM dataset_1 WHERE destination = 'Home'  
SELECT *FROM dataset_1 ORDER BY coupon  
SELECT destination as Destination FROM dataset_1  
SELECT occupation FROM dataset_1 GROUP BY occupation  
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather  
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
```

dataset_1 1 X

SELECT weather ,COUNT(temperature) AS count_temp | Enter a SQL expression to filter results (use Ctrl+Space)

	AZ weather	123 count_temp	
1	Rainy	1,210	
2	Snowy	1,405	
3	Sunny	10,069	

```

select * from Dataset_1;
SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passanger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT(DISTINCT temperature) AS count_distinct_temp FROM dataset_1 GROUP BY
weather

```

dataset_1 1 X

SELECT weather ,COUNT(DISTINCT temperat | Enter a SQL expression to filter results (use Ctrl+Space)

	AZ weather	123 count_distinct_temp	
1	Rainy	1	
2	Snowy	1	
3	Sunny	3	

```

select * from Dataset_1;
SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passanger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT(DISTINCT temperature) AS count_distinct_temp FROM dataset_1 GROUP BY
weather
SELECT weather ,SUM(temperature) AS sum_temp FROM dataset_1 GROUP BY weather

```

dataset_1 1 X

SELECT weather ,SUM(temperature) AS sum_t Enter a SQL expression to filter results (use Ctrl+Space)

	A-Z weather	123 sum_temp	
1	Rainy	66,550	
2	Snowy	42,150	
3	Sunny	694,220	

```


select * from Dataset_1;
SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passanger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT(DISTINCT temperature) AS count_distinct_temp FROM dataset_1 GROUP BY
weather
SELECT weather ,SUM(temperature) AS sum_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MIN(temperature) AS min_temp FROM dataset_1 GROUP BY weather


```

dataset_1 1 X

SELECT weather ,MIN(temperature) AS min_temp | Enter a SQL expression to filter results (use Ctrl+Space)

Grid	<input checked="" type="radio"/>	A-Z weather	123 min_temp
Text	<input type="radio"/>		
1		Rainy	55
2		Snowy	30
3		Sunny	30

 `select * from Dataset_1;`

 `SELECT weather,temperature FROM data`

`SELECT*FROM dataset_1 LIMIT 10`

`SELECT DISTINCT passanger FROM datas`

`SELECT * FROM dataset_1 WHERE destin`

`SELECT *FROM dataset_1 ORDER BY coup`

`SELECT destination as Destination FR`

`SELECT occupation FROM dataset_1 GRO`

`SELECT weather ,AVG(temperature) as`

`SELECT weather ,COUNT(temperature)`

`SELECT weather ,COUNT(DISTINCT tempe`

`weather`

`SELECT weather ,SUM(temperature) AS`

`SELECT weather ,MIN(temperature) AS`

`SELECT weather ,MAX(temperature) AS`



....





Scr
Aut


```

select * from Dataset_1;
SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passanger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT(DISTINCT temperature) AS count_distinct_temp FROM dataset_1 GROUP BY
weather
SELECT weather ,SUM(temperature) AS sum_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MIN(temperature) AS min_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MAX(temperature) AS max_temp FROM dataset_1 GROUP BY weather
SELECT occupation FROM dataset_1 GROUP BY occupation HAVING occupation='Student'

```

dataset_1 1 X

SELECT occupation FROM dataset_1 GROUP BY occupation Enter a SQL expression to filter results (use Ctrl+Space)

Grid	<input checked="" type="radio"/>	AZ occupation
1		Student

```
select * from dataset_1;
SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passanger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT(DISTINCT temperature) AS count_distinct_temp FROM dataset_1 GROUP BY
weather
SELECT weather ,SUM(temperature) AS sum_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MIN(temperature) AS min_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MAX(temperature) AS max_temp FROM dataset_1 GROUP BY weather
SELECT occupation FROM dataset_1 GROUP BY occupation HAVING occupation='Student'
SELECT DISTINCT destination FROM(SELECT * FROM dataset_1 UNION SELECT * FROM table_to_union)
```

table_to_union 1 X	
SELECT DISTINCT destination FROM dataset_1	
Enter a SQL expression to filter results (use Ctrl+Space)	
Grid	AZ destination
1	Home
2	No Urgent Place
3	UNION
4	Work

```

select * from Dataset_1;
SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passanger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT(DISTINCT temperature) AS count_distinct_temp FROM dataset_1 GROUP BY
weather
SELECT weather ,SUM(temperature) AS sum_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MIN(temperature) AS min_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MAX(temperature) AS max_temp FROM dataset_1 GROUP BY weather
SELECT occupation FROM dataset_1 GROUP BY occupation HAVING occupation='Student'
SELECT DISTINCT destination FROM(SELECT * FROM dataset_1 UNION SELECT * FROM table_to_union)
SELECT a.destination,a.time,b.part_of_day FROM dataset_1 a INNER JOIN table_to_join b ON
a.time=b.time

```

dataset_1(+) 1 X

SELECT a.destination,a.time,b.part_of_day FROM dataset_1 a INNER JOIN table_to_join b ON a.time=b.time Enter a SQL expression to filter results (use Ctrl+Space)

	AZ destination	AZ time	AZ part_of_day	
1	No Urgent Place	2PM	Afternoon	
2	No Urgent Place	10AM	Morning	
3	No Urgent Place	10AM	Morning	
4	No Urgent Place	2PM	Afternoon	
5	No Urgent Place	2PM	Afternoon	
6	No Urgent Place	6PM	Evening	
7	No Urgent Place	2PM	Afternoon	
8	No Urgent Place	10AM	Morning	
9	No Urgent Place	10AM	Morning	

```

select * from Dataset_1;
SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passanger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT(DISTINCT temperature) AS count_distinct_temp FROM dataset_1 GROUP BY
weather
SELECT weather ,SUM(temperature) AS sum_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MIN(temperature) AS min_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MAX(temperature) AS max_temp FROM dataset_1 GROUP BY weather
SELECT occupation FROM dataset_1 GROUP BY occupation HAVING occupation='Student'
SELECT DISTINCT destination FROM(SELECT * FROM dataset_1 UNION SELECT * FROM table_to_union)
SELECT a.destination,a.time,b.part_of_day FROM dataset_1 a INNER JOIN table_to_join b ON a.time=b.time
SELECT destination ,passanger FROM(SELECT*FROM dataset_1 WHERE passanger = 'Alone')

```

dataset_1 1 X

SELECT destination ,passanger FROM(SELECT | Enter a SQL expression to filter results (use Ctrl+Space)

Grid
Text
Record

	AZ destination	AZ passanger
1	No Urgent Place	Alone
2	Home	Alone
3	Home	Alone
4	Home	Alone
5	Work	Alone
6	Work	Alone
7	Work	Alone
8	Work	Alone
9	Work	Alone

<SQLite test.db> Script

```
SELECT weather,temperature FROM dataset_1
SELECT*FROM dataset_1 LIMIT 10
SELECT DISTINCT passanger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT *FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT(DISTINCT temperature) AS count_distinct_temp FROM dataset_1 GROUP BY
weather
SELECT weather ,SUM(temperature) AS sum_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MIN(temperature) AS min_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MAX(temperature) AS max_temp FROM dataset_1 GROUP BY weather
SELECT occupation FROM dataset_1 GROUP BY occupation HAVING occupation='Student'
SELECT DISTINCT destination FROM(SELECT * FROM dataset_1 UNION SELECT * FROM table_to_union)
SELECT a.destination,a.time,b.part_of_day FROM dataset_1 a INNER JOIN table_to_join b ON a.time=b.time
SELECT destination ,passanger FROM(SELECT*FROM dataset_1 WHERE passanger = 'Alone')
SELECT * FROM dataset_1 WHERE weather LIKE 'Sun%'
SELECT DISTINCT temperature FROM dataset_1 WHERE temperature BETWEEN 29 AND 75
```

dataset_1 1

SELECT DISTINCT temperature FROM dataset Enter a SQL expression to filter results (use Ctrl+Space)

Grid	123 temperature
1	55
2	30
Text	

```

SELECT * FROM dataset_1 LIMIT 10
SELECT DISTINCT passenger FROM dataset_1
SELECT * FROM dataset_1 WHERE destination = 'Home'
SELECT * FROM dataset_1 ORDER BY coupon
SELECT destination as Destination FROM dataset_1
SELECT occupation FROM dataset_1 GROUP BY occupation
SELECT weather ,AVG(temperature) as avg_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT( temperature) AS count_temp FROM dataset_1 GROUP BY weather
SELECT weather ,COUNT(DISTINCT temperature) AS count_distinct_temp FROM dataset_1 GROUP BY
weather
SELECT weather ,SUM(temperature) AS sum_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MIN(temperature) AS min_temp FROM dataset_1 GROUP BY weather
SELECT weather ,MAX(temperature) AS max_temp FROM dataset_1 GROUP BY weather
SELECT occupation FROM dataset_1 GROUP BY occupation HAVING occupation='Student'
SELECT DISTINCT destination FROM(SELECT * FROM dataset_1 UNION SELECT * FROM table_to_union)
SELECT a.destination,a.time,b.part_of_day FROM dataset_1 a INNER JOIN table_to_join b ON a.time=b.time
SELECT destination ,passanger FROM(SELECT * FROM dataset_1 WHERE passanger = 'Alone')
SELECT * FROM dataset_1 WHERE weather LIKE 'Sun%'
SELECT DISTINCT temperature FROM dataset_1 WHERE temperature BETWEEN 29 AND 75
SELECT occupation FROM dataset_1 WHERE occupation IN('Sales & Related','Management')

```

dataset_1 1 x

SELECT occupation FROM dataset_1 WHERE | Enter a SQL expression to filter results (use Ctrl+Space)

Grid	AZ occupation
1	Sales & Related
2	Sales & Related
3	Sales & Related
4	Sales & Related
5	Sales & Related
6	Sales & Related
7	Sales & Related
8	Sales & Related
9	Sales & Related
10	Sales & Related