SOP-SP-003: Access to an Existing Service Principal (Service Principal User / Manager role)

Owner: MLOps Platform Team | Version 1.0 | Sample SOP for prototype

1. Purpose and Scope

- This SOP covers granting a user or group permission to use or manage an EXISTING service principal, for example to run jobs as the service principal or to rotate its secret.

2. When to use this SOP

- A user or group needs the Service Principal User role to run a job as an existing service principal.
- A user or group needs the Service Principal Manager role, or read access to the service principal secret in Key Vault.
- Ownership of an existing service principal must be transferred.

3. Not covered by this SOP

- Creating a new service principal: use SOP-SP-002.

4. Required information in the ticket

- Existing service principal name or application ID.
- Principal (user or group) to be granted and the role requested.
- Environment / workspace and business justification.

5. Validation rules

- The service principal must already exist.
- Manager role is granted only to members of the owning team.
- Key Vault secret read is granted only to groups, never to individual users.

6. Approval

- Current owner of the service principal or the Job Owner (JO) approves.

7. Implementation

- Repository: grey-infra.
- Branch: feature/-sp-access created from master.
- File: terraform/service_principals/.tf. Add the principal to the sp_users or sp_managers list.

8. Deployment

- Jenkins job: grey-infra-terraform-apply after merge to master.

9. Post-deployment verification

- Check the service principal's permissions in the Databricks account console and comment on the ASPEN ticket.