

Rotting Oranges

Try to solve the Rotting Oranges problem.

We'll cover the following ^

- Statement
- Examples
- Understand the problem
- Try it yourself

Statement

You're given an $(m \times n)$ matrix where each cell of the matrix can have one of three values:

- 0 represents an empty cell
- 1 represents a fresh orange
- 2 represents a rotten orange

Every minute, an orange becomes rotten if it's adjacent to a rotten orange in any direction. Return the minimum number of minutes that must elapse until no cell has a fresh orange. If this is impossible, return -1.

Constraints:

- $m == \text{grid.length}$
- $n == \text{grid}[i].\text{length}$
- $1 \leq m, n \leq 10$
- $\text{grid}[i][j]$ is 0, 1, or 2.










Examples

Sample example 1

grid	[2, 1, 1]	[1, 1, 0]	[0, 1, 1]
output	?		

Explanation

Minute 0

Key








	Rotten
	Fresh

Sample example 1



grid	[2, 1, 1]	[1, 1, 0]	[0, 1, 1]
output	?		

Explanation

Minute 1

Key

	Rotten
	Fresh








2 of 6

Sample example 1

grid	[2, 1, 1]	[1, 1, 0]	[0, 1, 1]
output	?		

Explanation

Minute 2

Key

	Rotten
	Fresh








3 of 6

Sample example 1

grid	[2, 1, 1]	[1, 1, 0]	[0, 1, 1]
output	?		

Explanation

Minute 3

Key

	Rotten
	Fresh

4 of 6




Sample example 1

grid	[2, 1, 1]	[1, 1, 0]	[0, 1, 1]
output	4		

Explanation

Minute 4



Key

	Rotten
	Fresh


5 of 6

Sample example 2

grid	[2, 1, 1]	[0, 1, 1]	[1, 0, 1]
output	-1		

Explanation

Minute 0



Key

	Rotten
	Fresh

6 of 6



Understand the problem

Let's take a moment to make sure you've correctly understood the problem. The quiz below helps you check if you're solving the correct problem:

Rotting Oranges

1

What is the output if the following (3×3) grid is given as input?

$$\begin{bmatrix} 2 & 1 & 1 \\ 0 & 0 & 1 \\ 1 & 1 & 1 \end{bmatrix}$$



A) 3

B) 6

C) 4

Submit Answer



Question 1 of 2
0 attempted



Reset Quiz ↺

Try it yourself

Implement your solution in the following coding playground:



usercode > Solution.java

```
1 import java.util.*;
2 public class Solution{
3     public static int minMinutesToRot(int[][] grid) {
4
5         // Your code will replace this placeholder return statement
6
7         return 0;
8     }
9 }
```

Powered by AI



Submit

Test Cases Results

Case 1

Case 2

Case 3

Input #1

```
[[2,1,1],[1,1,0],[0,1,1]]
```

Rotting Oranges

Hide Hint

You might want to go over the [Tree Breadth-first Search](#) pattern again.

← Back

Asteroid Collision

Next →

Where to Go from Her...



