

Student Club Event Ticketing & Budget Portal

SANTOSH N

PES1UG24CS615

2. Use-Case Flow Specification

Use Case: Register for Event & Generate Ticket

Primary Actor: Attendee

Supporting Actors: System (Ticketing Portal)

Preconditions

- ⊄ The event proposal has been fully approved (Faculty Coordinator, Finance Office and Dean sign-off complete) and is published on the portal.
- ⊄ The attendee is logged into the club portal with a verified university account.

Postconditions

- ⊄ A unique QR-coded ticket exists for the attendee and has been emailed to them.
- ⊄ The event's registered-attendee count is updated and checked against venue capacity.

Main Success Scenario

1. Attendee opens the portal and browses the list of published, approved events.
2. Attendee selects an event and clicks "Register".
3. System checks remaining capacity for the event and shows available slots.
4. Attendee confirms registration and pays the ticket fee, if the event has one.
5. System validates the payment (or confirms the registration directly for free events).
6. System generates a unique QR-coded ticket bound to the attendee and the event.
7. System emails the ticket to the attendee and increments the registered-attendee count.
8. Use case ends successfully.

Alternate Flow — 4a. Event at Full Capacity

- 4a1. System detects that no slots remain and informs the attendee the event is full.
- 4a2. Attendee is offered a spot on the waitlist instead of a confirmed registration.
- 4a3. If the attendee accepts, they are added to the waitlist and notified automatically if a slot opens up later; if they decline, the use case ends without a ticket being issued.

Alternate Flow — 5a. Payment Declined

5a1. System displays a payment-failed message and does not reserve a slot.

5a2. Attendee is prompted to retry with another payment method.

5a3. If payment fails again after 2 attempts, the registration is cancelled and the attendee is notified.