- 21 When implementing linear regression of some dependent variable on the set of independent variables = (1, ..., r), where is the number of predictors, which of the following statements will be true?
 - a) 0, 1, ..., r are the regression coefficients.
 - b) Linear regression is about determining the **best predicted weights** by using the **method of ordinary least squares**.
 - **C)** E is the random interval
 - d) Both a and b

22)

What indicates that you have a **perfect fit** in linear regression?

```
a) The value ^2 < 1, which corresponds to SSR = 0
```

- b) The value $^2 = 0$, which corresponds to SSR = 1
- c) The value $^2 > 0$, which corresponds to SSR = 1
- d) The value $^2 = 1$, which corresponds to SSR = 0ANS:-D

23)


In simple linear regression, the value of **what** shows the point where the estimated regression line crosses the axis?

- a) Y
- b) B0
- c) B1
- d) F

ANS:-B

24)

Check out these four linear regression plots:



Which one represents an underfitted model?

- a)The bottom-left plot
- b) The top-right plot
- c) The bottom-right plot
- d) The top-left plot

ANS:-THE TOP LEFT PLOT

25)

There are five basic steps when you're implementing linear regression:

- a. Check the results of model fitting to know whether the model is satisfactory.
- **b.** Provide data to work with, and eventually do appropriate transformations.
- **c.** Apply the model for predictions.
- **d.** Import the packages and classes that you need.
- e. Create a regression model and fit it with existing data.

However, those steps are currently listed in the wrong order. What's the correct order? a) e, c, a, b, d b) e, d, b, a, c c) d, e, c, b, a d) d, b, e, a, c ANS:-B 26) Which of the following are optional parameters to Linear Regressio nin scikit-learn a) Fit b) fit_intercept c) normalize d) copy_X e) n_jobs f) reshape ANS:-B,D 27) While working with scikit-learn, in which type of regression do you need to transform the array of inputs to include nonlinear terms such as 2? a) Multiple linear regression b) Simple linear regression c) Polynomial regression 28) You should choose statsmodels over scikit-learn when: A)You want graphical representations of your data. b) You're working with nonlinear terms.

ANS:-YOU NEED TO INCLUDE OPTIONAL PARAMETERS

29) ______ is a fundamental package for scientific computing with Python. It offers

comprehensive mathematical functions, random number generators, linear algebra routines, Fourier transforms, and more. It provides a high-level syntax that makes it accessible and productive.

c) You need more detailed results.

a) Pandas

b) Numpy

d) scipy

c) Statsmodel

d) You need to include optional parameters.

ANS:-NUMPY

30) is a Python data visualization library based on Matplotlib. It provides a high-level interface for drawing attractive and informative statistical graphics that allow you to explore and understand your data. It integrates closely with pandas data structures.
a) Bokeh
b) Seaborn
c) Matplotlibd) Dash
ANS:-SEABORN
41)
Among the following identify the one in which dimensionality reduction reduces.
a) Performance
b) statistics
C) Entropy
d) Collinearity
ANS:-COLLINEARITY
42) Which of the following machine learning algorithm is based upon the idea of bagging?
a.Decision Tree
b.Random Forest
c.Classfication
d.SVM
ANS:-RANDOM FOREST
43)Choose a disadvantage of decision trees among the following.
a.Decision tree robust to outliers
b.Factor analysis
c.Decision Tree are prone to overfit
d.all of the above
ANS:-DECISION TREE ARE PRONE TO OVERFIT

44) What is the term known as on which the machine learning algorithms build a model based on sample data?

- 1) Data Training
- 2) Sample Data
- 3) Training data
- 4) None of the above

ANS:-TRAINING DATA

45) Which of the following machine learning techniques helps in detecting the outliers in data?

- 1) Clustering
- 2) Classification
- 3) Anamoly detection
- 4) All of the above

ANS:- ANAMOLY DETECTION

46)Identify the incorrect numerical functions in the various function representation of machine learning.

- Support Vector
- Regression
- Case based
- Classification

ANS:-CASE BASED

47) Analysis of ML algorithm needs

- a) Statistical learning theory
- b) Computational learning theory
- c) None of the above
- d) Both a and b

ANS:-D

48)

Identify the difficulties with the k-nearest neighbor algorithm.

- 1) Curse of dimensionality
- 2) Calculate the distance of test case for all training cases
- 3) Both a and b
- 4) None

ANS:-CURSE OF DIMENSIONALITY

49)The total types of the layer in radial basis function neural networks is _____

- a) 1
- b) 2
- c) 3
- d) 4

ANS:-C

50

Which of the following is not a supervised learning

- a) PCA
- b) Naïve bayes
- c) Linear regression
- d) KMeans

ANS:-A