

PROCESSED AT :**Thyrocare**

Samanvitha Complex, No.12,13 and 14,
Mayura Street,Outer Ring Road,
Hebbal, Bangalore-560095

Thyrocare®

Think Thyroid. Think Thyrocare.

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

☎ 022 - 3090 0000 / 4125 2525 ☎ 8691866066 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : SANTWANA VERMA (23Y/F)
REF. BY : SELF
TEST ASKED : TSH

SAMPLE COLLECTED AT :
NO.62,3R CROSS,ASHWATH NAGAR,NEAR KALAMANDIR
BEHIND STATE BANK OF
MYSORE,MARATHALLI,BENGALLOORU,KARNATAKA,560037

TEST NAME	TECHNOLOGY	VALUE	UNITS REFERENCE RANGE
THYROID STIMULATING HORMONE (TSH)	C.L.I.A	6.14	μIU/ml 0.3-5.5

Comments : *****Please correlate with clinical conditions.****Method :**

TSH - SANDWICH CHEMI LUMINESCENT IMMUNO ASSAY

Pregnancy reference ranges for TSH

1st Trimester : 0.10 - 2.50

2nd Trimester : 0.20 - 3.00

3rd Trimester : 0.30 - 3.00

Reference:

Guidelines of American Thyroid Association for the Diagnosis and Management of Thyroid Disease During
Pregnancy and Postpartum, Thyroid, 2011, 21; 1-46

~~ End of report ~~

Sample Collected on (SCT) : 08 Sep 2019 09:00
Sample Received on (SRT) : 08 Sep 2019 14:54
Report Released on (RRT) : 08 Sep 2019 16:24
Sample Type : SERUM
Labcode : 0809020062/BAN26
Barcode : P7625415



Dr Arjun CP MD(Path)

Dr.Caesar Sengupta MD(Micro)

CUSTOMER DETAILS

As declared in our data base

Name: SANTWANA VERMA **Age:** 23Y **Sex:** F **Mobile No:** 9454574659

Barcodes/Sample_Type : P7625415 (SERUM)
Labcode : 0809020062
Ref By : SELF
Sample_Type/Tests : SERUM:TSH
Sample Collected At : NO.62,3R CROSS,ASHWATH NAGAR,NEAR KALAMANDIR BEHIND
STATE BANK OF
MYSORE,MARATHALLI,BENGALLOORU,KARNATAKA,560037
Sample Collected on (SCT) : 08 Sep 2019 09:00
Report Released on (RRT) : 08 Sep 2019 16:24
Amount Collected : Rs.200/-(two hundred only)

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 4125 2525 | www.thyrocare.com | info@thyrocare.com

CONDITIONS OF REPORTING

- ❖ The reported results are for information and interpretation of the referring doctor only.
- ❖ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ❖ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ❖ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ❖ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ❖ This report is not valid for medico-legal purpose.
- ❖ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.








EXPLANATIONS

- ❖ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ❖ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ❖ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ❖ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ❖ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ❖ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ❖ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ❖ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ❖ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ❖ **Reference Range** - Means the range of values in which 95% of the normal population would fall.


SUGGESTIONS

- ❖ Values out of reference range requires reconfirmation before starting any medical treatment.
- ❖ Retesting is needed if you suspect any quality shortcomings.
- ❖ Testing or retesting should be done in accredited laboratories.
- ❖ For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 4125 2525**
- ❖ SMS: <Labcode No.> to **9870666333**

Preventive Healthcare is now at your fingertips!



Download Thyroapp Now





Focus TB
Towards a TB free world

"Fight TB with power of Rapid Technology"

Focus TB, powered by Thyrocare.
A brand that will focus on TB, which is one of the major public health problems in the country.

Tuberculosis (TB) is a transmissible, airborne infection caused by *Mycobacterium tuberculosis* (MTB). It transpires usually when a person inhales microscopic droplet nuclei containing viable bacteria, spread through coughing by persons who have infectious TB.



Call : 022 - 3090 0000/4125 2525
Email: info@focustb.com
Website: www.focustb.com

Powered by
Thyrocare
Think Thyroid. Think Thyrocare.