



HTML Links

[< Previous](#)[Next >](#)

Links are found in nearly all web pages. Links allow users to click their way from page to page.

HTML Links - Hyperlinks

HTML links are hyperlinks.

You can click on a link and jump to another document.

When you move the mouse over a link, the mouse arrow will turn into a little hand.

Note: A link does not have to be text. It can be an image or any other HTML element.

HTML Links - Syntax

In HTML, links are defined with the `<a>` tag:

```
<a href="url">Link text</a>
```

Example

```
<a href="https://www.w3schools.com/html/">Visit our HTML tutorial</a>
```

Try it Yourself »

The **href** attribute specifies the destination address (<https://www.w3schools.com/html/>) of the link.

The **link text** is the visible part (Visit our HTML tutorial).

Clicking on the link text will send you to the specified address.

Note: Without a forward slash on subfolder addresses, you might generate two requests to the server. Many servers will automatically add a forward slash to the address, and then create a new request.

Local Links

The example above used an absolute URL (A full web address).

A local link (link to the same web site) is specified with a relative URL (without <http://www....>).

Example

```
<a href="html_images.asp">HTML Images</a>
```

Try it Yourself »

HTML Link Colors

By default, a link will appear like this (in all browsers):

- An unvisited link is underlined and blue

- A visited link is underlined and purple
- An active link is underlined and red

You can change the default colors, by using CSS:

Example

```
<style>
a:link {
    color: green;
    background-color: transparent;
    text-decoration: none;
}

a:visited {
    color: pink;
    background-color: transparent;
    text-decoration: none;
}

a:hover {
    color: red;
    background-color: transparent;
    text-decoration: underline;
}

a:active {
    color: yellow;
    background-color: transparent;
    text-decoration: underline;
}
</style>
```

Try it Yourself »

HTML Links - The target Attribute

The **target** attribute specifies where to open the linked document.

The target attribute can have one of the following values:

- `_blank` - Opens the linked document in a new window or tab
- `_self` - Opens the linked document in the same window/tab as it was clicked (this is default)
- `_parent` - Opens the linked document in the parent frame
- `_top` - Opens the linked document in the full body of the window
- `framename` - Opens the linked document in a named frame

This example will open the linked document in a new browser window/tab:

Example

```
<a href="https://www.w3schools.com/" target="_blank">Visit W3Schools!</a>
```

Try it Yourself »

Tip: If your webpage is locked in a frame, you can use `target="_top"` to break out of the frame:

Example

```
<a href="https://www.w3schools.com/html/" target="_top">HTML5 tutorial!</a>
```

Try it Yourself »

HTML Links - Image as Link

It is common to use images as links:

Example

```
<a href="default.asp">
  
</a>
```

[Try it Yourself »](#)

Note: `border:0;` is added to prevent IE9 (and earlier) from displaying a border around the image (when the image is a link).

Link Titles

The `title` attribute specifies extra information about an element. The information is most often shown as a tooltip text when the mouse moves over the element.

Example

```
<a href="https://www.w3schools.com/html/" title="Go to W3Schools HTML section">Visit our HTML Tutorial</a>
```

[Try it Yourself »](#)

HTML Links - Create a Bookmark

HTML bookmarks are used to allow readers to jump to specific parts of a Web page.

Bookmarks can be useful if your webpage is very long.

To make a bookmark, you must first create the bookmark, and then add a link to it.

When the link is clicked, the page will scroll to the location with the bookmark.

Example

First, create a bookmark with the `id` attribute:

```
<h2 id="C4">Chapter 4</h2>
```

Then, add a link to the bookmark ("Jump to Chapter 4"), from within the same page:

```
<a href="#C4">Jump to Chapter 4</a>
```

Or, add a link to the bookmark ("Jump to Chapter 4"), from another page:

Example

```
<a href="html_demo.html#C4">Jump to Chapter 4</a>
```

Try it Yourself »

External Paths

External pages can be referenced with a full URL or with a path relative to the current web page.

This example uses a full URL to link to a web page:

Example

```
<a href="https://www.w3schools.com/html/default.asp">HTML tutorial</a>
```

Try it Yourself »

This example links to a page located in the html folder on the current web site:

Example

```
<a href="/html/default.asp">HTML tutorial</a>
```

Try it Yourself »

This example links to a page located in the same folder as the current page:

Example

```
<a href="default.asp">HTML tutorial</a>
```

Try it Yourself »

You can read more about file paths in the chapter [HTML File Paths](#).

Chapter Summary

- Use the `<a>` element to define a link
- Use the `href` attribute to define the link address
- Use the `target` attribute to define where to open the linked document
- Use the `` element (inside `<a>`) to use an image as a link
- Use the `id` attribute (`id="value"`) to define bookmarks in a page
- Use the `href` attribute (`href="#value"`) to link to the bookmark

Test Yourself with Exercises!

[Exercise 1 »](#)

[Exercise 2 »](#)

[Exercise 3 »](#)

[Exercise 4 »](#)

[Exercise 5 »](#)

HTML Link Tags

Tag	Description
<u><a></u>	Defines a hyperlink

[◀ Previous](#)

[Next ▶](#)

COLOR PICKER



HOW TO

- Tabs
- Dropdowns
- Accordions
- Convert Weights
- Animated Buttons
- Side Navigation
- Top Navigation
- Modal Boxes
- Progress Bars

Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List

SHARE



CERTIFICATES

HTML, CSS, JavaScript, PHP, jQuery, Bootstrap and XML.

[Read More »](#)



REPORT ERROR
PRINT PAGE

FORUM
ABOUT

Top 10 Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
SQL Tutorial
PHP Tutorial
jQuery Tutorial
Angular Tutorial
How To Tutorial

Top 10 References

HTML Reference
CSS Reference
JavaScript Reference
W3.CSS Reference
Bootstrap Reference
SQL Reference
PHP Reference
HTML Colors
jQuery Reference
AngularJS Reference

Top 10 Examples

HTML Examples
CSS Examples
JavaScript Examples
W3.CSS Examples
Bootstrap Examples
HTML DOM Examples
PHP Examples
jQuery Examples
Angular Examples
XML Examples

Web Certificates

HTML Certificate
CSS Certificate
JavaScript Certificate
jQuery Certificate
PHP Certificate
Bootstrap Certificate
XML Certificate

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of

use, cookie and privacy policy. Copyright 1999-2018 by Refsnes Data. All Rights Reserved.
Powered by W3.CSS.

