

[HTML](#)[CSS](#)[MORE ▼](#)

## HTML Images

[< Previous](#)[Next >](#)

Images can improve the design and the appearance of a web page.

## Example

```

```

[Try it Yourself »](#)

## Example

```

```

[Try it Yourself »](#)

## Example

```

```

[Try it Yourself »](#)

---

# HTML Images Syntax

In HTML, images are defined with the `<img>` tag.

The `<img>` tag is empty, it contains attributes only, and does not have a closing tag.

The `src` attribute specifies the URL (web address) of the image:

```

```

## The alt Attribute

The `alt` attribute provides an alternate text for an image, if the user for some reason cannot view it (because of slow connection, an error in the `src` attribute, or if the user uses a screen reader).

The value of the `alt` attribute should describe the image:

### Example

```

```

Try it Yourself »

If a browser cannot find an image, it will display the value of the `alt` attribute:

### Example

```

```

Try it Yourself »

**Note:** The `alt` attribute is required. A web page will not validate correctly without it.

# Image Size - Width and Height

You can use the `style` attribute to specify the width and height of an image.

## Example

```

```

Try it Yourself »

Alternatively, you can use the `width` and `height` attributes:

## Example

```

```

Try it Yourself »

The `width` and `height` attributes always defines the width and height of the image in pixels.

**Note:** Always specify the width and height of an image. If width and height are not specified, the page might flicker while the image loads.

## Width and Height, or Style?

The `width`, `height`, and `style` attributes are valid in HTML5.

However, we suggest using the `style` attribute. It prevents styles sheets from changing the size of images:

## Example

```
<!DOCTYPE html>
<html>
<head>
<style>
img {
    width:100%;
}
</style>
</head>
<body>




</body>
</html>
```

Try it Yourself »

## Images in Another Folder

If not specified, the browser expects to find the image in the same folder as the web page.

However, it is common to store images in a sub-folder. You must then include the folder name in the `src` attribute:

### Example

```

```

Try it Yourself »

## Images on Another Server

Some web sites store their images on image servers.

Actually, you can access images from any web address in the world:

## Example

```

```

Try it Yourself »

You can read more about file paths in the chapter [HTML File Paths](#).

## Animated Images

HTML allows animated GIFs:

### Example

```

```

Try it Yourself »

## Image as a Link

To use an image as a link, put the `<img>` tag inside the `<a>` tag:

### Example

```
<a href="default.asp">
  
</a>
```

Try it Yourself »

**Note:** `border:0;` is added to prevent IE9 (and earlier) from displaying a border around the image (when the image is a link).

## Image Floating

Use the CSS `float` property to let the image float to the right or to the left of a text:

### Example

```
<p>
The image will float to the right of the text.</p>
```

```
<p>
The image will float to the left of the text.</p>
```

Try it Yourself »

**Tip:** To learn more about CSS Float, read our [CSS Float Tutorial](#).

## Image Maps

Use the `<map>` tag to define an image-map. An image-map is an image with clickable areas.

In the image below, click on the computer, the phone, or the cup of coffee:



## Example

```


<map name="workmap">
  <area shape="rect" coords="34,44,270,350" alt="Computer"
href="computer.htm">
  <area shape="rect" coords="290,172,333,250" alt="Phone"
href="phone.htm">
  <area shape="circle" coords="337,300,44" alt="Coffee"
href="coffee.htm">
</map>
```

Try it Yourself »

The **name** attribute of the **<map>** tag is associated with the **<img>**'s usemap attribute and creates a relationship between the image and the map.

The **<map>** tag contains a number of **<area>** tags, that defines the clickable areas in the image-map.

## Background Image



To add a background image on an HTML element, use the CSS property **background-image** :

## Example

To add a background image on a web page, specify the background-image property on the BODY element:

```
<body style="background-image:url('clouds.jpg')">  
  
<h2>Background Image</h2>  
  
</body>
```

Try it Yourself »

## Example

To add a background image on a paragraph, specify the background-image property on the P element:

```
<body>  
  
<p style="background-image:url('clouds.jpg')">  
...  
</p>  
  
</body>
```

Try it Yourself »

To learn more about background images, study our [CSS Background Tutorial](#).

## The <picture> Element

HTML5 introduced the **<picture>** element to add more flexibility when specifying image resources.

The **<picture>** element contains a number of **<source>** elements, each referring to different image sources. This way the browser can choose the image that best fit the

current view and/or device.

Each `<source>` element have attributes describing when their image is the most suitable.

The browser will use the first `<source>` element with matching attribute values, and ignore any following `<source>` elements.

## Example

Show one picture if the browser window (viewport) is a minimum of 650 pixels, and another image if not, but larger than 465 pixels.

```
<picture>
  <source media="(min-width: 650px)" srcset="img_pink_flowers.jpg">
  <source media="(min-width: 465px)" srcset="img_white_flower.jpg">
  
</picture>
```

Try it Yourself »

**Note:** Always specify an `<img>` element as the last child element of the `<picture>` element. The `<img>` element is used by browsers that do not support the `<picture>` element, or if none of the `<source>` tags matched.

## HTML Screen Readers

A screen reader is a software program that reads the HTML code, converts the text, and allows the user to "listen" to the content. Screen readers are useful for people who are blind, visually impaired, or learning disabled.

## Chapter Summary

- Use the HTML `<img>` element to define an image
- Use the HTML `src` attribute to define the URL of the image
- Use the HTML `alt` attribute to define an alternate text for an image, if it cannot be displayed
- Use the HTML `width` and `height` attributes to define the size of the image

- Use the CSS **width** and **height** properties to define the size of the image (alternatively)
- Use the CSS **float** property to let the image float
- Use the HTML **<map>** element to define an image-map
- Use the HTML **<area>** element to define the clickable areas in the image-map
- Use the HTML **<img>** 's element **usemap** attribute to point to an image-map
- Use the HTML **<picture>** element to show different images for different devices

**Note:** Loading images takes time. Large images can slow down your page. Use images carefully.

## Test Yourself with Exercises!

[Exercise 1 »](#)[Exercise 2 »](#)[Exercise 3 »](#)[Exercise 4 »](#)[Exercise 5 »](#)[Exercise 6 »](#)


## HTML Image Tags

Tag	Description
<u><a href="#">&lt;img&gt;</a></u>	Defines an image
<u><a href="#">&lt;map&gt;</a></u>	Defines an image-map
<u><a href="#">&lt;area&gt;</a></u>	Defines a clickable area inside an image-map
<u><a href="#">&lt;picture&gt;</a></u>	Defines a container for multiple image resources

[◀ Previous](#)[Next ▶](#)

---

## COLOR PICKER



## LEARN MORE

Image Styles  
Image Slideshow  
Image Gallery  
Image Effects  
Responsive Image

## HOW TO

Tabs

Dropdowns

Accordions

Convert Weights

Animated Buttons

Side Navigation

Top Navigation

Modal Boxes

Progress Bars

Parallax

Login Form

HTML Includes

Google Maps

Range Sliders

Tooltips

Slideshow

Filter List

Sort List

SHARE



CERTIFICATES

HTML, CSS, JavaScript, PHP, jQuery, Bootstrap and XML.

[Read More »](#)



## Top 10 Tutorials

HTML Tutorial  
CSS Tutorial  
JavaScript Tutorial  
W3.CSS Tutorial  
Bootstrap Tutorial  
SQL Tutorial  
PHP Tutorial  
jQuery Tutorial  
Angular Tutorial  
How To Tutorial

## Top 10 References

HTML Reference  
CSS Reference  
JavaScript Reference  
W3.CSS Reference  
Bootstrap Reference  
SQL Reference  
PHP Reference  
HTML Colors  
jQuery Reference  
AngularJS Reference

## Top 10 Examples

HTML Examples  
CSS Examples  
JavaScript Examples  
W3.CSS Examples  
Bootstrap Examples  
HTML DOM Examples  
PHP Examples  
jQuery Examples  
Angular Examples  
XML Examples

## Web Certificates

HTML Certificate  
CSS Certificate  
JavaScript Certificate  
jQuery Certificate  
PHP Certificate  
Bootstrap Certificate  
XML Certificate

---

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2018 by Refsnes Data. All Rights Reserved.

