ш3schools.com



SQL BETWEEN Operator

Previous

Next >

The SQL BETWEEN Operator

The BETWEEN operator selects values within a given range. The values can be numbers, text, or dates.

The BETWEEN operator is inclusive: begin and end values are included.

BETWEEN Syntax

```
SELECT column_name(s)
FROM table_name
WHERE column_name BETWEEN value1 AND value2;
```

Demo Database

Below is a selection from the "Products" table in the Northwind sample database:

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz	19

				bottles	
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	1	2	48 - 6 oz jars	22
5	Chef Anton's Gumbo Mix	1	2	36 boxes	21.35

BETWEEN Example

The following SQL statement selects all products with a price BETWEEN 10 and 20:

```
Example

SELECT * FROM Products
WHERE Price BETWEEN 10 AND 20;

Try it Yourself »
```

NOT BETWEEN Example

To display the products outside the range of the previous example, use NOT BETWEEN:

```
Example

SELECT * FROM Products
WHERE Price NOT BETWEEN 10 AND 20;
```

Try it Yourself »

BETWEEN with IN Example

The following SQL statement selects all products with a price BETWEEN 10 and 20. In addition; do not show products with a CategoryID of 1,2, or 3:

```
Example

SELECT * FROM Products
WHERE (Price BETWEEN 10 AND 20)
AND NOT CategoryID IN (1,2,3);

Try it Yourself »
```

BETWEEN Text Values Example

The following SQL statement selects all products with a ProductName BETWEEN 'Carnarvon Tigers' and 'Mozzarella di Giovanni':

```
Example

SELECT * FROM Products
WHERE ProductName BETWEEN 'Carnarvon Tigers' AND 'Mozzarella di
Giovanni'
ORDER BY ProductName;

Try it Yourself »
```

NOT BETWEEN Text Values Example

The following SQL statement selects all products with a ProductName NOT BETWEEN 'Carnarvon Tigers' and 'Mozzarella di Giovanni':

Example

```
SELECT * FROM Products
WHERE ProductName NOT BETWEEN 'Carnarvon Tigers' AND 'Mozzarella di
Giovanni'
ORDER BY ProductName;
```

Try it Yourself »

Sample Table

Below is a selection from the "Orders" table in the Northwind sample database:

OrderID	CustomerID	EmployeeID	OrderDate	ShipperID
10248	90	5	7/4/1996	3
10249	81	6	7/5/1996	1
10250	34	4	7/8/1996	2
10251	84	3	7/9/1996	1
10252	76	4	7/10/1996	2

BETWEEN Dates Example

The following SQL statement selects all orders with an OrderDate BETWEEN '04-July-1996' and '09-July-1996':

Example

```
SELECT * FROM Orders
WHERE OrderDate BETWEEN #07/04/1996# AND #07/09/1996#;
```

Try it Yourself »

Previous

Next >

COLOR PICKER



HOW TO

Tabs
Dropdowns
Accordions
Convert Weights
Animated Buttons
Side Navigation

Top Navigation **Modal Boxes Progress Bars** Parallax Login Form **HTML Includes** Google Maps Range Sliders **Tooltips** Slideshow Filter List Sort List

SHARE









CERTIFICATES

HTML, CSS, JavaScript, PHP, jQuery, Bootstrap and XML.

Read More »

REPORT ERROR PRINT PAGE FORUM ABOUT

Top 10 Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
SQL Tutorial
PHP Tutorial
jQuery Tutorial
Angular Tutorial
How To Tutorial

Top 10 References

HTML Reference
CSS Reference
JavaScript Reference
W3.CSS Reference
Bootstrap Reference
SQL Reference
PHP Reference
HTML Colors
jQuery Reference
AngularJS Reference

Top 10 Examples

HTML Examples
CSS Examples
JavaScript Examples
W3.CSS Examples
Bootstrap Examples
HTML DOM Examples
PHP Examples
jQuery Examples
Angular Examples
XML Examples

Web Certificates

HTML Certificate
CSS Certificate
JavaScript Certificate
jQuery Certificate
PHP Certificate
Bootstrap Certificate
XML Certificate

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of

use, cookie and privacy policy. Copyright 1999-2018 by Refsnes Data. All Rights Reserved. Powered by W3.CSS.

