

=====

SENTINELAI INCIDENT RESPONSE REPORT

=====

Investigation ID : 2

Title : Suspicious SSH Authentication Activity

Generated : 2026-07-24 23:20:55

=====

EXECUTIVE SUMMARY

=====

The uploaded authentication logs were analysed for security events. The investigation identified potential security findings requiring analyst review.

=====

INCIDENT FINDINGS

=====

1. Successful SSH Login Detected

Severity: Low

Description:

User aritra successfully authenticated from source IP 203.0.113.7.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

2. Privileged Command Execution Detected

Severity: High

Description:

User aritra executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

3. Privileged Command Execution Detected

Severity: High

Description:

User aritra executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

4. Privileged Command Execution Detected

Severity: High

Description:

User ubuntu executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

5. Privileged Command Execution Detected

Severity: High

Description:

User ubuntu executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

6. Privileged Command Execution Detected

Severity: High

Description:

User aritra executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

7. Privileged Command Execution Detected

Severity: High

Description:

User aritra executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

8. Successful SSH Login Detected

Severity: Low

Description:

User deploy successfully authenticated from source IP 203.0.113.22.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

9. Privileged Command Execution Detected

Severity: High

Description:

User deploy executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

10. Privileged Command Execution Detected

Severity: High

Description:

User aritra executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

11. Successful SSH Login Detected

Severity: Low

Description:

User backup successfully authenticated from source IP 198.51.100.23.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

12. Privileged Command Execution Detected

Severity: High

Description:

User backup executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

13. Privileged Command Execution Detected

Severity: High

Description:

User backup executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

14. Privileged Command Execution Detected

Severity: High

Description:

User backup executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

15. Privileged Command Execution Detected

Severity: High

Description:

User pam_unix executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

16. Privileged Command Execution Detected

Severity: High

Description:

User backup executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

17. Privileged Command Execution Detected

Severity: High

Description:

User backup executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

18. Privileged Command Execution Detected

Severity: High

Description:

User backup executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

19. Privileged Command Execution Detected

Severity: High

Description:

User backup executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

20. Privileged Command Execution Detected

Severity: High

Description:

User backup executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

21. Privileged Command Execution Detected

Severity: High

Description:

User backup executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

22. Successful SSH Login Detected

Severity: Low

Description:

User sysupdate successfully authenticated from source IP 198.51.100.23.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

23. Privileged Command Execution Detected

Severity: High

Description:

User ubuntu executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

24. Privileged Command Execution Detected

Severity: High

Description:

User deploy executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

25. Privileged Command Execution Detected

Severity: High

Description:

User ubuntu executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

26. Privileged Command Execution Detected

Severity: High

Description:

User ubuntu executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

27. Privileged Command Execution Detected

Severity: High

Description:

User aritra executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

28. Successful SSH Login Detected

Severity: Low

Description:

User aritra successfully authenticated from source IP 203.0.113.22.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

29. Successful SSH Login Detected

Severity: Low

Description:

User ubuntu successfully authenticated from source IP 203.0.113.7.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

30. Privileged Command Execution Detected

Severity: High

Description:

User deploy executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

31. Successful SSH Login Detected

Severity: Low

Description:

User aritra successfully authenticated from source IP 203.0.113.22.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

32. Privileged Command Execution Detected

Severity: High

Description:

User ubuntu executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

33. Successful SSH Login Detected

Severity: Low

Description:

User ubuntu successfully authenticated from source IP 203.0.113.7.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

34. Successful SSH Login Detected

Severity: Low

Description:

User deploy successfully authenticated from source IP 203.0.113.22.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

35. Successful SSH Login Detected

Severity: Low

Description:

User deploy successfully authenticated from source IP 203.0.113.22.

Impact:

If the login was unauthorized, an attacker may have gained access to the system.

Recommendation:

Verify that the login was performed by an authorized user and confirm the source IP is expected.

Response Action:

Review user activity, validate account ownership, and investigate any suspicious access.

36. Privileged Command Execution Detected

Severity: High

Description:

User aritra executed a command with elevated privileges using sudo.

Impact:

Unauthorized privileged activity could allow an attacker to modify system settings, access sensitive data, or perform further compromise.

Recommendation:

Review the executed command and confirm the activity was authorized.

Response Action:

Investigate the user account, review audit logs, and escalate to the security team if unauthorized.

37. Multiple Failed Login Attempts Detected

Severity: Medium

Description:

48 failed login attempts were detected from IP address 198.51.100.23.

Impact:

The activity may indicate a brute-force attempt to gain unauthorized access.

Recommendation:

Review authentication logs and investigate the source IP.

Response Action:

Block the IP address if malicious activity is confirmed and reset affected credentials.

=====

INCIDENT RESPONSE WORKFLOW

=====

1. Detection
2. Alert
3. Investigation
4. Response
5. Recovery
6. Closure

=====

GENERAL SECURITY RECOMMENDATIONS

=====

- Enable Multi-Factor Authentication (MFA).
- Monitor repeated authentication failures.
- Restrict SSH access to trusted IP addresses.
- Review privileged account activity regularly.
- Maintain centralized logging and continuous monitoring.

=====