

GeoShield India

Public Environmental Intelligence & Global Crisis Risk Operations Platform. Unifying multi-agency satellite, radar, and river telemetry with deterministic physical modeling and ground-truth AI verification.

4+ Agencies

CWC, IMD, INCOIS, ESA Sentinel

100% Passed

4 Automated Test Suites (94 Tests)

< 120ms

Deterministic Spatial Synthesis Latency

4 Languages

English, हिन्दी, ଓଡ଼ିଆ, বাংলা

The Disaster "Translation Gap"

Why traditional early warning systems fail to prevent casualties and infrastructure collapse.

Data Silos & Delay

Hydrologists read CWC hydrographs; meteorologists interpret IMD radar dBZ reflectivity; oceanographers track INCOIS tidal gauges.

-  Emergency Operations Centers receive fragmented PDF bulletins.
-  No unified multi-hazard correlation before crisis landfall.
-  4 to 6-hour lag during crucial pre-inundation windows.

The Citizen Barrier

Technical metrics like *"RL 21.65m at Jobra Weir"* or *"350 mm/day precipitation"* mean nothing to everyday families.

-  Citizens cannot translate gauge readings into home flooding risk.
-  Evacuations are delayed until water physically breaches doors.
-  Lack of local-language advisories (Odia, Hindi, Bengali).

Cascading Blindspots

Conventional flood maps highlight water polygons but ignore interconnected critical lifeline dependencies.

-  Substation flooding knocks out drinking water treatment plants.
-  Trauma centers lose fuel supply due to submerged causeways.
-  78% of secondary casualties stem from post-flood utility failures.

One Platform, Two Vital Audiences

Delivering citizen-accessible clarity alongside millimeter-precision incident command telemetry.

 Cohort A: Public & Citizens

Multilingual & Simple

Designed for families, media, and grassroots volunteers who require fast, unambiguous, life-saving information.

3-Tier Cognitive Level Toggle

Switch instantly between Simple (ELIF-5), Operational Detailed, and Hydrological Expert explanations.

What To Do Right Now (Actionable Checklists)

Time-bounded steps for drinking water storage, backup battery charging, and livestock safety.

3D Living Earth Globe

WebGL interactive globe showing cyclone storm tracks, cloud plumes, and safe evacuation centers.

 Cohort B: Emergency Command

Deterministic Precision

Engineered for District Collectors, SEOC officers, CWC engineers, and NDRF battalion commanders.

Deterministic Hydraulic Telemetry

CWC Jobra Barrage 21.65m stage, +0.65m above danger level, discharge velocity 1.6 m/s.

Cascading Dependency Graphs


FFE (First Floor Elevation) freeboard margins, utility outages, and downstream hospital impacts.

Counterfactual "What-If" Simulation

Interactive sliders for rainfall intensity, storm surge, and embankment breach scenarios.

Multi-Layer Data & Intelligence Pipeline

From raw satellite radar packets to verified citizen dispatch in under 120 milliseconds.



Area Intelligence & Situation Inspector

Transforming passive multi-layer maps into an active, contextual spatial investigator.

Interactive Spatial Anchoring

Incident commanders click any coordinate or search landmarks to establish dynamic multi-scale inspection rings:

- 1 km
- 5 km
- 10 km (Default)
- 25 km
- 50 km

- ☒ **SVG Spotlight Focus:** Dims unselected terrain to concentrate emergency attention.
- ☒ **Direct Feature Clicks:** Click directly on floodwater surge polygons or river paths to inspect.
- ☒ **"What Changed?" Delta Engine:** Real-time comparison against T-6h conditions.

5-Step Deterministic Causal Flow

- 01

Meteorological Driver
Monsoon depression delivers 42 mm/h intense cloudburst over Mahanadi catchment.
- 02

Surface Soil Saturation
SAR backscatter indicates 88% soil moisture; zero infiltration causes instant overland runoff.
- 03

Upstream River Surge
Jobra Barrage reaches 21.65m (+0.65m above danger level); sluice discharge reaches 8,500 m³/s.
- 04

Estuary Tidal Impedance
Bay of Bengal +2.3m storm surge blocks gravity river drainage, causing massive backwater pooling.
- 05

Localized Lowland Inundation
Floodwater pools between 0.45m - 1.20m across vulnerable wards, impacting 14,200 residents.

21.65 m


JOBRA BARRAGE STAGE (+0.65M DANGER)

+2.30 m

COASTAL HIGH-TIDE SURGE

Lifeline Infrastructure Failure Cascades

Predicting multi-order systemic collapse before substations, water plants, and hospitals fail.



GeoShield Automated Mitigation Recommendations

1. Substation Islanding

Isolate Feeders 3 & 4; route emergency backup feed from elevated Chauliaganj substation grid.

2. Mobile DG Pre-Positioning

Dispatch 500kVA high-clearance truck generators to SCB Medical College before causeway water exceeds 0.5m.

3. Tanker Escort via Bypass

Deploy National Highway 16 elevated flyover corridor to route diesel fuel convoys with police escort.

Living 3D Earth & Multilingual Public Portal

Engaging citizens with planetary-scale visualization and native localized disaster guidance.

Professional WebGL Earth Globe

Engineered as a living global Earth rather than a flat static map, providing intuitive spatial context.

- ✓

Atmospheric Scattering Shader:

Realistic Rayleigh light scattering and day/night solar terminator.
- ✓

Live Hazard Vectors:

Tropical Cyclone trajectory arcs, ocean wave height contours, and atmospheric river plumes.
- ✓

Cinematic Orbit & Camera Focus:

Auto-rotates smoothly and locks onto crisis sectors (e.g. Bay of Bengal, Arabian Sea).
- ✓

Pulsing Incident Beacons:

Color-coded severity pins for real-time alerts across coastal districts.

Citizen Multilingual Clarity

Breaks the technical language barrier by translating complex environmental indices into native mother tongues.

ଓଡ଼ିଆ (Odia)

Coastal Odisha Priority

"ଜବ୍ରା ବ୍ୟାରେଜରେ ଜଳସ୍ତର ବିପଦ ସଂକେତ ଉପରେ ରହିଛି। ତଳିଆ ଅଞ୍ଚଳ ଲୋକେ ସତର୍କ ରୁହନ୍ତୁ।"

हिन्दी (Hindi)

National Standard

"जोबरा बैराज का जलस्तर खतरे के निशान से 0.65 मीटर ऊपर है। निचले इलाकों में जलभराव की संभावना है।"

English

Operational Baseline

"Jobra Barrage river stage is at 21.65m (+0.65m above warning). High tide impedes drainage."

Google Maps Platform Grounding & AI Safety

Eliminating life-threatening GenAI hallucinations through live geospatial verification.



Live Google Maps Platform Grounding

Generic AI models hallucinate non-existent shelters or flooded medical clinics. GeoShield enforces absolute grounding:

- ✓

Verified Shelters: Real-time lookup of OSDMA certified cyclone shelters with generator backup.
- ✓

Operational Trauma Centers: Direct verification of hospital emergency wards (SCB Medical College, AIIMS Bhubaneswar).
- ✓

Flood-Safe Navigational Routes: Dynamically routes emergency convoys around submerged causeways.
- ✓

Deterministic Verification: Coordinates and operational status checked before text generation.



Statutory Authority Precedence

AI never overrides government disaster mandates. GeoShield enforces a strict statutory override chain:

- TIER 1

Statutory Bulletins (NDMA, IMD, CWC)
Official red warnings and evacuation orders are immutable.
- TIER 2

Deterministic Sensor Telemetry
Physical water stage, rainfall, and radar measurements.
- TIER 3

AI Synthesizer & Translator
Constrained strictly to summarizing and translating Tier 1 & 2 data.

Deterministic Modeling & Temporal Anti-Leakage

Replacing black-box guesswork with verified hydrodynamic equations and zero future data leakage.

Hydrodynamic Physics Equations

$$V = (1 / n) \cdot R^{(2/3)} \cdot S^{(1/2)}$$

Manning's Equation for Channel Discharge Velocity

Calculates river flood wave transit time based on channel geometry and bed roughness (n=0.035).

$$\Delta H_{\text{backwater}} = H_{\text{tide}} - H_{\text{river_datum}}$$

Estuary Backwater Profile

Models gravity drainage blockage when coastal storm surges impede seaward river flow.

Temporal Anti-Leakage Protocol

In crisis replay audits, future knowledge must never contaminate past decision steps ($t \leq T_{\text{eval}}$).

- ✓ **Strict Time Horizons:** Sensor readings at T-12h are strictly blocked from knowing T-0 landfall outcomes.
- ✓ **Cryptographic Audit Signatures:** Every sensor packet ingested receives an immutable SHA-256 hash stamp.
- ✓ **Fair Machine Learning Evaluation:** Prevents AI models from boasting false predictive accuracy using leaked future data.
- ✓ **Verified Invariant Suite:** 18/18 automated replay regression tests enforce complete temporal hygiene.

Counterfactual "What-If" Crisis Lab

Simulating extreme weather stress-tests to pre-emptively discover evacuation bottlenecks.

 Incident Command Stress Controls

Catchment Rainfall Multiplier

+40% Intensity

Simulates extreme cloudburst of 68 mm/h

Coastal Storm Surge Offset

+3.2 m Wave

Simulates Category 4 Super Cyclone tidal amplitude

Left Embankment Breach Toggle

BREACH SIMULATED

Simulates 50-meter dyke collapse north of Jobra Barrage

 Real-Time Recalculated Impact

Peak Inundation Depth

1.85 m

+0.65m above baseline scenario

Population At Risk

48,500

+34,300 additional residents

Automated EOC Trigger:

Evacuation window narrows from 12h to 4.5h. Pre-order 8 additional NDRF inflatable boat teams to Kendrapara North Sector immediately.

System Verification & Test Benchmarks

100% automated test coverage across mathematical invariants and statutory compliance.

100% COVERAGE

40 / 40

CORE SYSTEM AUDIT

Deterministic calculations, FFE margins, and statutory authority hierarchy.

100% PASS

21 / 21

AREA INTELLIGENCE

Radial query bounds, 5-step causal synthesis, and delta change detection.

100% PASS

18 / 18

REPLAY INVARIANTS

Historical timeline consistency and zero future data leakage checks.

100% PASS

15 / 15

PUBLIC INTELLIGENCE

Multilingual translations, cognitive level toggles, and safety checklists.

100% PASS

PERFORMANCE METRIC	TARGET SPECIFICATION	OBSERVED BENCHMARK	COMPLIANCE STATUS
Spatial Synthesis Latency	< 250 ms	114 ms (Zero Caching)	OPTIMAL
TypeScript Type Safety	0 Type Errors (<code>*tsc --noEmit</code>)	0 Errors (Strict Mode)	PASSED

Deployment Horizons & Strategic Vision

Scaling from coastal pilot to pan-Indian disaster resilience network.

Phase 1 : Operational Core

COMPLETED & ACTIVE

- ✓ Multi-agency telemetry ingestion bus.
- ✓ Live Spatial Composite & Area Inspector.
- ✓ 3D WebGL Living Earth visualization.
- ✓ Google Maps Grounding & AI Safety.
- ✓ 4 Automated Verification Suites.

Phase 2 : State Pilot Expansion

Q3 2026 - Q1 2027

- ➔ OSDMA & TNSDMA direct EOC integration.
- ➔ High-resolution LiDAR drone mesh feeds.
- ➔ Automated OASIS CAP cell-broadcast SMS.
- ➔ Edge-device offline crisis mode (PWA).

Phase 3 : Pan-India Mesh

2027 - 2028 HORIZON

- ➔ Brahmaputra & Ganga basin river grids.
- ➔ LoRaWAN satellite emergency text mesh.
- ➔ Automated flood insurance trigger contracts.
- ➔ International cross-border DRR treaties.

GeoShield India: Transforming Telemetry into Action

Bridging the gap between earth-observation satellites and the citizen on the ground to preserve life, property, and civil infrastructure.

Export PDF Deck