

AT1 — a declaration that decomposes a ligature

The tagged target and its untagged control render identically. Only the declaration tells them apart, and only when ligatures are kept.

the tagged tariffs of the schedule [[AT1A]]

the untagged tariffs of the schedule [[AT1B]]

AT2 — a declaration that asserts a presentation form

Here the glyphs decompose on their own and the document declares the presentation form anyway. This is the case a fold cannot be allowed to undo: the author asked for U+FB01.

a declared fixed point in the mapping [[AT2A]]

AT3 — declared text of a different length

One glyph standing for many characters, and many glyphs standing for one. Both directions, because a length assumption breaks only one way.

the § on rounding conventions [[AT3A]]

the (TM) mark on the product name [[AT3B]]

AT4 — a hyphen declared to mean nothing

The break below is inside one word and its hyphen carries an EMPTY declaration, so the join is not a guess. Compare tests/text TX4, where nothing in the PDF distinguishes this from a compound hyphen.

the surrounding infra-
structure of the market [[AT4A]]

AT5 — a selection that covers part of a tagged span

A declaration applies to its whole span. A quad that covers only part of one cannot be told which part of the declared text corresponds.

[[AT5A]] see the third figure here

[[AT5B]] consult the third figure here

AT6 — an alternate description, not a replacement

/Alt describes; /ActualText replaces. Substituting /Alt into the extracted text is a defect, not a nicety.

the described phrase in this sentence [[AT6A]]

AT7 — a tagged span across a line break

One declaration, two quads. The declared text must appear once.

the third figure

of the set is cited here [[AT7A]]