





Title: *			
Size: Letter	Drawn By: *		
Date: 10/13/2026	Revision: *	Sheet 1 of 5	Team:

USB-C Connector




Crystal Oscillator







STM32C092KBT6




SWD Programming




UART Programming




CAN Interface



USB-C to UART Bridge




Test Points




Title: **Hub MCU**			
Size: Letter	Drawn By: Sao Aphisith Sithisack		
Date: 10/13/2026	Revision: 1	Sheet 2 of 5	Team: IGVC


Buck Converter




Battery Input & Protection




ESTOP Relay Buffers




Title: **Hub Power**			
Size: Letter	Drawn By: Sao Aphisith Sithisack		
Date: 10/13/2026	Revision: 2.0	Sheet 3 of 5	Team: IGVC



Title: **Current Sensor**			
Size: Letter	Drawn By: Sao Aphisith Sithisack		
Date: 10/13/2026	Revision: v1.0	Sheet 4 of 5	Team: IGVC



Title:	**Molex Connectors**		
Size: Letter	Drawn By: Sao Aphisith Sithisack		
Date: 10/13/2026	Revision: v1.0	Sheet 5 of 5	Team: IGVC


LED3
LED4
LED5
R24
R25
R26
U7
U8
U9
U10
U11
R20
F6
C25
F2
C22
C23
C24
J6
J7
J8
J9
R17
R18
R19
F3
F4
F5
J5
C20
R15
F1
U6
U5
U12
F7
R21
C26
R27
LED6
XF1
LED2
R23
C6
C5
C4
C2
C1
X1
J4
U2
R2
R1
C8
LED1
R22
R14
D2
Q1
D1
C13
C14
C15
J3
R28
LED7
R6
R4
P1
IC1
U3
R9
P2
R10
C9
C10
P3
C18
C19
U4
C12
C11
L1
R8
C7
R5
C3
R7
R3
U1
R12
R13
C16
C17
R11
J2
J1
TP1
TP2
TP4
TP5
TP8
TP3
TP6
TP7