



suki_T-rex

จัดทำโดย

นายกมลภพ กิตติธรรม รหัสนิต 6630200012

นางสาวเสาวลักษณ์ บุญรอด รหัสนิต 6630200667

นางสาวจิรัชญา แรงเรือง รหัสนิต 6630200098

นางสาวนรมน ศิลากุล รหัสนิต 6630200306

เสนอ

ผศ.ดร.จิรวรรณ เจริญสุข และ ดร.วนิดา คำประไพ

รายงานนี้เป็นส่วนหนึ่งของรายวิชา 01418113 การโปรแกรมคอมพิวเตอร์เบื้องต้น

หลักสูตรวิทยาศาสตรบัณฑิต สาขาวิทยาการคอมพิวเตอร์

คณะวิทยาศาสตร์ ศรีราชา มหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตศรีราชา

ประจำภาคปลาย ปีการศึกษา 2567

```

1 #include <iostream>
2 #include <iomanip>
3 #include <fstream>
4 using namespace std;
5 //attribute class
6 class Menu{
7     public:
8         //attribute store option from customer
9         int customer_num,level_cost,level;
10        char refill_water,discount_card;
11        //attribute store cost of things
12        int Standard_cost = 159,Premium_cost = 239,refill_cost = 20;
13        int water_cost = 10,coke_cost = 15,greentea_cost = 30,discount_cost;
14        //attribute store quantity of things
15        int pork_quantity = 100,beef_quantity = 100;
16        int water_quantity = 100,coke_quantity = 100,greentea_quantity = 100;
17        //attribute store order of things from customer
18        int pork_order,beef_order,water_order,coke_order,greentea_order;
19
20 };
21 //class that ask information of customer
22 class Customer_information : public Menu{
23     public:
24         int check_ask = 1;
25         void askCustomer() {
26             cout << "Welcome to suki_T-Rex" << endl;
27             cout << "Type Amount Of Customer: ";
28             cin >> customer_num;
29         }
30
31         void askLevel() {
32             cout << "-----" << endl;
33             cout << "Please Choose Level of Buffet" << endl;
34             cout << "1) Standard(pork) 159 THB\n2) Premium(pork, beef) 239 THB" << endl;
35             while(check_ask == 1){
36                 cout << "Select level 1 or 2: ";
37                 cin >> level;
38                 if (level == 1) {
39                     level_cost = Standard_cost;
40                     cout << "-----" << endl;
41                     break;
42                 }
43                 else if (level == 2){
44                     level_cost = Premium_cost;
45                     cout << "-----" << endl;
46                     break;
47                 }else{
48                     cout<<"Please type only (1 or 2)"<<endl;
49                 }
50             }
51         }
52
53         void askRefill();
54         void askDiscountCard();
55     };
56     //use scope to ask about refill option
57     void Customer_information::askRefill() {
58         char has_refill_water;
59         while(check_ask == 1){
60             cout << "Do you want refill water? (20 Baht) (Y/N): ";
61             cin >> refill_water;
62             if(refill_water == 'Y' || refill_water == 'y'){
63                 greentea_cost = 0,coke_cost = 0,water_cost = 0;
64                 break;
65             }else if(refill_water == 'N' || refill_water == 'n'){
66                 break;
67             }else{
68                 cout<<"Please type only Y or N"<<endl;
69             }
70         }
71     }
72     //use scope to ask customer about discount
73     void Customer_information::askDiscountCard() {
74         while(check_ask == 1){
75             cout << "Do you have a discount card? (Y/N): ";
76             cin >> discount_card;
77             if(discount_card == 'Y' || discount_card == 'y'){
78                 int discount_choice;
79                 cout << "-----Please choose discount amount-----" << endl;
80                 cout << "1)50 THB" << endl;
81                 cout << "2)100 THB" << endl;
82                 cout << "3)120 THB" << endl;
83                 cout << "Enter your choice (1-3): ";
84                 cin >> discount_choice;
85                 while(check_ask == 1){
86                     if (discount_choice == 1) {
87                         discount_cost = 50;
88                         break;
89                     }else if (discount_choice == 2) {
90                         discount_cost = 100;
91                         break;
92                     }else if (discount_choice == 3) {
93                         discount_cost = 150;
94                         break;
95                     }else{
96                         cout << "Please type only (1-3)" << endl;
97                         break;
98                     }
99                 }
100                 break;
101             }else if(discount_card == 'N' || discount_card == 'n'){
102                 break;
103             }else{
104                 cout<<"Please type only Y or N"<<endl;
105             }
106         }
107     }
108     //class that ask menu from customer
109     class Menu_order : public Customer_information{

```

```

110 public:
111 void Order_menu() {
112     int check = 1;           //attribute that use to get in loop
113     int order_check, order_type; //attribute that check desire of customer
114     if (level == 1) {        //this is condition for customer that select standard_level
115         while (check == 1) { //while loop use to get order from customer
116             cout<<"-----option-----"<<endl;
117             cout<<"1.Order Menu"<<endl;
118             cout<<"2.End\nChoose option(1-2): ";
119             cin>>order_check;
120             if (order_check == 1) {
121                 cout<<"-----What would you like to order?-----"<<endl;
122                 cout<<"1.pork\n2.water(10 THB if you're not select refill_water)"<<endl;
123                 cout<<"3.coke(15 THB if you're not select refill_water)\n4.greentea(25 THB if you're not select refill_water)"<<endl;
124                 cout<<"Please choose your order(1-4): ";
125                 cin>>order_type;
126                 if (order_type == 1) { //get order from customer
127                     cout<<"Enter the quantity of pork: ";
128                     cin>>pork_order;
129                     if (pork_quantity == 0) {
130                         pork_quantity += pork_order;
131                         cout<<"Sorry our pork is run out"<<endl;
132                     }
133                     pork_quantity -= pork_order;
134                     if (pork_quantity < 0) {
135                         pork_quantity += pork_order;
136                         cout<<"Sorry we only have "<<pork_quantity<<" quantity of pork left"<<endl;
137                     }
138                 } else if (order_type == 2) {
139                     cout<<"Enter the quantity of water: ";
140                     cin>>water_order;
141                     if (water_quantity == 0) {
142                         water_quantity += water_order;
143                         cout<<"Sorry our water is run out"<<endl;
144                     }
145                     water_quantity -= water_order;
146                     if (water_quantity < 0) {
147                         water_quantity += water_order;
148                         cout<<"Sorry we only have "<<water_quantity<<" glass of water left"<<endl;
149                     }
150                 } else if (order_type == 3) {
151                     cout<<"Enter the quantity of coke: ";
152                     cin>>coke_order;
153                     if (coke_quantity == 0) {
154                         coke_quantity += coke_order;
155                         cout<<"Sorry our coke is run out"<<endl;
156                     }
157                     coke_quantity -= coke_order;
158                     if (coke_quantity < 0) {
159                         coke_quantity += coke_order;
160                         cout<<"Sorry we only have "<<coke_quantity<<" glass of coke left"<<endl;
161                     }
162                 } else if (order_type == 4) {
163                     cout<<"Enter the quantity of greentea: ";
164                     cin>>greentea_order;
165                     if (greentea_quantity == 0) {
166                         greentea_quantity += greentea_order;
167                         cout<<"Sorry our greentea is run out"<<endl;
168                     }
169                     greentea_quantity -= greentea_order;
170                     if (greentea_quantity < 0) {
171                         greentea_quantity += greentea_order;
172                         cout<<"Sorry we only have "<<greentea_quantity<<" glass of greentea left"<<endl;
173                     }
174                 }
175             } else if (order_check == 2) {
176                 break;
177             } else {
178                 cout<<"Please type only 1-2"<<endl;
179             }
180         }
181     } else if (level == 2) { //this is condition for customer that select premium_level
182         while (check == 1) {
183             cout<<"-----option-----"<<endl;
184             cout<<"1.Order Menu"<<endl;
185             cout<<"2.End\nChoose option(1-2): ";
186             cin>>order_check;
187             if (order_check == 1) {
188                 cout<<"-----What would you like to order?-----"<<endl;
189                 cout<<"1.pork\n2.beef\n3.water(10 THB if you're not select refill_water)"<<endl;
190                 cout<<"4.coke(15 THB if you're not select refill_water)\n5.greentea(25 THB if you're not select refill_water)"<<endl;
191                 cout<<"Please choose your order(1-5): ";
192                 cin>>order_type;
193                 if (order_type == 1) {
194                     cout<<"Enter the quantity of pork: ";
195                     cin>>pork_order;
196                     if (pork_quantity == 0) {
197                         pork_quantity += pork_order;
198                         cout<<"Sorry our pork is run out"<<endl;
199                     }
200                     pork_quantity -= pork_order;
201                     if (pork_quantity < 0) {
202                         pork_quantity += pork_order;
203                         cout<<"Sorry we only have "<<pork_quantity<<" quantity of pork left"<<endl;
204                     }
205                 } else if (order_type == 2) {
206                     cout<<"Enter the quantity of beef: ";
207                     cin>>beef_order;
208                     if (beef_quantity == 0) {
209                         beef_quantity += beef_order;
210                         cout<<"Sorry our beef is run out"<<endl;
211                     }
212                     beef_quantity -= beef_order;
213                     if (beef_quantity < 0) {
214                         beef_quantity += beef_order;
215                         cout<<"Sorry we only have "<<beef_quantity<<" quantity of beef left"<<endl;
216                     }
217                 } else if (order_type == 3) {

```

```

218         cout<<"Enter the quantity of water: ";
219         cin>>water_order;
220         if(water_quantity == 0){
221             water_quantity += water_order;
222             cout<<"Sorry our water is run out"<<endl;
223         }
224         water_quantity -= water_order;
225         if(water_quantity < 0){
226             water_quantity += water_order;
227             cout<<"Sorry we only have "<<water_quantity<<" glass of water left"<<endl;
228         }
229     }else if(order_type == 4){
230         cout<<"Enter the quantity of coke: ";
231         cin>>coke_order;
232         if(coke_quantity == 0){
233             coke_quantity += coke_order;
234             cout<<"Sorry our coke is run out"<<endl;
235         }
236         coke_quantity -= coke_order;
237         if(coke_quantity < 0){
238             coke_quantity += coke_order;
239             cout<<"Sorry we only have "<<coke_quantity<<" glass of coke left"<<endl;
240         }
241     }else if(order_type == 5){
242         cout<<"Enter the quantity of greentea: ";
243         cin>>greentea_order;
244         if(greentea_quantity == 0){
245             greentea_quantity += greentea_order;
246             cout<<"Sorry our greentea is run out"<<endl;
247         }
248         greentea_quantity -= greentea_order;
249         if(greentea_quantity < 0){
250             greentea_quantity += greentea_order;
251             cout<<"Sorry we only have "<<greentea_quantity<<" glass of greentea left"<<endl;
252         }
253     }
254     }else if(order_check == 2){
255         break;
256     }else{
257         cout <<"Please type only 1-5"<<endl;
258     }
259 }
260 }
261 cout << "Thank for your order!" << endl;
262 cout <<"-----" << endl;
263 }
264 };
265 //class calculate money
266 class Check_bill : public Menu_order{
267 public:
268
269     int calculateCost(int total_cost) const {
270         total_cost = level_cost * customer_num;
271         total_cost += (coke_cost * coke_order) + (water_cost * water_order) + (greentea_cost * greentea_order);
272         return total_cost;
273     }
274
275     int calculateCost(int total_cost,bool refill_water) const {
276         total_cost = level_cost * customer_num;
277         if (refill_water) {
278             total_cost += refill_cost * customer_num;
279         } else {
280             total_cost += (coke_cost * coke_order) + (water_cost * water_order) + (greentea_cost * greentea_order);
281         }
282         return total_cost;
283     }
284
285     int calculateDiscountedCost(int total_cost) const {
286         if (discount_card) {
287             total_cost -= discount_cost;
288         }
289         return total_cost;
290     }
291
292     int calculateDiscountedCost(int total_cost, bool discount_card) const {
293         if (discount_card) {
294             total_cost -= discount_cost;
295         }
296         return total_cost;
297     }
298 };
299 class FileHandler_customer : public Check_bill {
300 public:
301     void writeToFile(const Check_bill& customer) {
302         ofstream file("customer_order.txt");
303
304         if (file.is_open()) {
305             file << "Customer Number: " << customer.customer_num << endl;
306             file << "Level: " << customer.level << endl;
307             file << "Pork order: " << customer.pork_order << endl;
308             file << "Beef order: " << customer.beef_order << endl;
309             file << "Water order: " << customer.water_order << endl;
310             file << "coke order: " << customer.coke_order << endl;
311             file << "greentea order: " << customer.greentea_order << endl;
312             file << "Refill Water: " << customer.refill_water << endl;
313             file << "discount_card: " <<customer.discount_card << endl;
314             int total_cost = customer.calculateCost(0,customer.refill_water);
315             char discount_card = customer.discount_card;
316             if (discount_card == 'Y' || discount_card == 'y') {
317                 file << "Discount cost: " << customer.discount_cost <<endl;
318                 total_cost = customer.calculateDiscountedCost(total_cost);
319             }
320             file << "Total cost: " << total_cost << " THB" << endl;
321
322             cout << "Order details written to file successfully!" << endl;
323
324

```

```

325         file.close();
326     } else {
327         cout << "Unable to open file." << endl;
328     }
329 }
330 };
331 class FileHandler_stock : public Check_bill {
332 public:
333     void writeToFile(const Check_bill& customer) {
334         ofstream file("Stock.txt");
335
336         if (file.is_open()) {
337             file << "Pork quantity: " << customer.pork_quantity << endl;
338             file << "Beef quantity: " << customer.beef_quantity << endl;
339             file << "Water quantity: " << customer.water_quantity << endl;
340             file << "coke quantity: " << customer.coke_quantity << endl;
341             file << "greentea quantity: " << customer.greentea_quantity << endl;
342             file.close();
343         } else {
344             cout << "Unable to open file." << endl;
345         }
346     }
347 };
348 int main(){
349     Check_bill customer;
350     customer.askCustomer();
351     customer.askLevel();
352     customer.askRefill();
353     customer.Order_menu();
354     customer.askDiscountCard();
355     int base_cost = customer.calculateCost(0,customer.refill_water);
356     int discounted_cost = customer.calculateDiscountedCost(base_cost);
357
358     cout << "-----" << endl;
359     if (customer.refill_water) {
360         cout << "Refill Water applied: " << customer.refill_cost << " THB" << endl;
361     } else {
362         cout << "No refill water applied." << endl;
363     }
364     if (customer.discount_card) {
365         cout << "Discount applied: " << customer.discount_cost << " THB" << endl;
366         cout << "Original cost: " << base_cost << " THB" << endl;
367         cout << "Total cost: " << discounted_cost << " THB" << endl;
368     } else {
369         cout << "No discount applied." << endl;
370         cout << "Total cost: " << base_cost << " THB" << endl;
371     }
372     FileHandler_customer file_customer;
373     FileHandler_stock file_stock;
374     file_customer.writeToFile(customer);
375     file_stock.writeToFile(customer);
376 }
377
378
379
380
381
382
383

```

1.ให้ผู้ใช้ทำการกรอกจำนวนคนที่ต้องการจะเข้ามาทานอาหารในร้านSuki_T-Rex

```
Welcome to suki_T-Rex
Type Amount Of Customer: 4
```

2. ลูกค้าสามารถเลือกราคาชุดอาหารต่อ1ท่านที่ต้องการได้สองแบบคือ
แบบStandard ราคา 159 บาท และแบบPremium ราคา 239 บาท

```
Please Choose Level of Buffet
1) Standard(pork) 159 THB
2) Premium(pork, beef) 239 THB
Select level 1 or 2: 2
```

3.ลูกค้าทำการเลือกว่าต้องการเครื่องดื่มแบบรีฟิลไหม

```
Do you want refill water? (20 Baht) (Y/N): y
```

4. ลูกค้าทำการเลือกoptionว่าต้องการสั่งเมนูอื่นๆเพิ่มไหม ถ้าต้องการกด
หมายเลข1 แล้วกรอกจำนวนเมนูที่ต้องการ

```
-----option-----
1.Order Menu
2.End
Choose option(1-2): 1
-----What should you like to order?-----
1.pork
2.beef
3.water(10 THB if you're not select refill_water)
4.coke(15 THB if you're not select refill_water)
5.greentea(25 THB if you're not select refill_water)
Please choose your order(1-5): 2
Enter the quantity of beef: 4
```

5.ถ้าลูกค้ากรอกจำนวนอาหารที่ต้องการเกินกว่าจำนวนที่ร้านมีในสต็อกก็จะแสดง
ข้อความว่าสินค้านั้นๆมีกี่ชิ้นในสต็อก

```
Please choose your order(1-5): 2
Enter the quantity of beef: 400
Sorry we only have 100 quantity of beef left
```

6. เมื่อสั่งเมนูที่ต้องการครบทุกอย่างแล้ว กดหมายเลข2 เพื่อกออกจากหน้าการสั่งเมนู

```
1.Order Menu
2.End
Choose option(1-2): 2
Thank for your order!
```


7. ลูกค้าทำการเลือกว่ามีส่วนลดไหมแล้วสรุปบิลค่าอาหารทั้งหมดออกมา

```
Do you have a discount card? (Y/N): y
-----Please choose discount amount-----
1)50 THB
2)100 THB
3)120 THB
Enter your choice (1-3): 3
-----
Refill Water applied: 20 THB
Discount applied: 150 THB
Original cost: 1036 THB
Total cost: 886 THB
Order details written to file successfully!
```

1. คลาสแรกจะเก็บพวกตัวแปรต่างๆ มีการเก็บค่าราคาอาหารต่างๆ มีการเก็บค่าจำนวนอาหารที่มีในสต็อก

```
1 #include <iostream>
2 #include <iomanip>
3 #include <fstream>
4 using namespace std;
5 //attribute class
6 class Menu{
7 public:
8     //attribute store option from customer
9     int customer_num,level_cost,level;
10    char refill_water,discount_card;
11    //attribute store cost of things
12    int Standard_cost = 159,Premium_cost = 239,refill_cost = 20;
13    int water_cost = 10,coke_cost = 15,greentea_cost = 30,discount_cost;
14    //attribute store quantity of things
15    int pork_quantity = 100,beef_quantity = 100;
16    int water_quantity = 100,coke_quantity = 100,greentea_quantity = 100;
17    //attribute store order of things from customer
18    int pork_order,beef_order,water_order,coke_order,greentea_order;
19
20 };
```

2. คลาสนี้ไว้เก็บข้อมูลลูกค้า ใช้อินเทอร์เฟซเชื่อมคลาสMenu มีการประกาศตัวแปร check_ask ไว้เข้า loop มีเมธอดไว้เก็บจำนวนลูกค้าที่มาร้านและเมธอดเก็บข้อมูลว่าลูกค้าเลือกราคาอาหารแบบไหน

```
21 //class that ask information of customer
22 class Customer_information : public Menu{
23 public:
24     int check_ask = 1;
25     void askCustomer() {
26         cout << "Welcome to suki_T-Rex" << endl;
27         cout << "Type Amount Of Customer: ";
28         cin >> customer_num;
29     }
30     void askLevel() {
31         cout << "-----" << endl;
32         cout << "Please Choose Level of Buffet" << endl;
33         cout << "1) Standard(pork) 159 THB\n2) Premium(pork, beef) 239 THB" << endl;
34         while(check_ask == 1){
35             cout << "Select level 1 or 2: ";
36             cin >> level;
37             if (level == 1) {
38                 level_cost = Standard_cost;
39                 cout << "-----" << endl;
40                 break;
41             }
42             else if (level == 2){
43                 level_cost = Premium_cost;
44                 cout << "-----" << endl;
45                 break;
46             }
47             else{
48                 cout<<"Please type only (1 or 2)"<<endl;
49             }
50         }
51     }
52 }
```

3. ใช้ scope เมธอด askRefill มา มีการถามลูกค้าว่าลูกค้าต้องการรีฟิลหรือไม่

```
53 void askRefill();
54 void askDiscountCard();
55 };
56 //use scope to ask about refill option
57 void Customer_information::askRefill() {
58     char has_refill_water;
59     while(check_ask == 1){
60         cout << "Do you want refill water? (20 Baht) (Y/N): ";
61         cin >> refill_water;
62         if(refill_water == 'Y' || refill_water == 'y'){
63             greentea_cost = 0,coke_cost = 0,water_cost = 0;
64             break;
65         }else if(refill_water == 'N' || refill_water == 'n'){
66             break;
67         }else{
68             cout<<"Please type only Y or N"<<endl;
69         }
70     }
71 }
72 //use scope to ask customer about discount
```


4. ใช้ scope เมธอด discount_card มามีการวนลูปถามว่าลูกค้ามีบัตรส่วนลดหรือไม่
ใช้คำสั่งเงื่อนไข if else ในการแสดงจำนวนส่วนลด

```
72 //use scope to ask customer about discount
73 void Customer_information::askDiscountCard() {
74     while(check_ask == 1){
75         cout << "Do you have a discount card? (Y/N): ";
76         cin >> discount_card;
77         if(discount_card == 'Y' || discount_card == 'y'){
78             int discount_choice;
79             cout << "-----Please choose discount amount-----" << endl;
80             cout << "1)50 THB" << endl;
81             cout << "2)100 THB" << endl;
82             cout << "3)120 THB" << endl;
83             cout << "Enter your choice (1-3): ";
84             cin >> discount_choice;
85             while(check_ask == 1){
86                 if (discount_choice == 1) {
87                     discount_cost = 50;
88                     break;
89                 }else if (discount_choice == 2) {
90                     discount_cost = 100;
91                     break;
92                 }else if (discount_choice == 3) {
93                     discount_cost = 150;
94                     break;
95                 }else{
96                     cout << "Please type only (1-3)" << endl;
97                     break;
98                 }
99             }
100             break;
101         }else if(discount_card == 'N' || discount_card == 'n'){
102             break;
103         }else{
104             cout<<"Please type only Y or N"<<endl;
105         }
106     }
107 }
```

5. คลาสนี้ไว้เก็บข้อมูลเมนูที่ลูกค้าต้องการทั้งหมด มีการประกาศตัวแปรเพื่อเข้าเงื่อนไข

```
108 //class that ask menu from customer
109 class Menu_order : public Customer_information{
110 public:
111 void Order_menu() {
112     int check = 1; //attribute that use to get in loop
113     int order_check,order_type; //attribute that check desire of customer
114     if (level == 1){ //this is condition for customer that select standard_level
115         while (check == 1){ //while loop use to get order from customer
116             cout<<"-----option-----"<<endl;
117             cout<<"1.Order Menu"<<endl;
118             cout<<"2.End\nChoose option(1-2): ";
119             cin>>order_check;
120             if (order_check == 1){
121                 cout<<"-----What would you like to order?-----"<<endl;
122                 cout<<"1.pork\n2.water(10 THB if you're not select refill_water)"<<endl;
123                 cout<<"3.coke(15 THB if you're not select refill_water)\n4.greentea(25 THB if you're not select refill_water)"<<endl;
124                 cout<<"Please choose your order(1-4): ";
125                 cin>>order_type;
126                 if (order_type == 1){ //get order from customer
127                     cout<<"Enter the quantity of pork: ";
128                     cin>>pork_order;
129                     if(pork_quantity == 0){
130                         pork_quantity += pork_order;
131                         cout<<"Sorry our pork is run out"<<endl;
132                     }
133                     pork_quantity -= pork_order;
134                     if(pork_quantity < 0){
135                         pork_quantity += pork_order;
136                         cout<<"Sorry we only have "<<pork_quantity<<" quantity of pork left"<<endl;
137                     }
138                 }else if(order_type == 2){
139                     cout<<"Enter the quantity of water: ";
140                     cin>>water_order;
141                     if(water_quantity == 0){
142                         water_quantity += water_order;
143                         cout<<"Sorry our water is run out"<<endl;
144                     }
145                     water_quantity -= water_order;
146                 }
147             }
148         }
149     }
150 }
```

6. เป็นเมธอดของ calculateCost และ calculateDiscounted เป็นโอเวอร์โหลด เมธอด calculateCost คำนวณราคาทั้งหมด เมธอด calculateDiscounted จะคำนวณส่วนลด(ถ้ามี) และลดราคา

```
266 class Check_bill : public Menu_order{
267     public:
268
269     int calculateCost(int total_cost) const {
270         total_cost = level_cost * customer_num;
271         total_cost += (coke_cost * coke_order) + (water_cost * water_order) + (greentea_cost * greentea_order);
272         return total_cost;
273     }
274
275     int calculateCost(int total_cost, bool refill_water) const {
276         total_cost = level_cost * customer_num;
277         if (refill_water) {
278             total_cost += refill_cost * customer_num;
279         } else {
280             total_cost += (coke_cost * coke_order) + (water_cost * water_order) + (greentea_cost * greentea_order);
281         }
282         return total_cost;
283     }
284
285     int calculateDiscountedCost(int total_cost) const {
286         if (discount_card) {
287             total_cost -= discount_cost;
288         }
289         return total_cost;
290     }
291 }
```

7. คลาสนี้มีการประกาศเมธอดชื่อ writeToFile มีการเรียกใช้คลาส Check_bill และตั้งชื่อไฟล์ว่า customer_order เป็นไฟล์ txt ใช้เก็บข้อมูลและ order ของลูกค้า

```
299 class FileHandler_customer : public Check_bill {
300     public:
301     void writeToFile(const Check_bill& customer) {
302         ofstream file("customer_order.txt");
303
304         if (file.is_open()) {
305             file << "Customer Number: " << customer.customer_num << endl;
306             file << "Level: " << customer.level << endl;
307             file << "Pork order: " << customer.pork_order << endl;
308             file << "Beef order: " << customer.beef_order << endl;
309             file << "Water order: " << customer.water_order << endl;
310             file << "coke order: " << customer.coke_order << endl;
311             file << "greentea order: " << customer.greentea_order << endl;
312             file << "Refill Water: " << customer.refill_water << endl;
313             file << "discount_card: " << customer.discount_card << endl;
314             int total_cost = customer.calculateCost(0, customer.refill_water);
315             char discount_card = customer.discount_card;
316             if (discount_card == 'Y' || discount_card == 'y') {
317                 file << "Discount cost: " << customer.discount_cost << endl;
318                 total_cost = customer.calculateDiscountedCost(total_cost);
319             }
320             file << "Total cost: " << total_cost << " THB" << endl;
321
322             cout << "Order details written to file successfully!" << endl;
323
324             file.close();
325         } else {
326             cout << "Unable to open file." << endl;
327         }
328     }
329 }
330 ;
```

8. คลาสนี้มีการประกาศเมธอดชื่อ writeToFile มีการเรียกใช้คลาสCheck_bill และตั้งชื่อไฟล์ว่า Stock เป็นไฟล์ txt ใช้เก็บข้อมูล stock ของที่เหลือยู่

```
331 class FileHandler_stock : public Check_bill {
332 public:
333     void writeToFile(const Check_bill& customer) {
334         ofstream file("Stock.txt");
335
336         if (file.is_open()) {
337             file << "Pork quantity: " << customer.pork_quantity << endl;
338             file << "Beef quantity: " << customer.beef_quantity << endl;
339             file << "Water quantity: " << customer.water_quantity << endl;
340             file << "coke quantity: " << customer.coke_quantity << endl;
341             file << "greentea quantity: " << customer.greentea_quantity << endl;
342             file.close();
343         } else {
344             cout << "Unable to open file." << endl;
345         }
346     }
347 };
```

9. ตัว main เรียก class check_bill และตั้ง object ชื่อ customer และเรียกใช้เมธอดทั้งหมดมีการใช้เงื่อนไขเพื่อเลือกแสดงผลต่างๆสำหรับลูกค้าที่เลือก refill และบัตรลดราคา และส่วนท้ายจะเรียกใช้ class filehandler_customer และ filehandler_stock เพื่อแสดงผล file text

```
348 int main(){
349     Check_bill customer;
350     customer.askCustomer();
351     customer.askLevel();
352     customer.askRefill();
353     customer.Order_menu();
354     customer.askDiscountCard();
355     int base_cost = customer.calculateCost(0,customer.refill_water);
356     int discounted_cost = customer.calculateDiscountedCost(base_cost);
357
358     cout << "-----" << endl;
359     if (customer.refill_water) {
360         cout << "Refill Water applied: " << customer.refill_cost << " THB" << endl;
361     } else {
362         cout << "No refill water applied." << endl;
363     }
364     if (customer.discount_card) {
365         cout << "Discount applied: " << customer.discount_cost << " THB" << endl;
366         cout << "Original cost: " << base_cost << " THB" << endl;
367         cout << "Total cost: " << discounted_cost << " THB" << endl;
368     } else {
369         cout << "No discount applied." << endl;
370         cout << "Total cost: " << base_cost << " THB" << endl;
371     }
372     FileHandler_customer file_customer;
373     FileHandler_stock file_stock;
374     file_customer.writeToFile(customer);
375     file_stock.writeToFile(customer);
376 }
```