[illegible]: AI-[illegible]

[illegible]: GigaCowork · [illegible]/[illegible]: [illegible] Python + openpyxl ([illegible])

[illegible]: 10.11.2026 20:55

1. [illegible]

[illegible] AI-[illegible] GigaCowork, [illegible] Excel ([illegible] 1[illegible], [illegible] Cloud, [illegible] 1[illegible]) [illegible]: Excel-[illegible] Cloud [illegible] (12 [illegible]), [illegible], [illegible], [illegible] «[illegible]» [illegible].

[illegible] (distribute.py); [illegible]. [illegible]: [illegible]. [illegible]; [illegible] Python [illegible] openpyxl/xlrd.

2. [illegible] ([illegible])

- agent/SKILL.md — [illegible] YAML-[illegible] (name, description) [illegible].
- agent/system_prompt.txt — [illegible] ([illegible]).
- agent/scripts/distribute.py — [illegible] ([illegible], [illegible]).
- agent/scripts/gigacowork_lib.py — [illegible] ([illegible], [illegible]).
- agent/references/distribution_rules.md — [illegible], [illegible], [illegible].

3. [illegible]

[illegible] — [illegible] ([illegible], [illegible] — [illegible] docs/scenarios_and_assumptions.md):

[illegible]	[illegible] / [illegible]
[illegible] — [illegible]» [illegible] «[illegible]»: [illegible]	
[illegible] «[illegible]» [illegible]. [illegible]: [illegible]	
[illegible] Cloud [illegible] 1[illegible] [illegible]/[illegible]. [illegible]: [illegible] +	
[illegible]. [illegible]: [illegible] «[illegible]: X» regex; [illegible]	
[illegible] «[illegible]»/«Hong Kong» [illegible]. [illegible]: [illegible], [illegible] «[illegible]», «[illegible]	
[illegible] «[illegible] Cloud» [illegible]. [illegible]: [illegible] «[illegible]	
[illegible] vs [illegible]: [illegible]. [illegible]: [illegible], [illegible]	
[illegible]/[illegible]. [illegible]: [illegible], «[illegible]» [illegible].	

4. ■■■■■■■■ ■■■■■■■■■■■■■

■■■■■■■■■■■■■■■■■ ■■■■■■■■■ (**■■■■■■ ■■■■■■** — **■**
docs/scenarios_and_assumptions.md):

- 1. ■■■ ■■■■■■■ ■■■ ■■■■■■■ ■■■■■ ■■■■■■ ■■ ■■■■■■■■■■■ («■■■■■: S0001234 …»).
- 2. ■■■■■■■■■ ■■■■■■ ■■■■■■■ Cloud ■ ■■■■■■■■■■■■■ ■■■■■■■■ ■■■ Cloud ↔ ■■■ 1■.
- 3. ■■■■■■■■■■■■■ ■■■ ■■ ■■■■ (■■■■■■■■■■■).
- 4. ■■■ ■■■■■■■ ■■■:
- ■) ■■■ ■■■■■■ ■■■■■■ → «■■■■■■■ ■■■■■■■■»;
- ■) ■■■■■ ■■■ ■■■ ■■■ ■ ■■■■■ → ■■■■■ ■ ■■■■■;
- ■) ■■■■■ ■■■■ ■ Cloud → ■■■■■■■■■ ■■■■■■■■ («■■■■■■■■■ ■■■■■■■■ ■■■■, [■■■■]»);
- ■) ■■■■■ ■■■ ■■■■■■■■■ ■ ■■■■■ → ■■■■■ ■ ■■■■■;
- ■) ■■■■■■: air→■■■■; ■■ air+■■■■■(■■■■■■■)→■■■; ■■ air+■■ ■■■■■→■■■■■■■■■■■■■■■;
- ■■■ ■■■■■■■/■■■■■■ → ■■■■■■ ■■ ■■■■■■■■■■ → «■■■■■■■■»;
- ■) ■■■■■■: ■■■■■■■■■ = ■■■■ ■■■■■■, ■■■■■■■■, ■■ ■■■■■■■■■/■■■■■■■■■■■■;
- ■■■■■■■ ■■ ■■■■■■■■■■ ■■■ ■■■ ■■■■■■■■■■■■■■■■ ■■■■■■■■■■ → ■■■■■■■■ ■■■■■■■■■■■;
- ■■■■■■ ■■■■■ → ■■■■■■ ■■ ■■■■■■■■■ → «■■■■■■■■» (■ ■■■■■■ ■■■■■■ ■■ ■■■■■■■■);
- ■) ■■■■ ■■■■■■■■■ ■ ■■■■■ — ■■■■ ■■■■■■;
- ■) ■■■■■■■ ■■■■■■ Cloud (12 ■■■■■■■), ■■■■■■ «■ ■■■■■■».
- 5. ■■■■■■■■■ ■■■■■■■■: ■■■■■■ ■■■ ■ Cloud, ■ ■■■■ ■■■ < ■■■■■■■■■ ■■■■■■ Cloud.
- 6. ■■■■■■■ ■■■■■■■■■: ■■■■■ ■■■■■■ / ■■■■■■■■■ / ■■■■■■■■ / ■■■■■■■■ / ■■■■■■.

5. [illegible]

[illegible] data/generate_data.py ([illegible], [illegible]). [illegible]: full (16 [illegible]), trap (15 [illegible], [illegible] «[illegible]»), chk (16 [illegible]). [illegible]: [illegible]; [illegible] ([illegible] Cloud [illegible]); [illegible]; [illegible]; [illegible], [illegible]; [illegible] / [illegible] / [illegible]; [illegible] Cloud; [illegible]. [illegible] — [illegible]: [illegible], [illegible], [illegible], [illegible] (tests/…/etalon.xlsx).

6. [illegible]

[illegible] 3 [illegible]. [illegible], [illegible] — 100%.

[illegible]	[illegible]	[illegible]	[illegible] ([illegible])	[illegible] ([illegible])	[illegible]	[illegible].	[illegible], [illegible]
set1	16	3	1.00	1.00	1.00	+	7.7
set_trap	15	3	1.00	1.00	1.00	+	7.7
set_chk	16	3	1.00	1.00	1.00	+	3.4

[illegible], [illegible]:

- [illegible] ([illegible], [illegible], [illegible]) — [illegible] 95%: [illegible] 100%.
- [illegible] Cloud: 12 [illegible], [illegible] — 100% [illegible].
- [illegible]: [illegible] ([illegible]/[illegible]/[illegible], [illegible]) — 0 [illegible].
- [illegible]: 3 [illegible] (reproducible=True).
- [illegible] ([illegible]).
- [illegible] ~3–8 [illegible] ([illegible]; [illegible] 60 [illegible] — [illegible]).

7. [illegible] ([illegible])

[illegible] — [illegible] distribute.py [illegible] full (set1_run1), [illegible] «[illegible] Cloud» [illegible] «[illegible]» [illegible] result_cloud.xlsx.

```
> python distribute.py --ful ful_1c.xlsx --cloud cloud.xlsx --staff staff_1c.xlsx --out run

[illegible]: .../set1_run1/result_cloud.xlsx

{

"new": 11,

"repeats": 2,

"rep_cloud": 1,

"rep_pack": 1,

"attention": 3,

"gaps": 1
```

}

[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	Cut-off	[redacted]	[redacted]	[redacted]
S000601	Shenzhen Fashion Co.	Zara	[redacted].	[redacted]	01.06.26	12.05.26	[redacted]	air
S000602	Shanghai Apparel Group	H&M	[redacted].	[redacted]	01.06.26	12.05.26	[redacted]	air
S000603	[redacted]	[redacted]	[redacted].	[redacted]	02.06.26	13.05.26	[redacted]	sea
S000604	Delhi Cotton House	[redacted]	[redacted].	[redacted]	02.06.26	13.05.26	[redacted]	sea

8. [redacted]

[redacted] distribute.py [redacted] (Python 3, openpyxl 3.1) — [redacted] «[redacted] API [redacted]», [redacted]. [redacted]-[redacted] GitHub-[redacted], [redacted]: [redacted] ([redacted] GigaCowork) [redacted]. [redacted] — [redacted] tests/ [redacted].7.

9. [redacted]

- [redacted] GigaCowork ([redacted] + [redacted]) [redacted].
- [redacted] ([redacted], [redacted], .xls).
- [redacted] «[redacted] — [redacted]» [redacted].
- [redacted]/[redacted].
- [redacted].
- [redacted] ([redacted], [redacted], [redacted]) [redacted].

10. [redacted]

1) [redacted] ([redacted]) [redacted]: [redacted], [redacted]. [redacted], [redacted], [redacted]-[redacted].

2) [redacted]: [redacted], [redacted], [redacted] — [redacted]-[redacted].

3) [redacted] 10–15 [redacted] 4–6 [redacted], [redacted].