




AI assistance for innovation adoption

Data Capacity Excellence



Pankaj Acharya
DCE-Product Owner

July 16th, 2026



Global Data Volume Management (DVM)

Our focus areas

Global DVM service expert access
to support you with
only needed services

Global DVM as
RISE Transformation
Partner

Suite4Adoption as packaged &
direct measurable E2E-
Implementation Solution

AI assistance for
innovation adoption
Data Capacity Excellence

About us

We are the Global Data Volume Management experts – a globally supporting and dedicated team of service developers and delivery experts helping customers take control of their data sizes and requirements across their IT landscapes.

Our team reduces data footprints – to decrease memory sizes – through archiving, deletion, summarization, index optimization, SAP Native Storage Extension (NSE), and co-creates DVM strategies that keep data accessible for audits, finance and analytics depending on your customer individual need.

Through our deep expertise and clear governance, the DVM service portfolio is shaped and grown to deliver clarity, predictability and resilience in data-volume growth to reduce unnecessary hardware costs and protecting system performance. We support you to reduce your IT TCO tremendously.

“

DVM Suite4Adoption cuts
IT Infrastructure costs
by more than 25% .

Steve Böttcher, BMW AG

Want to explore more?



Explore our DVM Services (ID: 9500320)
@ SAP Services and Support Catalog



See our DVM Cloud Services (ID: 9507688)
@ SAP Services and Support Catalog



Connect and engage with
our SAP Community

Want to reach out?



Request a DVM Scoping Expert
m: DVM_Services_EMEA@sap.com



Tjark Riechers
Service Delivery Owner, Global DVM
m: tjark.riechers@sap.com




Lukas Diemand
Lead in Suite4Adoption, Global DVM
m: lukas.diemand@sap.com



André Gellert
Head of Global DVM, Global DVM
m: a.gellert@sap.com



Adoption is your key to value realization



Discover and onboard



Success plans

Max | Inclusive of all plans

Enable large and complex business transformation with a strategic partnership that provides end-to-end guidance from dedicated experts.

Advanced | Builds on the foundational plan

Continually unlock the full value of your investment with proactive guidance as you deploy solutions and adopt innovations.

Foundational | Included with every SAP cloud solution

Adopt, transform, and ensure continuity with content, guidance, learning, mission-critical support, and more.

+ Professional services

+ Development services

+ Application management

Applications & Technologies
+ Integrated Toolchain
+ Advanced and Max Success Plans

AI assistance for
innovation adoption

It is a product, not a service

Productized expertise, designed to empower

To establish a process: “Continuous Improvement”

Runs in Cloud ALM, has a focus on cross-solution challenges

Agenda

1 AI assistance for Innovation Adoption in a Nutshell

2 Pre-Requisites

3 Content Overview

4 Data Capacity Excellence

5 Q & A

AI assistance for innovation adoption | In a Nutshell

An intelligent, automated optimization engine or product to strengthen your SAP landscape

Collect Data

Collect raw data from the production system via SAP Cloud ALM.

Generate Insights

Transform raw data into data-driven insights through AI-powered analysis and preprocessing.

Visualize Data

Gain a deep understanding of the data with a Service Report and a SAC Dashboard to visualize the data.

Articulate Issues

Convert identified insights into issues within SAP Cloud ALM Issue and Action Management.

Create Guided Actions

Generate the recommended actions by SAP's Unique Premium Knowledge.

Implement and track in PTM

Manage and monitor implementation through project and setup (PTM) to ensure observability and quality.

Capability library to drive optimization & improvement



Data Capacity Excellence

Optimize data usage
and storage



Operational Excellence of SAP BTP

Improve platform
operations



Evolution Readiness

Prepare for future
SAP innovations



Enduring Cybersecurity

Align security with
business priorities



Technical Efficiency Optimization

Improve system performance
and stability



Adoption Potential for RISE with SAP


Take full advantage of
all solution entitlements



Extensibility Intelligence


Reduce technical debt and
maintain a cleaner core

AI assistance for innovation adoption




Built on [SAP Cloud ALM](#), it combines [SAP Analytics Cloud dashboards](#) with [AI-supported insights](#) and [guided actions](#).

Landing Page



Embedded SAC Dashboard



AI assistance for innovation adoption | Prerequisites

SAP Cloud ALM

AI assistance for innovation adoption uses SAP Cloud ALM for Service as a collaboration platform. You need a subscription to SAP Cloud ALM and must meet the technical prerequisites for using SAP Cloud ALM for Service



Data Capacity Excellence

- ST-PI 740 version SP31 or higher: Install SAP Note [3703380](#).
- Assign the background user of the push provider the role SAP_SDF_ALM_METRIC_PUSH_DVM.



Operational Excellence of SAP BTP

Only SAP BTP global accounts relating to your customer number are possible to monitor.



Evolution Readiness

- Provide an up-to-date SAP Readiness Check for SAP S/4HANA updates in the relevant SAP Cloud ALM tenant regarding the desired or latest available target release of the production system. See SAP Note [3059197](#).
- You have provided an up-to-date SAP Readiness Check for SAP Cloud ALM updates in the relevant SAP Cloud ALM tenant regarding the desired or latest available target release of the production system. See SAP Note [3236443](#).



Enduring Cybersecurity

- ST-PI 740 SP31 or higher: Install SAP Note [3670114](#).
- Assign the background user of the push provider the role SAP_SDF_ALM_METRIC_PUSH_CYSEC.
- Share your system landscape data with SAP using one of the following options: the landscape management database (LMDB) in SAP Solution Manager, SAP Focused Run, or a direct system connection (see SAP Note [2855951](#)).



Technical Efficiency Optimization

- ST-PI 740 SP32 and SAP Note [3676780](#) / ST-PI 740 SP33 or higher
- ST-A/PI 01W_031 or higher
- SAP S/4HANA single node system
- Assign the background user of the push provider the role SAP_SDF_ALM_METRIC_PUSH_UTE.

Success Plans

Subscribe to either the Advanced Success Plan or the Max Success Plan.

[Setup | SAP Help Portal](#)



Adoption Potential for RISE with SAP

- ST-PI 740 SP34
- Provide an up-to-date SAP Readiness Check for SAP S/4HANA updates in the relevant SAP Cloud ALM tenant regarding the desired or latest available target release of the production system. Custom code analysis is not required. See SAP Note [3059197](#).
- Activate the SAP EarlyWatch Alert. See SAP Note [1257308](#).
- Assign the background user of the push provider the role SAP_SDF_ALM_METRIC_PUSH_ADOPP.



Extensibility Intelligence

- ST-PI 740 version SP31 or higher
- Implement the relevant SAP Notes based on the release of the ST-PI of your system. See SAP Note [3169647](#), section 1 for the release-dependent SAP Notes.
- Ensure that usage data from your productive system is available. An 18-months time frame is recommended. See SAP Note [3169647](#), section 2 for details and referenced SAP Notes.
- Assign the background user of the push provider the role SAP_SDF_ALM_METRIC_PUSH_ICCM.



AI assistance for innovation adoption

Data Capacity Excellence

Description

Data Capacity Excellence focuses on keeping your SAP HANA database clean and avoiding unnecessary data. We help you understand what consumes memory and how to reduce it effectively. It is all about smart data volume management analyzing usage patterns, growth trends, indexing, partitioning, and SAP HANA native storage extension.

Business Needs

As a customer you want to ...

- Keep your SAP HANA systems clean and optimized
- Avoid paying for unused or unnecessary data
- Improve system performance

Value & Benefits

- Memory savings through optimized data management and efficient storage use
- Key KPIs include SAP HANA memory and disk usage
- Risk reduction by avoiding oversized systems, slow operations, and high costs
- Dashboard offers insights for optimizing SAP HANA memory and system size
- Lower costs and improved performance for SAP HANA customers


Delivery & Approach

Data capacity excellence offers continuous access to an intuitive dashboard that visualizes memory-saving potential across various cleanup methods such as archiving and inverted indexes. Optimization areas are automatically identified with tailored recommendations offered whenever reduction potential is detected.



Content Details

- Top tables
- Custom tables
- Archiving achievements
- Deletion achievements
- Top growing tables
- Inverted individuals
- Archiving potential
- Native Storage Extension (NSE)
- FI Document
- Tables Logging
- Table Partitions
- Deferred Summarizations
- Many more ...



Data Capacity Excellence

Name	Description
Document Types (Reduction Potential)	DVM – Check the Reduction Potential of the Document Types of an S/4 system
Document Types (Memory & Disk Growth)	DVM – Check the Memory & Disk Growth of the document types of an S/4 system
Tables (Usage)	DVM – Check the read count and the NSE configurations of the top tables of an S/4 system.
Tables (Partitioning)	DVM – Check current partitioning of tables in an S/4 System
Tables (Indexes)	DVM – Check whether indexes are required or redundant for any of the top tables of an S/4 system.
HANA Disk	DVM – Check the HANA Disk of an S/4 system
HANA Memory	DVM – Check the HANA Memory of an S/4 system

Key Techniques in Data Volume Management



Application-Layer



Data Avoidance

Deactivating the creation of data in the first place



Data Deletion

Deleting records which are no longer required by business processes or legal compliance



Data Summarization

Aggregating data at higher level if enough for the business



Data Archiving

Remove data from the database and store it in an external server with limited access



Database-Layer




Native Storage Extension (NSE)

Moving data from the in-memory part of a SAP HANA database to the disk part



Index Optimization


Remove redundant indexes of a table



Partitioning

Split and distribute tables with different load priority

Issue and Actions Management in Cloud ALM



2 Management Summary

Management Summary:

The assessment service for the VKP system has identified significant data reduction opportunities that can enhance system performance and reduce operational costs. Two document types, namely 'MM Accounting Interface Documents' and 'Change Documents', have been identified as high and medium priority candidates for data reduction, respectively.

The 'MM Accounting Interface Documents' type has a high reduction potential exceeding the threshold of 100GB in both memory and disk. Specifically, the memory reduction potential is 164.136GB, and the disk reduction potential is 157.553GB. This high reduction potential makes it a priority candidate for archiving or deletion to free up system resources.

The 'Change Documents' type has a medium reduction potential. The memory reduction potential for this document type is 74.475GB, and the disk reduction potential is 73.985GB. This document type also presents a significant opportunity for data reduction through archiving or deletion.

Uncontrolled data growth can lead to performance degradation, outages, higher infrastructure costs, and longer backup and recovery times. Implementing data reduction measures by archiving or deleting these document types can improve database efficiency, lower operational costs, enhance system stability, and minimize the risk of performance bottlenecks.

We recommend a proactive approach to data growth management to maintain a scalable, cost-efficient, and high-performing S/4HANA system. This includes aligning with the business data owners of the individual document types to define residence times, retention, and display requirements. Gathering information on dependencies to other archiving objects is also crucial to determine the appropriate procedure for data reduction.

2.1 Issue Overview

The table below lists the insights identified during the last and previous data collection period. By default, the issues are grouped by the identification cycle, where Newly Identified Issues are the ones found during the last data collection. Previously Identified Issues are insights that were detected during previous periods but are still valid.

Issue Title	Priority	SAP Category	Deadline
Peak HANA Memory Usage	~High	Data Management and Archiving	Within a month
Document Types (Reduction Potential)	~High	Data Volume Management	Within 6 months
High Usage Tables	=Medium	Data Volume Management	Within 6 months
Medium sized Redundant Indexes	=Medium	Data Volume Management	Within 6 months
Unpartitioned tables record count	=Medium	Data Volume Management	Within 6 months

Service Name	SAP Data Capacity Excellence
Customer Name	
System	VKP
Date of Report	Mar 19, 2025



Issue and Actions Management in Cloud ALM

 **Issues and Actions Management** Information is classified as Confidential

Issues (35)Standalone Actions (19)

data capacity x Q Service Unassigned Assign Service Publish English

ISSUE TITLE	SAP CATEGORY	SESSION	PRIORITY	LANGUAGE	CREATED ON
☐ Current HANA Disk Usage	Data Volume Management	SAP Data Capacity Excellence	Medium	English	Mar 2, 2025
☐ Current HANA Disk Usage	Data Volume Management	SAP Data Capacity Excellence	Very High	English	Mar 2, 2025
☐ High Usage Tables	Data Volume Management	SAP Data Capacity Excellence	Medium	English	Mar 2, 2025
☐ Low Usage Tables	Data Volume Management	SAP Data Capacity Excellence	Medium	English	Mar 2, 2025
☐ Current HANA Memory Growth	Data Volume Management	SAP Data Capacity Excellence	Medium	English	Mar 2, 2025
☐ Peak HANA Memory Usage	Data Volume Management	SAP Data Capacity Excellence	Very High	English	Mar 2, 2025
☐ Current HANA Memory Usage	Data Volume Management	SAP Data Capacity Excellence	Very High	English	Mar 2, 2025
☐ Required Indexes	Data Volume Management	SAP Data Capacity Excellence	Medium	English	Mar 2, 2025
☐ Large sized Redundant Indexes	Data Volume Management	SAP Data Capacity Excellence	High	English	Mar 2, 2025
☐ Unpartitioned tables growth	Data Volume Management	SAP Data Capacity Excellence	Very High	English	Mar 2, 2025

Example of the issue “Unpartitioned tables growth”

SAP

Issues and Actions Management

Information is classified as Confidential

Search

Help

Chat

Help

Notifications

AG

Issues and Actions Management / Issue

Unpartitioned tables growth

Edit

Delete

English (Original)

Go Live Date: Jan 28, 2025

Issue Status: Draft

General Info

Recommended Actions

Attachments

Change Log

This check evaluates record growth over the past 42 days to identify tables that, if the current growth trend continues, are likely to reach critical thresholds. In System A17 we have found 2 tables which are unpartitioned and which will reach the critical 2 billion record count limit in less than 3 months based on their current record count growth.

These are the affected tables including their current record count:

Table Name	Record Count
ACCTCR	1,622,889,115
BSEG	1,372,706,830

Example of the issue “Unpartitioned tables growth”

SAP

Issues and Actions Management

Information is classified as Confidential

Q

🔊

💬

?

🔔

AG

Issues and Actions Management / Issue

Unpartitioned tables growth

Edit

Delete

English (Original)

▼

General Info

Recommended Actions

Attachments

Change Log

Recommended Actions

Actions (1)

Action Title

Partition tables with high record count

Priority:

Very High

Assigned Role:

System Administrator

Due Date:

–

Deadline:

Within a month

Description:

Implement partitioning for the Identified tables.

1. **Number of required partitions:** Identify the number of required partitions based on the current and expected size of the table. The size of a partition should be around 15-30 GB. A good rule of thumb is 250.000.000 – 500.000.000 records per partition.

2. **Partition type:** Choose between

- HASH: Simply divides the records by half, by third or any number specified in the number of partitions. Easy to implement.
- RANGE: Partitions and its ranges are exactly defined. Allows the separation of old and new data. Harder to implement.


3. **Partition key:** Choose the table column by which the partitioning should be created. This column should be a highly used primary key by which the table is accessed.

- HASH:** The column should have a lot of different values. (e.g., CHANGENR or BELNR)
- RANGE:** The column should be incremental (e.g., date columns like GJAHR or CHANGENR)

4. Execute the partitioning command in HANA DB. **Important:** The execution of (re-)partitioning for a table requires extra preparation and attention. This is because the execution requires extra resources, and the affected tables are at certain points in time unavailable. Please consider Go-Live Support from SAP Premium Engagement.

5. For more information see also [2044468 - FAQ: SAP HANA Partitioning](#).

Example of the issue “Unpartitioned tables growth”



If the recommended Action description of the identified issues is not sufficient enough, then **Project and Setup** App in CALM can support the implementation with detailed steps and additional knowledge on implementation guidance.

Example of the issue “Unpartitioned tables growth”

Home ▾ SAP Cloud ALM

My Home
Implementation
Operations
Service
Administration

Preparation and Setup

Projects and Setup

Manage Scopes

Process Hierarchy

Set Up Tricentis Test Automation for SAP

[How to Set Up a Project](#)
[SAP Help Portal](#)
[How to Integrate SAP Cloud ALM with SAP S/4HANA](#)

Table Partitioning

User Story

Edit
Create Sub-task
☆
💬
🔗
⋮

Description
Sub-tasks (6)
Project Tasks (0)
Test Cases (0)
Process Hierarchy Nodes (0)
Documents (0)
+3 ▾

Sub-tasks (6)

Title	Status	Planned Completion	Team	Responsible
1. Get the list of tables to be partitioned Relation: Child	Open ▾			
2. Identify the number of partitions needed per table Relation: Child	Open ▾			
3. Define which partition type should be used Relation: Child	Open ▾			
4. Chose the partition key Relation: Child	Open ▾			
5. Schedule a downtime (in case of classic partitioning) Relation: Child	Open ▾			
6. Execute the SQL statement in the HANA database Relation: Child	Open ▾			

Example of the issue “Unpartitioned tables growth”

The screenshot displays the SAP Cloud ALM interface. The top navigation bar includes 'Home', 'SAP Cloud ALM', 'My Home', 'Implementation', 'Operations', 'Service', and 'Administration'. The 'Implementation' tab is active, showing a 'Preparation and Setup' section with 'Projects and Setup' and 'Manage Scopes' cards. Below this, a 'Table Partitioning' User Story is visible, with a list of 6 sub-tasks. Sub-task 3, 'Define which partition type should be used', is expanded, showing a detailed description of partition types and SQL examples.

Table Partitioning
User Story

Sub-tasks (6)

Title	Status	Planned Completion
1. Get the list of tables to be partitioned	Open	
Relation: Child		
2. Identify the number of partitions needed per table	Open	
Relation: Child		
3. Define which partition type should be used	Open	
Relation: Child		
4. Choose the partition key	Open	
Relation: Child		
5. Schedule a downtime (in case of classic partitioning)	Open	
Relation: Child		
6. Execute the SQL statement in the HANA database	Open	
Relation: Child		

3. Define which partition type should be used

Sub-task

Responsible: —
Timebox: Prepare
Planned Completion: —

Status: Open
Priority: Medium

Description | References (0) | Additional Information

- HASH: Simply divides the records by half, by third or any number specified in the number of partitions. Easy to implement.
- RANGE: Partitions and its ranges are exactly defined. Allows the separation of old and new data. Harder to implement.
- Example Statement HASH:
 - ALTER TABLE "SAPHANADB"."BALDAT" PARTITION BY HASH ("LOG_HANDLE") PARTITIONS 4;
- Example Statement RANGE:
 - ALTER TABLE "SAPHANADB"."BSEG" PARTITION BY RANGE (GJAHR) ((PARTITION '0000' <= VALUES < '2015',

PARTITION '2015' <= VALUES < '2018',

PARTITION '2018' <= VALUES < '2021',

PARTITION '2021' <= VALUES < '2024',

PARTITION OTHERS DYNAMIC THRESHOLD 500000000)) ONLINE;
- Identify the Schema Name. It can be found using transaction "DBACOCKPIT" -> Diagnostics -> Tables/Views -> Enter Table Name -> Hit F8 -> It is visible at the top

Example of the issue “Document Types (Reduction Potential)”

<
Issues and Actions Management ▾
Information is classified as Confidential

🔍
🎧
💬
❓
🔔
AG

[Issues and Actions Management / Issue](#)

Document Types(Reduction Potential)

[Edit](#)
[Delete](#)
[English \(Original\) ▾](#)

⏮️
⏭️

General Info
Recommended Actions
Attachments
Change Log

Priority:
High

SAP Category:
Data Volume Management

Assigned Role:
System Administrator

Due Date:
—

Deadline:
Within 6 months


System:
—

Description:

This check analyses the document types in your S/4 Hana system to identify reduction potential in both memory and disk storage. The goals is to determine whether archiving or deletion should be prioritized to optimize system performance and prevent unnecessary data growth. The reduction potential is calculated by analysing historical data distributions in your system and applying SAP Best Practice residence times. These residence times define the period after which data is typically no longer required for daily operations and can be archived or deleted to prevent continuous database growth. Without proactive data management, the database size would steadily increase, leading to higher infrastructure costs and potential performance issues

Doc Type	Memory Reduction Potential (GB)	Doc Type	Disk Reduction Potential (GB)
MM Accounting Interface Documents	164.13	MM Accounting Interface Documents	157.55
Change Documents	74.47	Change Documents	73.98

Example of the issue “Document Types (Reduction Potential)”



Document Type Management

Edit

Create Sub-task

User Story

Description

Sub-tasks (8)

Project Tasks (0)

Test Cases (0)

Process Hierarchy Nodes (0)

Documents (0)

Solution Processes (0)

+2

Sub-tasks (8)

↓↑

Title	Status	Planned Completion	Team	Responsible	Relation
1. Identify Document Types with High Growth	Open				Child
2. Identify the Document Types with Reduction Potential.	Open				Child
3. Align Reduction Strategy with Business Data Owner	Open				Child
4. Check for Dependencies	Open				Child
5. Perform test on a test system	Open				Child
6. Set the archiving frequency per archiving object	Open				Child
7. Execute data Archiving in your Production system	Open				Child
8. Monitor the archiving results	Open				Child

Example of the issue “Document Types (Reduction Potential)”

Home
SAP Cloud ALM

My Home
Implementation
Operations
Service
Administration

Preparation and Setup

Projects and Setup

Manage Scopes

Process Hierarchy

Set Up Tricentis Test Automation for SAP

Document Type Management

User Story

How to Set Up a Project

Description
Sub-tasks (8)
Project Tasks (0)
Test Cases (0)
Process Hierarchy

Sub-tasks (8)

Title	Status
1. Identify Document Types with High Growth	Open
2. Identify the Document Types with Reduction Potential.	Open
3. Align Reduction Strategy with Business Data Owner	Open
4. Check for Dependencies	Open
5. Perform test on a test system	Open
6. Set the archiving frequency per archiving object	Open
7. Execute data Archiving in your Production system	Open
8. Monitor the archiving results	Open

4. Check for Dependencies

Sub-task

Responsible:
Timebox: Prepare
Planned Completion:

Status: Open
Priority: Medium

Description

References (0)

Additional Information

When archiving data in the SAP System, technical objects called ILM objects or Archiving Objects are used. These objects are designed to ensure data integrity is maintained in both the live database and in the archives.

As a consequence, some (not all) archiving objects have dependencies to other archiving objects and tables.

Perform the following steps to check for dependencies with other archiving or deletion objects:

- Determine the archiving object you need to execute - check the [SAP Help](#) to find the correct archiving object.
- To determine if the archiving process of <doc_type> has dependencies to other archiving objects you may need to investigate using some of the following:
 - Transaction SARA. Enter the name of archiving object <doc_type_AOBJ> and choose the button Network Graphic to display the dependencies. As this information may not show all dependencies, also check the following information resources:
 - [SAP Help](#) for archiving object <doc_type_AOBJ>.
 - Search SAP Notes with "<doc_type_AOBJ>" and "dependencies".

If you identify dependencies you will need to:

- Align with the business owners of the dependent data.

Child

Child

Child

Child

Example of the issue “Large sized Redundant Indexes”

<

SAP

Issues and Actions Management

Information is classified as Confidential

Q

🔊

💬

?

🔔

AG

Issues and Actions Management / Issue

Large sized Redundant Indexes

EditDeleteEnglish (Original)

General InfoRecommended ActionsAttachmentsChange Log

Priority:
High

Assigned Role:
System Administrator

Deadline:
Within 6 months

SAP Category:
Data Volume Management

Due Date:
—

System:
—

Description:

This check identifies redundant indexes in your S/4 system based on the Inverted Individual Costs (INDIV_COSTS) of the tables. An index is considered redundant if the INDIV_COSTS of at least one column in the table are below 200 and an index exists for that table. In system A17, we have found 2 tables containing large-sized redundant indexes exceeding 50 GB in disk or memory usage. These indexes are consuming significant resources and can be optimized. The following tables are affected, including their potential reduction in Memory (in GB): Please see SAP Note [2600076](#) for more information.

Table Name	Memory Reduction Potential (GB)
EDID4	64.4
CDPOS	51.0

Business Impact:

Reduce HANA Disk and Memory Usage by removing the redundant indexes.


Data Capacity Excellence

Customer Number
System ID
Installation No.
Analysis Date
03.07.2026

Data Capacity Excellence

Data Capacity Excellence optimizes SAP HANA database size to reduce cloud infrastructure costs by providing insights from memory and disk usage, data growth, and peak events. It identifies reduction potentials through established and latest techniques, such as,

- Archiving
- Deletion
- Index optimization
- NSE (Native Storage Extension)


ensuring efficient and cost-effective database management to maintain a clean core strategy within the IT organization.

Data Capacity Excellence helps streamline HANA databases by identifying opportunities to optimize size, enhancing system performance while reducing IT infrastructure costs and is currently covering these 5 sub-areas:

- Top Tables
- Custom Tables
- Archiving Achievements
- Deletion Achievements
- Top Growing Tables

Overall HANA Memory Usage

GB



Usage Type	Used Memory (GB)	Free Memory (GB)	Total (GB)
Average Usage	2,164	3,452	5,616
Peak Usage	2,355	3,261	5,616

Top 30 Tables in Memory Size

GB




Table Name	Memory Size (GB)
BALDAT	89
ACDOCA	87
ARFCSDATA	71
MDGD_CP_REP_STAT	68
EDID4	45
SWWLOGHIST	42
INDX	36
/PF1/TECHLOG	36

Average Memory Used

GB



Date	Average Memory Used (GB)
01.07.2025	2,541
01.09.2025	2,123
01.11.2025	2,522
01.01.2026	2,541
01.03.2026	2,251
01.05.2026	1,951
01.07.2026	2,016

Overall HANA Disk Usage

GB



79% of the total disk space is used and 21% is free.

Top 30 Tables in Disk Size

GB




Table Name	Disk Size (GB)
TRPT_LOG	261
SOC3N	236
ACESOBJ_PARAM	172
FEH_MESS_PERS	144
DMS_CONT1_CD1	117
BALDAT	88
ACDOCA	86
CNV_PE_TPM_CLU	

Average Disk Used

GB



Date	Average Disk Used (GB)
01.07.2025	7,296
01.09.2025	5,723
01.11.2025	5,718
01.01.2026	5,718
01.03.2026	5,718
01.05.2026	5,718
01.07.2026	5,718

Custom Table Footprint

GB

26

Archiving Achievements

GB

+0

Deletion Achievements

GB

619

Row Store Size

GB

103

Column Store Size

GB

1,389

Average monthly growth of Memory

GB

564

SAC Dashboard for Transparency & Monitoring

SAP

Data Capacity Excellence

Customer Number

System ID

Installation No.

Analysis Date
03.07.2026

Top Tables

This page provides a detailed overview of the largest tables in the SAP S/4HANA system, offering insights into the system's memory and disk usage. The following key measures are displayed for analysis:

- MEM_GB**: The memory footprint of each table, measured in gigabytes.
- DISK_GB**: The size of the table on disk, measured in gigabytes.
- RECORD_COUNT**: The total record count for each table.
- PART_COUNT**: The number of partitions for a table. A value of "0" indicates that the table is not partitioned.
- LOB_DISK_GB**: The size of large object (LOB) data stored on disk.
- LOB_MEM_GB**: The size of large object (LOB) data stored in memory.

The **TABLE_NAME** filter allows you to search for specific tables to focus your analysis.

This page displays the top 1,000 tables ranked by memory footprint, offering detailed visibility into high-impact data objects and their associated memory and storage resource utilization within the system.

TABLE_NAME

☒ All

☒ \$TA_GML_INDEX_MATGRP_MO2

☒ \$TA_GML_INDEX_MATGRP_REB

☒ \$TA_INDEX_MATGRP_REB

☒ \$TM_DOCUMENTS_GML_INDEX_MATGRP_REB_TEST

☒ \$TM_MATRIX_GML_INDEX_MATGRP_MO2

Apply Selections

Top Memory consuming Tables

MEM_GB


1

TABLE_NAME	DESCRIPTION	MEM_GB	DISK_GB	RECORD_COUNT	PART_COUNT	LOB_DISK_GB	LOB_MEM_GB
BALDAT	Application Log: Log data	88.67	88.40	229,460,388.00	1.00	0.00	0.00
ACDOCA	Universal Journal Entry Line Items	87.01	86.05	2,698,831,148.00	4.00	0.00	0.00
ARFCSDATA	ARFC Call Data (Callers)	71.46	78.53	40,678,844.00	1.00	0.00	0.00
MDGD_CP_REP_STAT	Change Pointer Replication status per target system	67.95	67.13	1,636,163,636.00	1.00	0.00	0.00
EDID4	IDoc Data Records from 4.0 onwards	45.29	44.96	1,430,468,840.00	1.00	0.00	0.00
SWWLOGHIST	Workflow Runtime: History of a Work Item	42.05	41.69	722,309,050.00	1.00	0.00	0.00
INDX	System Table INDX	35.81	36.40	21,417,306.00	1.00	0.00	0.00
/PF1/TECHLOG	Management table for technical logging	31.86	31.54	440,283,663.00	1.00	0.00	0.00
MOFF	Outstanding Article Master Records	29.61	29.23	788,752,501.00	1.00	0.00	0.00
SWWCNTP0	Workflow Container: XML Database (P0)	26.79	26.85	72,236,230.00	1.00	0.00	0.00
FMUSFGA	Actual line item table for US Federal Government.	22.74	39.95	1,019,399,003.00	1.00	0.00	0.00
CDPOS	Change document items	22.46	22.53	306,592,321.00	2.00	0.00	0.00
SWFREVCNT	Container: XML Runtime Data	22.17	22.31	96,039,931.00	1.00	0.00	0.00
AUSP	Characteristic Values	21.81	21.58	467,349,848.00	1.00	0.00	0.00
/SCA/KT1SPM	Key figure history for time series data 1SPM	20.66	50.03	935,222,571.00	1.00	0.00	0.00
/PF1/DB_OBJ_REL	PE Business Object Relations	20.15	19.94	569,184,376.00	1.00	0.00	0.00
/SMB/SBA1_T_FILE	SBA1-PME table	17.70	17.45	499,463,193.00	1.00	0.00	0.00
WBCROSSGT	Index for Global Types - Where-Used List Workbench	15.84	15.54	246,943,664.00	1.00	0.00	0.00
FQM_FLOW	FQM Flows	15.20	15.06	208,040,892.00	1.00	0.00	0.00
ZDMLT_RENUM_FMUS	USFG - Renumbered DOCLN	15.00	22.55	909,867,000.00	1.00	0.00	0.00
DBTABLOG	Log Records of Table Changes	13.67	36.94	196,898,775.00	1.00	23.31	0.00
JEST	Individual Object Status	13.40	13.10	464,525,656.00	1.00	0.00	0.00
/SAPAPO/DRPMCHNG	Manual Changes to Scheduling Agreements / Purchase Orders	13.27	36.67	836,605,450.00	1.00	0.00	0.00
MDGD_CP	MDG Change Pointer	13.27	13.00	466,351,104.00	1.00	0.00	0.00
BDCP2	Aggregated Change Pointers (BDCP, BDCPS)	13.07	12.82	439,486,947.00	1.00	0.00	0.00
ACCTCP	Consolidated Data from EPCO Document Consolider	11.03	11.76	247,167,432.00	1.00	0.00	0.00

SAC Dashboard for Transparency & Monitoring

SAP	Data Capacity Excellence	Customer Number	System ID	Installation No.	Analysis Date 03.07.2026		
Custom Tables							
This page provides a focused overview of all custom tables in the SAP S/4HANA system. Custom tables typically follow naming conventions starting with "Z" or "Y", excluding ZARIX tables, which are related to archiving processes and are not considered custom tables. While Partner Code tables (with dedicated namespaces) may qualify as custom tables, they are not included on this page. If such tables are among the 1,000 largest by memory size, they can instead be found on the "Top Tables" page.							
Key measures available for analysis on this page include:							
MEM_GB: Memory footprint of the table in gigabytes. DISK_GB: Disk size of the table in gigabytes. PART_COUNT: Number of partitions in the table (a value of "0" indicates no partitioning). RECORD_COUNT: Total record count for the table. LOB_DISK_GB: Size of large objects (LOBs) stored on disk. LOB_MEM_GB: Size of large objects (LOBs) stored in memory. NSE_GB: The portion of the table's data moved to NSE (Native Storage Extension), if activated.							
This dashboard facilitates in-depth analysis of memory and storage consumption by custom tables, enabling data-driven system optimization and effective capacity planning.							
Custom Table Footprint							
GB							
26							
Custom Tables by Memory Size							
MEM_GB DISK_GB 1							
TABLE_NAME	MEM_GB	DISK_GB	NSE_GB	LOB_DISK_GB	LOB_MEM_GB	PART_COUNT	RECORD_COUNT
ZDMLT_RENUM_FMUS	15.00	22.55	19.67	0.00	0.00	1	909,867,000
ZDMLT_ASCL_DAT	5.82	13.44	11.68	0.00	0.00	1	880,020,195
ZS111	1.19	6.34	0.00	0.00	0.00	1	89,999,996
ZGG02_DOCSED	0.37	1.47	0.00	0.00	0.00	1	87,662,916
ZPS_ROOTS_HIER	0.35	2.02	2.00	0.00	0.00	1	72,388,062
ZSWWLOGHIST_TEST	0.34	1.45	0.00	0.00	0.00	5	24,879,712
ZSV_ASSIGNMENT	0.27	2.71	1.82	0.00	0.00	5	128,894,872
ZPMMO_TEST1	0.26	3.68	0.00	0.00	0.00	1	68,686,315
ZZLR_TEST	0.21	5.04	0.00	0.00	0.00	1	52,139,434
ZTD_GEF_MIG_600_root.polygon	0.16	0.17	0.03	0.00	0.00	1	400,000
ZSV1_ASSIGNMENT	0.15	1.44	0.00	0.00	0.00	1	55,913,203
ZKTB_AUAB	0.14	0.99	0.00	0.00	0.00	1	50,000,000
ZFSDM_VDBEPI	0.13	0.73	0.00	0.00	0.00	1	29,999,990
ZFSDM_VDBEPP	0.13	1.24	0.00	0.00	0.00	1	29,999,990
ZKUPMMO_ASSGMT	0.13	1.73	0.00	0.00	0.00	1	55,913,203
ZKKO_ARCHIVED	0.11	0.75	0.75	0.00	0.00	1	17,855,902


SAC Dashboard for Transparency & Monitoring




SAC Dashboard for Transparency & Monitoring

</

SAC Dashboard for Transparency & Monitoring



SAC Dashboard for Transparency & Monitoring



SAC Dashboard for Transparency & Monitoring

SAP

Data Capacity Excellence

Customer Number

System ID

Installation No.

Analysis Date
03.07.2026

NSE

This page provides the tables for which NSE can be activated/deactivated. Tables with Store = 'C', Zero READ_COUNT and Zero WRITE_COUNT are good candidates for NSE activation. Please refer to [SAP Note 2799997](#) for details.

Memory Saving Potential

GB

0.00

System Page Loadable Data Size

GB

4.01

Current Buffer Cache Size

GB

48.40

Out of Buffer Events In the Last 42 days

0

NSE Reduction Potential in Disk and Memory

2 FiltersREADWRITE{ }

STORE

All

C

R

TABLE_NAME

All

/LIME/NLOG_QUAN

/SCDL/OB_DF

/SCWM/ORDIM_C

/UIFI/LREPDCONTCD

ACCTCR


ACCTHD

ACCTIT

ACDOCA

TABLE_NAME	HOST	STORE	READ_COUNT	WRITE_COUNT	RECORD_COUNT	DISK_GB	MEM_GB	NSE_GB
AP0D	vhccuhq4db01	R	0	0	8,862,195	3	2.02	0.00
ECTD_DATA	vhccuhq4db01	C	0	0	310,116	1	0.00	0.00
ECTD_XML_STR	vhccuhq4db01	C	0	0	211,047	9	0.00	0.02
FPLAYOUTT	vhccuhq4db01	R	0	0	14,357	4	0.00	0.00
LTEX	vhccuhq4db01	R	0	0	926,242	3	2.55	0.00
SWNCMONI	vhccuhq4db01	R	0	0	1,846,831	6	5.09	0.00
SXMSCLUR	vhccuhq4db01	R	0	0	1,856,371	7	0.88	0.00
TBTCO	vhccuhq4db01	R	0	0	22,367,814	7	5.42	0.00
TBTCP	vhccuhq4db01	R	0	0	22,367,851	9	7.29	0.00
TST03	vhccuhq4db01	R	0	0	771,846	9	0.05	0.00
ZFIGL079_RAW_CUB	vhccuhq4db01	C	3,095	0	45,067,541	1	0.00	0.00
ZODOO_MOV_INV	vhccuhq4db01	C	3,095	0	1,710,125	1	0.00	0.00
SXMSPHST	vhccuhq4db01	C	10,537	0	48,432,657	3	0.00	0.00
ZMMIM_MOVL_INVEN	vhccuhq4db01	C	12,436	0	88,414,107	3	0.00	0.00
ZTA_MOVINV058	vhccuhq4db01	C	13,413	0	54,201,284	2	0.00	0.00
ZFIAP_CDGITEM	vhccuhq4db01	C	14,299	0	153,699,549	6	0.00	0.00
ZFIAP_DETALLE	vhccuhq4db01	C	23,290	0	154,162,207	4	0.00	0.00
ZPP_TRAZAB_APL	vhccuhq4db01	C	28,287	2	101,068,222	4	0.00	0.00
ZFL_LOG_INTERFAZ	vhccuhq4db01	C	32,692	0	13,243,769	27	2.00	0.00
EDID4	vhccuhq4db01	C	34,105	5	27,004,701	3	3.16	0.00
ZC0001TT_LEDGER	vhccuhq4db01	C	38,567	0	497,126,893	40	2.43	0.00
MLAUFKEPH	vhccuhq4db01	C	53,507	24	70,992,309	3	2.88	0.00
QASV	vhccuhq4db01	C	54,052	109	58,187,611	1	0.00	0.00
MLPRKEKO	vhccuhq4db01	C	54,160	126	173,310,676	5	3.77	0.00
MLPRKEPH	vhccuhq4db01	C	54,165	126	153,839,469	5	4.09	0.00
SXMSPFERRR	vhccuhq4db01	C	54,343	0	295,274	3	0.01	0.00
MLAUFRCR	vhccuhq4db01	C	54,444	90	69,482,764	2	2.12	0.00
MLCRF	vhccuhq4db01	C	54,335	202	71,680,351	3	2.79	0.00
/LIME/NLOG_QUAN	vhccuhq4db01	C	53,648	921	16,876,316	2	1.65	0.00

SAC Dashboard for Transparency & Monitoring



SAC Dashboard for Transparency & Monitoring

SAP Data Capacity Excellence		Customer Number	System ID	Installation No.	Analysis Date 03.07.2026
Tables Logging This page provides a list of specific tables which are not supposed to be logged in the DBTABLOG table as per the best practice. Table logging in SAP is a mechanism that captures and records all changes made to database table entries. The DBTABLOG table serves as the central repository for storing these change logs, providing a complete audit trail of data modifications including who made the change, when it occurred, and what values were modified. The list offers insights on the table logging: •TABNAME: Table Name •PROTOKOLL: If the value is X then the table is being logged. •RECORD_COUNT_DBTABLOG: Number of records (Changes) present in the DBTABLOG •RECORD_COUNT_TOTAL: Total number of records per table For more information refer to these SAP notes 2335014 & 2362854.		TABLES_LOGGING_DBTABLOG			
		RECORD_COUNT_DBTABLOG		RECORD_COUNT_TOTAL	
		TABNAME	PROTOKOLL		
		/MIRSA/ZFFCDHDR	X	0	0
		/MIRSA/ZFFTNSLOG	X	0	0
		/MIRSA/ZVIRFFLOG	X	0	0
		ALPFASSIGN	(Null)	0	0
		AQLTQ	(Null)	5	2,127
		AQLTS	(Null)	7,273	39,766
		BKK40	(Null)	0	204
		BKK42	(Null)	0	221
		BKK45	(Null)	0	676
		BKK46	(Null)	0	232
		BKK98	(Null)	0	0
		BKKSONT	X	0	0
		COMM_PRRDCATR	(Null)	0	13
		DB6IREORG	(Null)	0	91,054
		DB6TREORG	(Null)	0	42,579
		DFKKCOLL	(Null)	0	3
		DFKKCOLLH	(Null)	0	4
		DRFD_REPLICATION	(Null)	0	192,397,032
		EKPA	(Null)	0	67,491,717
		EVER	(Null)	0	0
		FMDECKHK	(Null)	0	0
		FMDECKRG	(Null)	0	0
		FMDECKRGT	(Null)	0	0
		FMDECKUNG	(Null)	0	0
		FMSNRULE	(Null)	0	0
		FMSNRULEC	(Null)	0	0
PROTOKOLL ☒ All ☒ (Null) ☒ X Apply Selections					

SAC Dashboard for Transparency & Monitoring

SAP Data Capacity Excellence		Customer Number	System ID	Installation No.	Analysis Date																																																		
03.07.2026																																																							
Tables Partitions This page provides the list of tables along with its partitions. TABLE_NAME: Table Name PART_ID: Partition ID LEVEL_1: Indicates the partitioning type LEVEL_2: Indicates the partitioning type Load_Unit: This signifies if the partition is page loadable or column loadable. RECORD COUNT: The total record count for each partition DISK_GB: The size of the table on disk, measured in gigabytes. NSE_GB: The size of the table on NSE, measured in gigabytes MEM_GB: The memory footprint of each table, measured in gigabytes BUFFER_GB: Indicates the buffer cache used for loading. For more information refer to these SAP notes 2044468		Table Partitions <table> <thead> <tr> <th>TABLE_NAME</th><th>PART_ID</th><th>LEVEL_1</th><th>LEVEL_2</th><th>LOAD_UNIT</th><th>BUFFER_GB</th><th>DISK_GB</th><th>MEM_GB</th><th>NSE_GB</th><th>RECORD_COUNT</th></tr> </thead> <tbody> <tr> <td>ACDOCA</td><td>1</td><td>1 (HASH)</td><td>-</td><td>COLUMN</td><td>0</td><td>22</td><td>22</td><td></td><td>674,007,321</td></tr> <tr> <td>ACDOCA</td><td>2</td><td>2 (HASH)</td><td>-</td><td>COLUMN</td><td>0</td><td>22</td><td>22</td><td></td><td>674,019,680</td></tr> <tr> <td>ACDOCA</td><td>3</td><td>3 (HASH)</td><td>-</td><td>COLUMN</td><td>0</td><td>22</td><td>22</td><td></td><td>676,180,259</td></tr> <tr> <td>ACDOCA</td><td>4</td><td>4 (HASH)</td><td>-</td><td>COLUMN</td><td>0</td><td>22</td><td>22</td><td></td><td>674,623,888</td></tr> </tbody> </table>				TABLE_NAME	PART_ID	LEVEL_1	LEVEL_2	LOAD_UNIT	BUFFER_GB	DISK_GB	MEM_GB	NSE_GB	RECORD_COUNT	ACDOCA	1	1 (HASH)	-	COLUMN	0	22	22		674,007,321	ACDOCA	2	2 (HASH)	-	COLUMN	0	22	22		674,019,680	ACDOCA	3	3 (HASH)	-	COLUMN	0	22	22		676,180,259	ACDOCA	4	4 (HASH)	-	COLUMN	0	22	22		674,623,888
TABLE_NAME	PART_ID	LEVEL_1	LEVEL_2	LOAD_UNIT	BUFFER_GB	DISK_GB	MEM_GB	NSE_GB	RECORD_COUNT																																														
ACDOCA	1	1 (HASH)	-	COLUMN	0	22	22		674,007,321																																														
ACDOCA	2	2 (HASH)	-	COLUMN	0	22	22		674,019,680																																														
ACDOCA	3	3 (HASH)	-	COLUMN	0	22	22		676,180,259																																														
ACDOCA	4	4 (HASH)	-	COLUMN	0	22	22		674,623,888																																														
TABLE_NAME ☐ ACDOCA Apply Selections	LOAD_UNIT ☐ COLUMN Apply Selections																																																						
Record Count in Table/Partitions ☒ 0 to 2147483648																																																							

Key Take Aways

What is it ?

An automated , AI powered product built into SAP Cloud ALM that continuously monitor your SAP HANA database health.

What it does ?

Finds data that is costing you money and gives you step by step actions to fix

Who it's for ?

Any SAP customer on S/4 HANA with Advance or Max success plan



Q&A

Thank you.



Pankaj Acharya

DCE-Product Owner

pankaj.acharya@sap.com

