

EVENTFORCE MANAGEMENT SYSTEM- SALESFORCE IMPLEMENTATION

Team ID : SWTID-2026-6000

Team Size : 4

Team Leader : Sapna A

Team member : Parkavi R

Team member : Arthi T

Team member : Archana D

User Story:

The EventForce Management System is designed to provide a centralized Salesforce-based solution for managing event planning operations, including client bookings, event scheduling, venue reservations, vendor coordination, cancellation approvals, reminders, and feedback collection. The system enables event teams to manage Events, Clients, Vendors, Venues, and Feedback using a structured Salesforce data model with appropriate relationships. Automated Flows handle event reminders and process updates, while an Approval Process manages event cancellation requests. Apex Classes and Triggers support advanced business logic such as venue availability updates and prevention of double bookings. A Lightning App, Reports, and Dashboards provide real-time visibility into event schedules, vendor activities, and operational performance. This initiative improves event management efficiency, booking coordination, data accuracy, communication, operational visibility, and customer experience.

INTRODUCTION

1.1 Project Overview :

The Event Force Management System is a Salesforce-based CRM application developed to simplify and organize event planning and management activities. It provides a centralized platform for handling clients, events, venues, vendors, feedback, and event cancellation details efficiently.

The system makes use of custom objects, relationships, validation rules, Flows, Approval Processes, Apex Triggers and Classes, Reports, and Dashboards to automate important business activities. It also helps manage venue availability, avoids duplicate bookings, sends event reminders, processes cancellation approvals, and manages customer feedback.

The main purpose of the project is to minimize manual work, improve booking coordination, maintain accurate data, and strengthen communication between clients and operational teams. By using a centralized Salesforce platform, the system provides better visibility of event activities and supports efficient monitoring and reporting.

1.2 Purpose:

The purpose of the Event Force Management System is to create a centralized Salesforce platform for organizing and automating event planning activities. The system is designed to:

Maintain client, event, venue, vendor, and feedback details in a single platform.

Make event booking and venue reservation easier and more efficient.

Avoid venue scheduling conflicts and duplicate bookings using automated Apex logic.

Send reminders for upcoming events and automate cancellation approval processes.

Improve coordination among clients, event coordinators, vendors, and venue managers.

Generate reports and dashboards for effective monitoring and decision-making.

Minimize manual work, increase data accuracy, and provide a better overall client experience.


2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Event Operations Manager	manage event planning	client, event, venue, and vendor	event management activities	frustrated and concerned

		operations efficiently	information is difficult to manage centrally	require coordination across multiple areas	
PS-2	Event Coordinator	create and manage event bookings efficiently	event details, client information, and venue reservations require multiple manual activities	there is no centralized platform for managing the complete event lifecycle	over and frustrated
PS-3	Venue Manager	manage venue availability accurately	the same venue may be assigned to multiple events	venue bookings need proper availability tracking and double-book prevention	concerned and uncertain

PS-4	Vendor Manager	events can require multiple vendors and services	over and concerned
PS-5	Event Coordinator	communicate reminders e event information and reminders on time	stressed and concerned
PS-6	Event Administrator	manage event cancellation requests	frustrated and uncertain
PS-7	Event Coordinator	collect and manage client feedback	concerned about customer satisfaction
PS-8	Event Operations Manager	monitor event operations and performance	concerned and less confident in decision-making



Empathy Map Canvas

User Persona: Event Coordinator

Role: Event Coordinator

Primary Responsibility: Handles event bookings, understands client needs, arranges venues and vendors, sends reminders, and keeps event status updated.

Think & Feel: Wants to organize events efficiently, prevent booking problems, and ensure clients have a smooth experience.


Hear: Receives instructions, requirements, and updates from clients, vendors, venue managers, and event administrators.

See: Monitors event information, client details, venue availability, vendor assignments, cancellations, and feedback.

Say & Do: Communicates with stakeholders, maintains event records, manages bookings, responds to requirements, and tracks event progress.

Say & Do: Communicates with stakeholders, maintains event records, manages bookings, responds to requirements, and tracks event progress.

1. Brainstorming was conducted to identify possible solutions for event management.
2. The main focus was on improving event booking and coordination.
3. The team discussed different problems faced by event coordinators.
4. Ideas were generated for managing clients and event details.
5. Venue availability and booking conflicts were considered.
6. Vendor coordination was identified as an important requirement.



2.2 Brainstorming & Idea Prioritization

Ideas Considered

Idea	Approach	Key Limitation
Manual Registers	Maintain event, client, venue, and vendor details manually	Time-consuming and difficult to maintain

Spreadsheet Tracking	Track bookings and event information using spreadsheets	Limited automation and real-time coordination
Standalone Portal	Develop a dedicated portal for event management	Higher development and maintenance effort
Salesforce CRM	Centralize event operations on a Salesforce platform	Requires proper configuration and implementation

Final Selection

Salesforce CRM is selected because it provides:

Automation – Reduces manual work and improves business processes.

Scalability – Supports future growth and changing requirements.

Real-Time Visibility – Provides centralized data and enables effective monitoring.

Decision: Salesforce CRM is the most suitable platform for developing a centralized, automated, and scalable Event Management System.



3.REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Stage	Customer Journey Stage	What Happens
1	Event Enquiry & Client Registration	Client requirements and contact details are captured in Salesforce.
2	Event Planning & Booking	Event details such as event type, date, budget, and status are created and managed.

3	Venue Selection & Reservation	Suitable venues are identified, availability is checked, and reservations are managed while preventing double bookings.
Stage	Customer Journey Stage	What Happens
4	Vendor Coordination	Vendors and necessary services are allocated to events, and their availability is managed accordingly.
5	Event Confirmation & Communication	Once an event is confirmed, automated messages and reminders are sent to the clients before the event.
6	Event Execution & Monitoring	Event activities and operational details are tracked using Salesforce records, reports, and dashboards.
7	Cancellation & Approval	Cancellation requests go through the approval process, followed by status changes and relevant notifications.
8	Feedback & Closure	Customer feedback is collected after the event, and completed events are recorded for future review and analysis.



3.2 Solution Requirements

Functional Requirements

FR No	Requirement
FR-1	User registration
FR-2	Customer management
FR-3	Event management
FR-4	Vendor management
FR-5	Service management
FR-6	Event booking and scheduling
FR-7	Automated notifications and reminders

FR-8	Approval and cancellation management
FR-9	Event monitoring and tracking
FR-10	Feedback collection
FR-11	Reports and Dashboards
FR-12	Secure data management

Non-Functional Requirements

NFR	Description
Usability	Lightning App for easy event management and navigation

Performance	Efficient processing of event and operational data
Availability	Cloud-based Salesforce access for authorized users
Scalability	Supports growing events, clients, vendors, venues, and users
Maintainability	Flows, Apex, validation rules, and security can be monitored and updated
Data Integrity	Validation and controlled data migration to maintain accurate records

3.3 Data Flow Diagram

Flow:

Client / Event Team



Enter Client & Event Details



Event Force Management System



Validate & Store Data



Create Event, Client, Venue & Vendor Records



Check Venue Availability



Assign Venue & Vendors

↓

Confirm Event

↓

Send Automated 3-Day Reminder

↓

Event Execution & Status Updates

↓

Collect Event Feedback

↓

Generate Reports & Dashboards

Supporting Flows

Cancellation Request

Event Coordinator → Cancellation Request → Approval Process → Approved / Rejected → Event Status Update → Notification

Venue Booking Validation

Event → Venue Availability Check → Check Existing Venue & Event Date → Prevent Double Booking / Update Venue Availability

Event Completion

Event Date Passed → System Checks Event Date → Update Event Status → Event Status = Completed

Simple DFD Representation

Clients / Event Coordinators / Vendor Managers / Venue Managers



EventForce Management System



Event, Client, Vendor, Venue & Feedback Records



System Validation & Automation




Operational Data & Status Updates



Reports & Dashboards



Event Operations & Decision Making



3.4 Technology Stack

Layer	Technology
Platform	Salesforce CRM / Developer Edition
UI	Salesforce Lightning App
Database	Salesforce Custom Objects
Business Logic	Salesforce Flows, Formula Fields, Validation Rules
Approval	Salesforce Approval Process
Automation	Record-Triggered Flows, Apex Triggers
Processing	Batch Apex, Scheduled Apex
Security	Profiles, Roles, Permission Sets, Sharing Rules, OWD

Reporting	Reports & Dashboards
-----------	----------------------

4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit

Based on the page you shared, EventForce Management System is a Salesforce-based event management project. The main purpose is to solve common problems in event planning and coordination through automation, centralized data, approvals, and reporting.

Problem	Solution – EventForce Salesforce System	Fit / Benefit
Client, event, venue and vendor information is difficult to manage	Custom Salesforce Objects	Centralized and structured data
Event booking requires multiple manual activities	Salesforce Flows and automation	Reduces manual work
Risk of venue double booking	Apex Trigger +VenueStatusHelper	Prevents duplicate venue bookings
Vendor coordination is difficult	EventVendor junction object	Easier vendor assignment and coordination
Clients may not receive timely event reminders	3-Day Reminder Flow	Automates reminder communication

Problem	Solution – EventForce Salesforce System	Fit / Benefit
Cancellation requests require controlled processing	Event_Cancellation_Process Approval Process	Structured approval and status tracking
Client feedback needs to be connected with events	Feedback object with Event and Client relationships	organized feedback management
Operational information is difficult to monitor	Reports and EventForce Operations Dashboard	better monitoring and decisions-making
Different users require different levels of access	Profiles, Roles, Permission Sets, OWD, and Sharing Rules	Secure and controlled data access



4.2 Proposed Solution

Functional Requirements


Parameter	Description
Problem	Manual and fragmented event management
Solution	Salesforce CRM
Innovation	Automated event reminders, venue validation, and cancellation approvals
Impact	Faster event coordination and improved operational visibility
Business Model	Centralized event planning and management
Scalability	Supports growing events, clients, vendors, venues, and users

4.3 Solution Architecture

Components:

- Event
- Client
- Vendor
- Venue
- EventVendor
- Feedback
- Validation Rules
- Formula Fields
- Flows
- Approval Process
- Apex Triggers
- Apex Classes
- Batch Apex
- Scheduled Apex
- Profiles & Roles
- Permission Sets & Sharing Rules
- Data Import Wizard
- Lightning App

- Reports
- Dashboards



5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

Product Backlog, Sprint Schedule, and Estimation

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Member
Sprint-1	Event Management	US-01	Create events with type, date, status and event information	3	High	Member
Sprint-1	Client & Venue Management	US-02	Associate a client and venue with an event	3	High	Member
Sprint-2	Vendor Management	US-03	Assign multiple vendors to an event	5	High	Member
Sprint-2	Notifications & Automation	US-04	Send timely event reminders to clients	3	High	Member
Sprint-3	Approval Management	US-05	Manage cancellation requests through an approval process	5	High	Member
Sprint-3	Venue Management & Apex	US-06	Prevent double-booking of venues	8	High	Member
Sprint-4	Security & Access Control	US-07	Provide role-based access to users	5	High	Member
Sprint-4	Reports & Dashboards	US-08	Create reports and dashboards to monitor event operations	5	Medium	Member

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	07 Sep 2026	12 Sep 2026	20	3 Oct 2026
Sprint-2	0	6 Days	14 Sep 2026	20 Sep 2026		
Sprint-3	20	6 Days	21 Sep 2026	27 Sep 2026		
Sprint-4	0	6 Days	28 Sep 2026	03 Oct 2026		
Sprint-5	20	6 Days				

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)

6. Project Development Phase:

Phase 1: Requirement Analysis & Planning

Build an EventForce Management System in Salesforce to help event planners manage client bookings, vendor coordination, venue reservations, and feedback collection – all within a single CRM platform. The system automates key processes such as event scheduling, cancellation approvals, and client reminders, while providing real-time visibility through reports and dashboards.

Functional Scope :

- Custom objects (Event, Client, Vendor, Venue, Feedback, and Event Vendor (Junction Object)).
- Relationship modeling: Lookup, Master-Detail, and Many-to-Many (Event ↔ Vendor).
- Automation using Flows for reminders, feedback notifications, and approval updates.
- Validation Rules and Formula Fields to ensure accurate data entry and event budget calculation.
- Approval Processes for event cancellation requests with email alerts to coordinators and clients.
- Profiles, Roles, and Permission Sets to manage user-level access and security.
- Reports and Dashboards for event summary, vendor performance, and upcoming event insights.

Stakeholder Mapping :

- Clients: Request event services, provide feedback, and view event updates.
- Event Coordinators: Manage event scheduling, client communication, and approval workflows.
- Vendors: Handle assigned event services like catering, decor, and logistics.
- Venue Managers: Manage venue availability and reservations.
- Event Administrators: Oversee system operations, security, and data monitoring.

Execution Roadmap :

1. Object & Field Setup – Creation of Event, Client, Vendor, Venue, Feedback, and Event Vendor objects.
2. Automation Flows – Implement record-triggered flows for event reminders and approvals.
3. Validation Rules & Formula Fields – Enforce data accuracy and budget calculations.
4. Profiles, Roles, and Permission Sets – Configure user access and record visibility.
5. Approval Process – Automate event cancellation request workflow with notifications.
6. Apex Classes & Triggers – Update venue availability and prevent double bookings.
7. Reports & Dashboards – Create analytics for upcoming events and performance insights.

Phase 2 : Backend Development & Configurations

The Backend & Configuration phase built the core functional engine of the EventForce Management System. Using a combination of Salesforce Flows, Apex logic, and Security configurations, this phase focused on developing the system's automation backbone to manage events, clients, vendors, venues, and feedback efficiently.

Declarative tools such as Record-Triggered Flows, Validation Rules, Formula Fields, and Approval Processes were used extensively to automate booking confirmations, reminders, and cancellation approvals. Meanwhile, Apex Classes and Triggers handled advanced business logic like venue availability updates and preventing double bookings, ensuring operational accuracy and scalability.

The phase also included implementing Profiles, Roles, Permission Sets, and Sharing Rules to define user-level access, maintaining data integrity and security across all modules. Altogether, this phase transformed the EventForce application from a static structure into a dynamic, automated, and secure CRM system capable of handling real-world event management workflows.

Milestone 1 : Salesforce Account

What Is Salesforce ?

Salesforce is your customer success platform, designed to help you sell, service, market, analyze, and connect with your customers. Salesforce has everything you need to run your business from anywhere. Using standard products and features, you can manage relationships with prospects and customers, collaborate and engage with employees and partners, and store your data securely in the cloud.

Activity 1: Creating Developer Account

Creating a developer org in salesforce.

1. Go to <https://developer.salesforce.com/signup>
2. On the sign up form, enter the following details:
 - First name & Last name
 - Email
 - Role : Developer
 - Company : College Name
 - County : India
 - Postal Code : pin code
 - Username : should be a combination of your name and company

This need not be an actual email id, you can give anything in the format :

[username@organization.com](#)

Click on sign me up after filling these.

Data Architecture:

Created Custom Objects:

1. Event__c

(Fields: Event Name, Event Date, Event Type, Event Status, Event Budget)

2. Client__c

(Fields: Client Name, Email, Phone, Address, Country, City)

3. Vendor__c

(Fields: Vendor Name, Email, Phone, Service Type, Status)

4. Venue__c

(Fields: Venue Name, Address, Location (URL), Capacity, Availability Status)

5. Feedback__c

(Fields: Feedback ID (Auto Number), Rating, Comments)

6. EventVendor__c (Junction Object)

(Links Event ↔ Vendor for Many-to-Many relationship)

Relationships:

Relationship	Type
Event → Client	Lookup
Event → Venue	Lookup
Feedback → Event	Lookup
Feedback → Client	Lookup
EventVendor → Event	Master-Detail
EventVendor → Vendor	Master-Detail

Steps to Implement :

Milestone 2- Object:

What is an object?

Salesforce objects are database tables that permit you to store data that is specific to an organization. It consists of fields (columns) and records (rows).

In This Application We Use 5 Custom Objects:

1. Event

2.Client

3.Vendor

4.Venue

5.Feedback

Activity 1: Create Event Object

To create a custom object, follow these steps:

1. From setup click on object manager.
2. Click create, select custom object.
3. Fill in the label as " Event ".
4. Fill in the plural label as " Events ".
5. Record name: "Event Name"



6. Select the data type as "Text".

The screenshot shows the 'New Custom Object' setup page in Salesforce. The 'Custom Object Information' section is active. The 'Label' field is 'Event' (Example: Account), 'Plural Label' is 'Events' (Example: Accounts), and 'Object Name' is 'Event' (Example: Account). The 'Data Type' is set to 'Text'. A warning message states: 'Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.'

The screenshot shows the 'New Custom Object' setup page, Step 2: Optional Features. The 'Optional Features' section includes checkboxes for 'Allow Reports', 'Allow Activities', 'Track Field History', 'Allow in Chatter Groups', and 'Enable Licensing'. The 'Object Classification' section includes checkboxes for 'Allow Sharing', 'Allow Bulk API Access', and 'Allow Streaming API Access'. The 'Deployment Status' section has radio buttons for 'In Development' and 'Deployed' (selected). The 'Search Status' section has a checkbox for 'Allow Search'. The 'Object Creation Options' section includes checkboxes for 'Add Notes and Attachments related list to default page layout' and 'Launch New Custom Tab Wizard after saving this custom object'. At the bottom, there are 'Save', 'Save & New', and 'Cancel' buttons.

7. In the Optional Features section, select Allow Reports, Allow Activities and Track Field History.

8. In the Deployment Status section, ensure Deployed is selected.

9. In the Search Status section, select Allow Search.

10. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout.

11. Leave everything else as is, and click Save.

Activity 2: Create Client Object

1. Click on the gear icon and then select Setup.

2. Click on the object manager tab just beside the home tab.

3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.

a. On the Custom Object Definition page, create the object as follows:

b. Label: Client

c. Plural Label: Clients

d. Record Name: Client Name

e. Select the data type as "Text".

f. Check the Allow Reports checkbox

g. Check the Allow Search checkbox

h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout

i. Click Save.

Activity 3: Create Vendor Object

1. Click on the gear icon and then select Setup.
 2. Click on the object manager tab just beside the home tab.
 3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.
- a. On the Custom Object Definition page, create the object as follows:
 - b. Label: Vendor
 - c. Plural Label: Vendors
 - d. Record Name: Vendor Name
 - e. Select the data type as "Text".
 - f. Check the Allow Reports checkbox
 - g. Check the Allow Search checkbox
 - h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
 - i. Click Save.

Activity 4: Create Venue Object

1. Click on the gear icon and then select Setup.

2. Click on the object manager tab just beside the home tab.
3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.
 - a. On the Custom Object Definition page, create the object as follows:
 - b. Label: Venue
 - c. Plural Label: Venues
 - d. Record Name: Venue Name
 - e. Select the data type as "Text".
 - f. Check the Allow Reports checkbox
 - g. Check the Allow Search checkbox
 - h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
 - i. Click Save.

Activity 5: Create Feedback Object

1. Click on the gear icon and then select Setup.
2. Click on the object manager tab just beside the home tab.
3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.

- a. On the Custom Object Definition page, create the object as follows:
- b. Label: Feedback
- c. Plural Label:Feedbacks
- d. Record Name: Feedback
- e. Select the data type as "Auto Number".
- f. Under display format enter "F-{0000}"
- g. Enter starting number as 0
- h. Check the Allow Reports checkbox.
- i. Check the Allow Search checkbox.
- j. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout.
- k. Click Save.

Milestone 3 - Tabs

Tab:

Tabs in Salesforce help users view the information at a glance. It displays the data of objects and other web content in the application.

Standard Object Tabs:

Standard object tabs display data related to standard objects.


Custom Object Tabs:

Custom object tabs display data related to custom objects. These tabs look and function just like standard tabs.


Activity 1: Creating a Custom Tab(Event)

Now create a custom tab.

- 1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.



- 2. Under custom object tabs, click New.



3. For Object, select Event
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Activity 2: Creating a Custom Tab(Client)

Creation of Client tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Client.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Activity 3: Creating a Custom Tab(Vendor)

Creation of Vendor tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Vendor.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Activity 4: Creating a Custom Tab(Venue)

Creation of Venue tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Venue.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Activity 5: Creating a Custom Tab(Feedback)

Creation of Feedback tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Feedback.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Milestone 4 – Fields and Relationship:

What are fields ?

Fields in Salesforce represent what the columns represent in relational databases. It can store data values which are required for a particular object in a record.


There are 2 types of fields in salesforce:

- **Standard fields:** There are four standard fields in every custom object that are Created By, Last Modified By, Owner, and the field created at the time of the creation of an object. These fields cannot be deleted or edited and they are always required. For standard objects, the fields which are present by default in them and cannot be deleted from standard objects are standard fields.
- **Custom fields:** The Custom fields which are added by the administrator/developer to meet the business requirements of any organization. They may or may not be required.

Activity 1: Creation of fields for the Event object:

1. Click the gear icon and select Setup. This launches Setup in a new tab.
2. Click the Object Manager tab next to Home.
3. Select Event
4. Select Fields & Relationships from the left navigation, and click New
5. From the sidebar, click Fields & Relationships. Notice that there are already some fields there.

Those are the standard fields.



SETUP > OBJECT MANAGER

Event

Details


Fields & Relationships
4 items. Sorted by Field Label

Quick Find New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Event Name	Name	Text(30)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓

Click New to create a custom field. Tip: Before creating a new field, do a quick search to make sure a similar one doesn't already exist.


6. Choose the data type as Picklist, click next



7. For Field Label, “**Event Type**”

8. Select Enter values, with each value separated by a new line and Enter The following Values:

- Wedding
- Corporate
- Birthday
- Anniversary
- Festival
- Concert
- Other



9. Click next,next and save.

Now let's create the other fields following the above Activity1 steps ,we must choose the data types of the fields carefully.

1.Select the Date as the Data Type, then click Next.

For Field Label, **“Event Date”**,Click Next, Next, then Save & New.

2. Select the Picklist as the Data Type, then click Next. For Field Label **“Event Status”**,Select The Enter values, with each value separated by a new line and Enter The Values:

- Planned
- Confirmed Completed
- Pending Cancellation
- Canceled
- Rejected
-

Create Formula Field For Event Budget in a Event object:

1. Select Data type as “Formula” and click Next.

The screenshot shows the Salesforce Setup interface. The breadcrumb trail is: SETUP > OBJECT MANAGER > Event. The left sidebar shows the 'Fields & Relationships' section selected. The main content area is titled 'Step 1. Choose the field type' and includes a 'Next' button. Below the title, it says 'Specify the type of information that the custom field will contain.' There is a 'Data Type' section with a table of options:

Data Type	
☐ None Selected	Select one of the data types below.
☐ Auto Number	A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.
☒ Formula	A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.
☐ Roll-Up Summary	A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.
☐ Lookup Relationship	Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

2. Enter field label Event Budget.
3. Select formula return type Currency, Click Next.

The screenshot shows a configuration window for a field labeled 'Event Budget'. The 'Field Name' is 'Event_Budget'. There is a checkbox 'Auto add to custom report type' which is checked, with a sub-label 'Add this field to existing custom report types that contain this entity'. Below this is a section titled 'Formula Return Type' with radio buttons for 'None Selected', 'Checkbox', 'Currency' (selected), 'Date', 'DateTime', and 'Number'. To the right of these options is a list of data types with descriptions and examples: 'Boolean' (Calculate a boolean value, Example: TODAY() < CloseDate), 'Currency' (Calculate a dollar or other currency amount and automatically format the field as a currency amount, Example: Gross Margin = Amount - Cost_C), 'Date' (Calculate a date, for example, by adding or subtracting days to other dates, Example: Reminder Date = CloseDate - 7), 'DateTime' (Calculate a datetime, for example, by adding a number of hours or days to another datetime, Example: Next = NOW() + 1), and 'Number' (Calculate a numeric value).

4. Create and insert formula:

```

CASE(
  TEXT(Event_Type__c),
  "Wedding",      50000,
  "Corporate",    30000,
  "Birthday",     10000,
  "Anniversary",  20000,
  "Festival",     60000,
  "Concert",      40000,
  "Other",        15000,
  0
)

```

5. Check the syntax.

The screenshot shows the 'Advanced Formula' editor. The formula is entered in the main text area: `CASE( TEXT(Event_Type__c), "Wedding", 50000, "Corporate", 30000, "Birthday", 10000, "Anniversary", 20000, "Festival", 60000, "Concert", 40000, "Other", 15000, 0 )`. The formula is preceded by 'Event Budget (Currency) ='. On the right, there is a 'Functions' panel with a dropdown 'All Function Categories' and a list of functions: ABS, ACOS, ADDMONTHS, AND, ASCII, ASIN. Below the list is a button 'Insert Selected Function'. At the bottom, there is a 'Check Syntax' button and a status message: 'No syntax errors in merge fields or functions. (Compiled size: 478 characters)'.

6.Click Next, Next, then Save.

Activity 2: Creation of fields for the Client object:

1.Select the Email as the Data Type, then click Next.

For Field Label, “**Email**”,Click Next, Next, then Save & New.

2.Select the Phone as the Data Type, then click Next.

For Field Label, “**Phone**”,Click Next, Next, then Save.

3.Select the Text area as the Data Type, then click Next.

For Field Label, “**Address**”,Click Next, Next, then Save.

4.Select the Picklist as the Data Type, then click Next. For Field Label “**Country**”,Select The Enter values, with each value separated by a new line and Enter The Values:

- India
- Philippines
- Saudi Arabia
- USA
- Switzerland
- Thailand
- Maldives
- Dubai
- Sri Lanka
- Bangkok
- Singapore
- Myanmar
- France
- Nepal
-

5.Click Save.

6. Select the Picklist as the Data Type, then click Next. For Field Label “**City**”, Select The Enter values, with each value separated by a new line and Enter The Values:

- Hyderabad
- Mumbai
- Delhi
- Bangalore
- Chennai
- Alaminos
- Angeles City
- Palayan
- Quezon City
- San Juan
- Riyadh
- Jeddah
- Tayma
- Dammam
- Medina New
- York Los
- Angeles
- Chicago
- Houston
- Columbus
- Geneva
- Basel
- Lausanne
- Bern

- Lucerne
7. Click Save.

Activity 3: Creation of fields for the Vendor object:

1. Select the Multi Select Picklist as the Data Type, then click Next. For Field Label “**Service Type**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Catering
- Decor
- Photography
- Videography
- Lighting
- Stage Setup
- Makeup Artist
- DJ/Music
- Transportation
- Hosting/Anchor

2. Select the Email as the Data Type, then click Next.

For Field Label, “**Email**”, Click Next, Next, then Save & New.

3. Select the Phone as the Data Type, then click Next.

For Field Label, “**Phone**”, Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Status**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Available
- Booked
- Cancelled

Activity 4: Creation of fields for the Venue object:

1. Select the Text area as the Data Type, then click Next.

For Field Label, “**Address**”, Click Next, Next, then Save.

2. Select the URL as the Data Type, then click Next.

For Field Label, “**Location**”, Click Next, Next, then Save.

3. Select the Number as the Data Type, then click Next.

For Field Label, “**Capacity**” Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Availability Status**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Available
- Reserved
- Not Available

Activity 5: Creation of fields for the Feedback object:

1. Select the Picklist as the Data Type, then click Next. For Field Label “**Rating**”,

Select Enter values, with each value separated by a new line and Enter The Values:

- 1
- 2

- 3
- 4
- 5

2. Select the Long Text as the Data Type, then click Next.

For Field Label, “**Comments**”, Click Next, Next, then Save.

Relationships:

Activity 1:

Creation lookup relationship for the Event objects:

Let's create lookup relationship on Event object

First lookup relationship

- From Setup, go to Object Manager , Select Event Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next

Setup > OBJECT MANAGER

Event

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Event

New Custom Field

Step 1: Choose the field type

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

☐ Auto Number

☐ Formula

☐ Roll-Up Summary

☒ Lookup Relationship

☐ Master Detail Relationship

Select one of the data types below.

A system-generated sequence number that acts as a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.

Next Cancel

- Choose the related object as Venue & click next

Event

New Relationship

Step 2: Choose the related object

Select the other object to which this object is related.

Related To: Venue

Previous Next Cancel

- Give the field label(Venue) & click next, next, next and Save.

Event
New Relationship

Step 3. Enter the label and name for the lookup field Step 3 of 6

Field Label (x)

Field Name (x)

Description

Help text

Child Relationship Name (x)

Required ☐ Always require a value in this field in order to save a record.

What to do if the lookup record is deleted?

☒ Clear the value of this field. You can't choose this option if you make this field required.

☐ Delete this record also. This allows users to delete large numbers of records without regard for sharing or visibility constraints.

☐ Don't allow deletion of the lookup record that's part of a lookup relationship.

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity (x)

Previous Next Cancel

Create Many-to-Many Relationship (Event ↔ Vendor)

Salesforce doesn't allow direct many-to-many, so we create a **junction object** (EventVendor__c) :

Go to Object Manager → Create New Custom Object

- Label: Event Vendor
- Object Name: EventVendor__c

Setup Home Object Manager

Search Setup

Setup

New Custom Object

New Custom Object Help for this Page

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Get the most](#) [Don't show this message again](#)

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with small word ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account


Description

Control Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name

From Setup, go to Object Manager , Select Event Vendor Object

- On the sidebar, click Fields & Relationships.
- Select Master Detail relationship & click next



- Choose the related object as Event & click next
- Give the field label(Event) & click next, next, next and Save&New.
- Select Master Detail relationship & click next
- Choose the related object as Vendor & click next
- Give the field label(Vendor) & click next, next, next and Save.

Add Lookup Relationship (Event → Client) :

- From Setup, go to Object Manager , Select Event Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Client & click next
- Give the field label(Client) & click next, next, next and Save.

Activity 2:

Creation lookup relationship for the Feedback object:

- From Setup, go to Object Manager , Select Feedback Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Event & click next
- Give the field label(Event) & click next, next, next and Save.

Add Lookup Relationship (Feedback → Client) :

- From Setup, go to Object Manager , Select Feedback Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Client & click next
- Give the field label(Client) & click next, next, next and Save.

Activity 3: Lookup Filters

Scenario: In an Event Management app, each Event belongs to a Client. When creating Feedback, after selecting a Client, the Event lookup should only show Events of that Client. For example, if Ramesh is chosen, only Ramesh's events appear, not other clients' events.

1. Click the gear → Setup.
2. In Setup Quick Find type Object Manager → open Object Manager.

3. Find and open the Feedback object (Feedback__c).
4. In the left menu click Fields & Relationships.
5. Find the Event lookup field (Event__c) and click it.



6. Click On Edit.
7. Scroll to the Lookup Filter section and click Show filter Settings



8. Build the filter criteria like this:
9. Field (left side): choose the Event object's client field — Event: Client__c.
10. Operator: equals.
11. Value (right side): choose the Field radio button and then select the Client field on the Feedback record — Feedback: Client__c.
12. Make sure to Check Enable this Filter box
13. Click on Save.



Milestone 5 -Validation Rules :

Validation rules are applied when a user tries to save a record and are used to check if the data meets specified criteria. If the criteria are not met, the validation rule triggers an error message and prevents the user from saving the record until the issues are resolved.

Activity 1:

Create Validation Rules on Client__c:

1.Go to the setup page → click on object manager → type object name(Client) in quick find box, click on the Client object

2. Click on the validation rule → click New.

3. Enter the Rule name as “ Email_Valid_Address”.

4.Select Active

5. Insert the Error Condition Formula as : -

`NOT(REGEX(Email__c, "^[a-zA-Z0-9._]+@[a-zA-Z0-9]+\.[a-zA-Z]{2,}$" ))`

6. Enter the Error Message as “Please Enter Valid Email Address”, select the Error location as Field and select the field as “Email”, and click Save.


Milestone 6 : APPROVAL PROCESS

Activity1:CreateanApprovalProcessforEvent Cancellation Approval

Note: Before Implementing Approval Process first Complete Profiles, Roles and Users Milestones.

1.Create Classic Email Template

1. Go to Setup (gear icon on top-right)
2. In the Quick Find box, type: Email Templates
3. Click on Classic Email Templates
4. Click "New Template"



5.You'll now choose the type of email template you want to create.


Choose the type:

- Text – Plain text (no formatting)
- Click Next

6.Email Template Information:

Folder	Public or private folder (use "Unfiled Public Email Templates" for now)
Email Template Name	Event Cancellation Request Notification
Template Unique Name	Auto-filled, or change it (no spaces)
Encoding	Leave default (UTF-8)
Subject	Approval Request: Cancel Event {!Event__c.Name}

Email Body	Hello! An approval request has been submitted to cancel the event: - Event Name: {!Event__c.Name} - Event Date: {!Event__c.Event_Date__c} Thank you, EventForce Management System
------------	---



2.Create Another Email Template to Send Customer Email. If Cancellation Approved.

- 1.Template Name : Email to Client After Cancellation
2. Subject : Event Cancellation Notice – {!Event__c.Name}
- 3.Body :

Hello!

We would like to inform you that the event has been canceled.

Event Name: {!Event__c.Name}

Date: {!Event__c.Event_Date__c}

If you have any questions or need assistance, please contact us.
Thank you for your understanding,
Event Management Team

3. Create Another Email Template

Approved.

to Send Owner Email. If Cancellation

- 1.Template Name : Approval Notification to Event Owner
2. Subject : Event Cancellation Approved: {!Event__c.Name}
- 3.Body :

Hello {!Event__c.OwnerFullName}

Your cancellation request for the event {!Event__c.Name} has been approved.

Event Date: {!Event__c.Event_Date__c}

The event status has been updated to Canceled.

Thank you,
EventForce Management System

4. Create Another Email Template to Send Owner Email. If Cancellation Rejected.

- 1.Template Name : Rejection Notification to Event Owner
2. Subject : Event Cancellation Rejected: {!Event__c.Name}
- 3.Body :

Hello {!Event__c.OwnerFullName},

Your cancellation request for the event {!Event__c.Name} has been rejected.


Event Date: {!Event__c.Event_Date__c}

The event status has been reverted to Confirmed.

Thank you,
EventForce Management System


5. Create the Approval Process

- In the Quick Find box, type: Approval Processes
- Click on "Approval Processes" under Process Automation
- Click on the object name: Event
- Click Create New Approval Process → Use Standard Setup Wizard



Step 1: Basic Settings

- Name: Event_Cancellation_Process
- Unique Name: Auto-fills (you can keep it as is)
- Click Next




Specify Entry Criteria:

1. This defines when the process will be triggered.

- Choose "Criteria are met"

Set:

- Field: Event→ Event Status
- Operator: Equals
- Value: Pending Cancellation
- Click Next.



Step 2. Specify Entry Criteria Step 2 of 6

[Previous](#) [Next](#) [Cancel](#)

If only certain types of records should enter this approval process, enter that criteria below. For example, only expense reports from employees at headquarters should use this approval process.

Specify Entry Criteria

Use this approval process if the following criteria are met :

Field	Operator	Value	
Event: Event Status	equals	Pending Cancellation	AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		

[Add Filter Logic...](#)


Step 2: Select Approver

Option 1: Use a specific user

- Select: Automatically assign using user or queue
- Choose: A specific user (Manager)

Option 2: Use Manager of the user

- Select: Automatically assign to the manager of the user who submitted the record
- (Make sure users have a manager assigned in their User record)
- Click Next



Step 3. Specify Approver Field and Record Editability Properties Step 3 of 6

[Previous](#) [Next](#) [Cancel](#)

When you define approval steps, you can assign approval requests to different users. One of your options is to use a user field to automatically route these requests. If you want to use this option for any of your approval steps, select a field from the picklist below. Also, when a record is in the approval process, it will always be locked-- only an administrator will be able to edit it. However, you may choose to also allow the currently assigned approver to edit the record.

Select Field Used for Automated Approval Routing

Next Automated Approver Determined By Manager

Use Approver Field of Event Owner ☐

Record Editability Properties

☐ Administrators ONLY can edit records during the approval process.

☒ Administrators OR the currently assigned approver can edit records during the approval process.

[Previous](#) [Next](#) [Cancel](#)

Step 3: Email Template

Approval Assignment Email Template:

- Select Email Template : Event Cancellation Request Notification

Step 4. Select Notification Templates Step 4 of 6

[Previous](#) [Next](#) [Cancel](#)

Select the email template that will be used to notify approvers that an approval request has been assigned to them. Note that this template will be used for all steps for this process. [Create a new email template](#)

Email Template

Approval Assignment Email Template	Event Cancellation Request
------------------------------------	----------------------------

[Previous](#) [Next](#) [Cancel](#)

Step 4: Select Fields to Display on Approval Page Layout

You'll see a dual list:

- Available Fields on the left
- Selected Fields on the right

Choose the fields you want approvers to see (typically key business info). Example for Event:

Suggested Fields:

- Event Name
 - Owner
 - Client
 - Last Modified By
 - Created By
 - Event Budget
 - Event Date
 - Event Status
 - Event Type
 - Venue
-
- Use the Add button to move fields from left to right.
 - Use the Up/Down arrows to reorder how they appear.
 - Click Next to proceed.


Approval Processes

The approval page is where an approver will actually approve or reject a request. Using the options below, choose the fields to display on this page.

Available Fields

- Address
- Availability Status
- Capacity
- City
- Comments
- Country
- Location
- Phone
- Phonee
- Rating
- Service Type
- Status
- Email
- Email

Selected Fields

- Event Name
- Owner
- Client
- Last Modified By
- Created By
- Event Budget
- Event Date
- Event Status
- Event Type
- Venue



[Click here to view an example](#)

Step 5: Specify Initial Submitters

- Select Event OwnerAsInitialSubmitters.
- Click Save.


Approval Processes

New Approval Process
Events

Help for this Page

Step 6. Specify Initial Submitters
Step 6 of 6

Previous Save Cancel

Using the options below, specify which users are allowed to submit the initial request for approval. For example, expense reports should normally be submitted for approval only by their owners.

Initial Submitters

Submitter Type
Search: Owner for: Find

Available Submitters

- None--

Allowed Submitters

- Event Owner

Add
Remove

Step 6: Initial Submission Actions

What should happen when a record is submitted?

- Click Add New → Email Alert

The screenshot shows the 'Approval Processes' setup page for the 'Event_Cancellation_Process'. The page includes a 'Process Definition Detail' section with fields for Process Name, Unique Name, Description, Entry Criteria, Record Editability, Approval Assignment Email Template, Initial Submitters, Created By, and Modified By. Below this is the 'Initial Submission Actions' section, which has a table with columns for Action Type and Description. A dropdown menu is open for the 'Add New' button, showing options: Task, Email Alert, Field Update, and Outbound Message. The 'Email Alert' option is highlighted. Below the table is the 'Approval Steps' section, which has a 'New Approval Step' button and a message: 'You have not yet defined any approval steps'.

Process Name	Event_Cancellation_Process	Active	☐
Unique Name	Event_Cancellation_Process	Next Automated Approver Determined By	Manager of Record Submitter
Description			
Entry Criteria	Event: Event Status EQUALS Pending Cancellation		
Record Editability	Administrator OR Current Approver		
Approval Assignment Email Template	Event Cancellation Request Notification		
Initial Submitters	Event Owner		
Created By	Sapna A. 10/2/2026, 3:26 AM		
Modified By	Sapna A. 10/2/2026, 3:26 AM		

Action Type	Description
Record Lock	Lock the record

Initial Submission Actions: Add Existing, Add New (Task, Email Alert, Field Update, Outbound Message)

Approval Steps: New Approval Step

You have not yet defined any approval steps

Fill in the details:

1. Description → Alert - Event Cancellation Request
2. Unique Name → Auto-filled.
3. Object → Choose the object (Event__c).
4. Email Template → Select the email template you want to send. (Event Cancellation Request Notification)
5. Recipients → Add Role - Event Coordinator.
6. Additional Email → If you want to enter additional emails, then enter in the box.
7. From Email Address → Select Current User's Email Address
8. Click Save.

SETUP
Email Alerts

Edit Email Alert ~ Required Information

Description:

Unique Name: 1

Object:

Email Template: 1

Protected Component: ☐

Recipient Type: Search: for: Find

Recipients:

Available Recipients

- Role: Customer Support, International
- Role: Customer Support, North America
- Role: Director, Channel Sales
- Role: Director, Direct Sales
- Role: Eastern Sales Team
- Role: Installation & Repair Services
- Role: Marketing Team
- Role: SVP, Customer Service & Support
- Role: SVP, Human Resources
- Role: SVP, Sales & Marketing
- Role: VP, International Sales
- Role: VP, Marketing
- Role: VP, North American Sales
- Role: Western Sales Team

Selected Recipients

- Role: Event Coordinator

Add Remove

You can enter up to five (5) email addresses to be notified.

Additional Emails:

From Email Address:

☐ Make this address the default From email address for this object's email alerts. 1

Step 7: Final Approval Actions

- Click Add New → Field Update

Final Approval Actions 1

Action	Type
Edit	Record Lock
	Task
	Email Alert
	Field Update

- Select Field To Update as Event status.
- Name: Event Status Update
- Field: Event Status
- New Value: Canceled
- Save.

Event Status Update

Help for this page

Define the field update, including the object associated with the workflow rule, approval process, or entitlement process, the field to update, and the value to apply. Note that the field to update may be on a related object. Fields are shown only for the type that you select.

Field Update Edit
Save Save & New Cancel

Identification
Required Information

Name
 Unique Name
 Description
 Object
 Field to Update
 Field Data Type
 Re-evaluate Workflow Rules after Field Change ☐

Specify New Field Value

Picklist Options

☐ The value above the current one
 ☐ The value below the current one
 ☒ A specific value

Save Save & New Cancel

- Click Add New → Email Alert

Final Approval Actions
Add Existing Add New

Action	Type	Description
Edit	Record Lock	
Edit Remove	Field Update	

Task

[Email Alert](#)
[Field Update](#)
[Outbound Message](#)

- Description: Alert - Cancellation Approved
- Email Template : Approval Notification to Event Owner
- Recipient Type : Select Event Owner
- From Email Address: Select Current User's Email.
- Save.

Description
 Unique Name
 Object
 Email Template
 Protected Component ☐

Recipient Type for Find

Recipients

Available Recipients

Selected Recipients

Error: At least one recipient or additional email is required

You can enter up to five (5) email addresses to be notified.

Additional Emails

From Email Address
☐ Make this address the default From email address for this object's email alerts.

Step 8: Final Rejection Actions

- Click AddNew → EmailAlert
- Description: Alert - Cancellation Rejected
- Email Template : Rejection Notification to Event Owner
- Recipient Type : Select Event Owner
- From Email Address: Select Current User's Email.
- Save.

The screenshot shows a web form for configuring an email alert. The form is titled 'Alert - Cancellation Rejected'. It includes fields for 'Description', 'Unique Name', 'Object', 'Email Template', and 'Protected Component'. The 'Recipient Type' is set to 'Owner'. Below this, there are two columns: 'Available Recipients' and 'Selected Recipients'. The 'Available Recipients' column contains a single entry 'None'. The 'Selected Recipients' column contains a single entry 'Event Owner'. Between these columns are 'Add' and 'Remove' buttons. Below the recipient columns, there is a text area for 'Additional Emails' with a note: 'You can enter up to five (5) email addresses to be notified'. At the bottom, there is a 'From Email Address' dropdown menu set to 'Current User's email address' and a checkbox labeled 'Make this address the default From email address for this object's email alerts'. The form has 'Save', 'Save & New', and 'Cancel' buttons at the bottom.

- Click Add New → Field Update
- Select Field To Update as Event status.
- Name: Event Status To Rejected
- Field: Event Status
- New Value: Rejected
- Save.

New Field Update

Define the field update, including the object associated with the workflow rule, approval process, or entitlement process, the field to update, and the value to apply. Note that the field to update may be on a related object. Fields are shown only for the type that you select.

Field Update Edit Save Save & New Cancel

Identification Required Information

Name

Event Status To Rejected

Unique Name

Event_Status_To_Rejected

Description

Object

Event

Field to Update

Event Status

Field Data Type

Picklist

Re-evaluate Workflow Rules after Field Change

☐

Picklist Options

☐ The value above the current one

☐ The value below the current one

☒ A specific value

Rejected

Save Save & New Cancel

Step 9: Approval Steps

- ClickAddNewStep

Approval Steps New Approval Step



You have not yet defined any approval steps.

- Enter: Step Name ("Manager Review")
- Unique Name (auto-filled)
- Step Number (optional – controls order)
- Click Next

Approval Processes

New Approval Step Help for this Page

Step 1. Enter Name and Description Step 1 of 3

Enter a name, description, and step number for your new approval step.

Enter Name and Description

Approval Process Name

Event_Cancellation_Process

Name

Manager Review

Unique Name

Manager_Review

Description

Step Number

Next Cancel

1.Specify Step Criteria

- Choose All records should enter this step
- Click Next.



Step 2. Specify Step Criteria

Specify whether a record must meet certain criteria before entering this approval step. If these criteria are not met, the approval process can skip to the next step, if one exists. [Learn more](#)

Specify Step Criteria

☒ All records should enter this step

☐ Enter this step if the following criteria are met else

Previous Next Cancel

2.Select Assigned Approver

- Now choose who will approve the record at this step:
- Manually chosen from a user field on the record
- Select Automatically assign to approver(s).
- Select A specific user
- A related user (Michael Jackson)
- Click Save.



New Approval Step

Step 3. Select Assigned Approver

Specify the user who should approve records that enter this step. Optionally, choose whether the approver's delegate is also allowed to approve these requests.

Select Approver

☐ Let the submitter choose the approver manually

☐ Automatically assign using the user field selected earlier (Manager)

☐ Automatically assign to queue:

☒ Automatically assign to approver(s)

User

When multiple approvers are selected:

☒ Approve or reject based on the FIRST response

☐ Require UNANIMOUS approval from all selected approvers

☐ The approver's delegate may also approve this request

Previous Save Cancel

Step 10: Activate the Approval Process

- Click View Approval Process Detail Page
- Click the "Activate" button at the top



Approval Processes

Event: Event_Cancellation_Process

Back to Approval Process List

Process Definition Detail

Process Name: Event_Cancellation_Process

Unique Name: Event_Cancellation_Process

Description: Event: Event Status EQUALS Pending Cancellation

Entry Criteria: Administrator OR Current Approver

Approval Assignment Email Template: Event Cancellation Request Notification

Initial Submitters: Event Owner

Created By: Sapna A. 10/2/2006, 3:26 AM

Modified By: Sapna A. 10/2/2006, 4:13 AM

Active ☐

Next Automated Approver Determined By: Manager of Record Submitter

Allow Submitters to Recall Approval Requests ☐

Edit Clone Delete Activate

Milestone 7 - Flows


In Salesforce, a flow is a powerful tool that allows you to automate business processes, collect and update data, and guide users through a series of screens or steps. Flows are built using a visual interface and can be created without any coding knowledge.

Activity 1 : Create Flow to Send 3-Day Reminder Email to Client


Scenario:

When an Event is created/updated with Status = Confirmed and a valid Client with an email address, the system should automatically send a reminder email to the Client 3 days before the Event Date.

1. Go to setup → type Flow in quick find box → Click on the Flow and Select the New Flow.



2. Select the Record Triggered flow. Click on create.



3.Under Object select “Event.”

4.Select A record is Created or Updated.

Configure Start

Select Object
Select the object whose records trigger the flow when they're created, updated, or deleted.

*Object
Event

Configure Trigger
Trigger the Flow When:

- ☐ A record is created
- ☐ A record is updated
- ☒ A record is created or updated
- ☐ A record is deleted

Set Entry Conditions
Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements
All Conditions Are Met (AND)

5. Enter Condition as

Field : Event Status

Operator: Equals

Value: Confirmed

6. Select the Optimize the flow for: “Actions and Related Records” and Click on Done.

Configure Start

All Conditions Are Met (AND)

Field: Event Status X Operator: Equals Value: Confirmed X

+ Add Condition

When to Run the Flow for Updated Records


- ☒ Every time a record is updated and meets the condition requirements
- ☐ Only when a record is updated to meet the condition requirements

Optimize Flow
Optimize the Flow for:

Fast Field Updates
Update fields on the record that triggers the flow to run. This high-performance flow runs **before the record is saved** to the database.

Actions and Related Records
Update any record and perform actions, like send an email. This more flexible flow runs **after the record is saved** to the database.

7. Click On Start Button, and Click on Add Schedule Path



8. Enter Path name as “3_Days_Before” , API name Automatically Populates.

9. Select Time Source as “ Event__c: Event Date”

10. Enter Offset Number : 3

11. Select Offset Options : Days Before, Click on ‘x’ icon.

Configure Scheduled Paths

SCHEDULED PATHS

+

Run Immediately

3_Days_Before

Add a scheduled path if you want a flow path to run a certain amount of time after the triggering record is created or updated. That time can be based on the triggering event or on a specified date or date/time field in the record. A separate flow interview runs for each scheduled path. Each scheduled path interview is queued to run at the scheduled time, but can be delayed until system resources become available. Path labels appear on connectors in the canvas.

SCHEDULED PATH DETAILS

Delete Path

* Path Label

3_Days_Before

* API Name ⁱ

X3_Days_Before

* Time Source

Event_c: Event Date

* Offset Number

3

* Offset Options ⁱ

Days Before

> Show advanced options

12. Select Toolbox from Top left corner, Click on New Resource

Toolbox

→ | ×

Manager

🔍 Search this flow...

▼

New Resource

13. Select Text Template

New Resource

* Resource Type

Select...

Variable
Store a value that can be used and changed throughout the flow.

Constant
Store a value that can be used but not changed throughout the flow.

Formula
Calculate a value when the formula is used in the flow.

Text Template
Store text that can be used and changed throughout the flow.

Stage
Identify different phases in the flow to track user progress.

14. Enter API Name : Subject

- In the Body Enter: “Reminder: Your Event {!\$Record.Name} is in 3 days”
- Select View as Plain Text.
- Click Done.

New Resource

* Resource Type

Text Template

* API Name ⓘ

Subject

Description

* Body ⓘ

Insert a resource... 🔍 View as Plain Text ▼

Reminder: Your Event {!\$Record.Name} is in 3 days

Cancel Done

• Create another Resources

1. Select Text Template

2. Enter API Name : Body
3. In the Body Enter:
Hello {!\$Record.Client__r.Name},

This is a reminder that your event "{!\$Record.Name}" will take place on {!\$Record.Event_Date__c}.

Venue: {!\$Record.Venue__r.Name}
Type: {!\$Record.Event_Type__c}

We look forward to seeing you!

- EventForce Team

4. Select View as Plain Text.
5. Click Done.

New Resource

* Resource Type
Text Template

* API Name ⓘ
Body

Description


* Body ⓘ

Insert a resource... 🔍 View as Plain Text ▼


Hello {!\$Record.Client__r.Name},
This is a reminder that your event "{!\$Record.Name}" will take place on {!\$Record.Event_Date__c}.
Venue: {!\$Record.Venue__r.Name}
Type: {!\$Record.Event_Type__c}
We look forward to seeing you!
- EventForce Team

Cancel Done

1. Under the 3 Days Before Click on "+" Symbol and In the Drop down List select the "Action".
2. After Click on Action Select Email Action.



3. Search For Send Email, and Click On Send Email



4. Email Action Enter The Label Name as “Alert_Client_3Day_Reminder”

* Label

Alert_Client_3Day_Reminder

* API Name 

Alert_Client_3Day_Reminder

Description

5. Select the Recipient Address List as Client Email.
6. Select the CC Recipient Address List : Event Owner

✓ Configure Recipient Details

 Recipient Addresses 

Enter value or search resources...



 Triggering Event__c > Client > Client Email ×

 CC Addresses 

Enter value or search resources...



 Triggering Event__c > Owner ID (User) > Email ×

 BCC Addresses 

Enter value or search resources...



7. In Configure Email Content Select Compose Email Content
8. Select Subject: Subject Resource
9. Body: Body Resource

Send Email

Configure Email Content

Compose Email Content

Set email details and compose message.

Use Email Template

Select an existing email template.

Subject

Subject

Body

Body

Rich-Text-Formatted Body

Enter value or search resources...

Use Line Breaks

Enter value or search resources...

10.Click Save.

11.Enter Flow Label: Client Reminder - 3 Days Before, Click Save & Activate.

Save the flow

* Flow Label

Client Reminder - 3 Days Before

* Flow API Name


Client_Reminder_3_Days_Before_Click_Save_Activate

Description

Show Advanced

Cancel

Save



Milestone 8 – Apex Classes


Activity1:

**Scenario: When an Event is created with a Venue, mark Venue Availability = “Reserved”.
When event is cancelled, mark “Available”**


Create Apex Class:

1. Click Gear Icon and Select Developer Console

2. Click on File and Click New and Click on Apex class



3. Give name as VenueStatusHelper and Click Ok



4. Write your Apex Class Code


Source Code:

```

publicwithsharing class VenueStatusHelper {
    publicstatic void updateVenueStatus(List<Event__c> events){
        List<Venue__c> venues = new List<Venue__c>();
        for(Event__c ev : events){
            if(ev.Venue__c != null){
                if(ev.Event_Status__c == 'Confirmed'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Reserved'));
                }else if(ev.Event_Status__c == 'Canceled'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Available'));
                }
            }
        }
        if(!venues.isEmpty()) update venues;
    }
}


```

5. Save the class using CTRL+S



Now Create Trigger For this Class:

1. Click on File and Click New and Click on Apex Trigger



2. Give name as EventTrigger13 and Select Object: Event__c.


3. Then Click Submit.

A screenshot of the 'New Apex Trigger' dialog box. It has a title bar with a close button. Inside, there are two fields: 'Name:' with the value 'EventTrigger13' and 'sObject:' with a dropdown menu showing 'Event__c'. At the bottom right, there is a 'Submit' button.

4. Write Apex trigger Code

Source Code:

```
trigger EventTrigger13 on Event__c (after insert, after update) {  
    VenueStatusHelper.updateVenueStatus(Triquer.new);  
}
```




Milestone 9 – Apex Trigger

Activity1:

Scenario: Do not allow two events at the same Venue on the same Date.

Create an Apex Trigger:

1. Click on File and Click New and Click on Apex Trigger



2. Give name as PreventDoubleBooking and Select Object: Event__c.

3. Then Click Submit.

4. Write Apex trigger Code

Source Code :

trigger PreventDoubleBooking on Event__c (before insert, before update) {

 Set<Id> venueIds = new Set<Id>();

 for(Event__c ev : Trigger.new){

 if(ev.Venue__c != null) venueIds.add(ev.Venue__c);

 }

 Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();

 for(Event__c e : [SELECT Id, Venue__c, Event_Date__c

```

        FROM Event__c WHERE Venue__c IN :venueIds]){

    if(!venueEventMap.containsKey(e.Venue__c)){

        venueEventMap.put(e.Venue__c, new List<Event__c>());

    }

    venueEventMap.get(e.Venue__c).add(e);

}

for(Event__c ev : Trigger.new){


    if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){

        for(Event__c existing : venueEventMap.get(ev.Venue__c)){

            if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){

                ev.addError('This Venue is already booked on this date.');
```

5. Savethetrigger using CTRL+S.



Milestone 10: Batchable and Schedulable Asynchronous Apex

Scenario: Mark all past events as Completed every night.

Step 1: Create Batch Apex Class:

1. Click Gear Icon and Select Developer Console
2. Click on File and Click New and Click on Apex class
3. Give name as BatchCompleteEvents and Click Ok
4. Write your Apex Class Code

Source Code:

```

global class BatchCompleteEvents implements Database.Batchable<SObject> {
    global Database.QueryLocator start(Database.BatchableContext bc){
        return Database.getQueryLocator(

```

```

        'SELECT Id, Event__Date__c, Event__Status__c FROM Event__c WHERE
Event__Date__c < TODAY AND Event__Status__c != \'Completed\'
    );
}
global void execute(Database.BatchableContext bc, List<Event__c> scope){
    for(Event__c ev : scope){
        ev.Event__Status__c = 'Completed';
    }
    update scope;
}
global void finish(Database.BatchableContext bc){
    System.debug('Past events marked as Completed');
}
}

```

5 Save the class using CTRL+S

Step 2: Schedulable class Implementation:

1. Click Gear Icon and Select Developer Console
2. Click on File and Click New and Click on Apex class
3. Give name as ScheduleCompleteEvents and Click Ok
4. Write your Apex Class Code

Source Code:

```

global class ScheduleCompleteEvents implements Schedulable {

    global void execute(SchedulableContext sc){

        Database.executeBatch(new BatchCompleteEvents(), 200);

    }

}

```

Step 3: Schedule Batch Apex from Salesforce Setup


1. Go to Setup

Click the gear icon → Setup

2. Search for Apex Classes

In the Quick Find box, type Apex Classes

Click Apex Classes



3. Schedule Apex

On the top, click the “Schedule Apex” button

Apex Classes

Apex Code is an object oriented programming language that allows developers to develop on-demand business applications on the Lightning Platform.

Percent of Apex Used: 0.09%
You are currently using 1,663 characters of Apex Code (excluding comments and @isTest annotated classes) in your organization, out of an allowed limit of 6,000,000 characters. Note that the amount in use includes both Apex Classes and Triggers defined in your organization.

Estimate your organization's code coverage: [View](#)
Compare all classes: [View](#)

View: [All](#) [Create New Class](#)

Action	Name	Namespace Prefix	API Version	Status	Size Without Comments	Last Modified By	Has Trace Flags
Edit Del Security	BatchCompleteEvents		67.0	Active	37	Sapna A. 19/02/2026, 5:31 AM	☐
Security	DeveloperEventUtil	devnullapp	64.0	Active	154	OrgName EFG, 9/25/2026, 10:19 PM	☐
Security	DeveloperEventUtilTest	devnullapp	64.0	Active	261	OrgName EFG, 9/25/2026, 10:19 PM	☐
Security	PostInstallScript	devnullapp	64.0	Active	2,175	OrgName EFG, 9/25/2026, 10:19 PM	☐
Security	PostInstallScriptTest	devnullapp	64.0	Active	711	OrgName EFG, 9/25/2026, 10:19 PM	☐
Edit Del Security	ScheduleCompleteEvents		67.0	Active	40	Sapna A. 19/02/2026, 5:33 AM	☐
Edit Del Security	VendorStaffScheduler		67.0	Active	35	Sapna A. 19/02/2026, 5:17 AM	☐

4. Enter Job Details

Job Name: Daily Event Completion

Apex Class: Select ScheduleCompleteEvents (the schedulable class you created)

5. Set Schedule Time

Frequency: Weekly or Monthly → Choose Weekly

Days: Select All Days

Preferred Start Time: Select 08:00 PM

6. Save

Click Save → Your job is now scheduled.

Salesforce will now run your BatchCompleteEvents every day at 08 PM and mark past events as Completed.

Phase 3: UI/UX Development & Customization

UI/UX Development & Customization focuses on creating a simple, user-friendly interface for the EventForce Management System.

This phase includes the creation of a custom Lightning App in Salesforce to organize and access all modules such as Events, Clients, Vendors, Venues, and Feedback from a single workspace. Additionally, Reports and Dashboards were developed to visualize event schedules, vendor performance, and client feedback.

Reports such as Upcoming Events by Month were used for analytical tracking, while the EventForce Operations Dashboard provides a clear visual summary of key business metrics. This phase ensures a responsive and data-driven user experience, allowing users to manage and monitor event operations efficiently through Salesforce's Lightning interface.

Milestone 11 - The Lightning App:

What is an App ?

Apps in Salesforce are a group of tabs that help the application function by working together as a unit. It has a name, a logo, and a particular set of tabs. The simplest app usually has just two tabs.

Activity 1: Create a Lightning App

Create the Event Planner Management System app

1.From Setup, enter App Manager in the Quick Find and select App Manager.

App Name	Developer Name	Description	Last Modified Date	App Type	Visible in Lightning
1 Agentforce Grid	AIWorkbench	Access Agentforce Grid	9/25/2026, 9:59 PM	Lightning	✓
2 Agentforce Studio	AgentforceStudio	Agentforce Studio	9/25/2026, 9:59 PM	Lightning	✓
3 All Tabs	AllTabSet		9/25/2026, 9:51 PM	Classic	✓
4 Analytics Studio	Insights	Build CRM Analytics dashboards and apps	9/25/2026, 9:51 PM	Classic	✓
5 App Launcher	AppLauncher	App Launcher tabs	9/25/2026, 9:51 PM	Classic	✓
6 Approvals	Approvals	Manage approvals and approval flows	9/25/2026, 9:51 PM	Lightning	✓
7 Automation	FlowsApp	Automate business processes and repetitive tasks	9/25/2026, 9:57 PM	Lightning	✓
8 Built Solutions	LightningBuilt	Discover and manage business solutions designed for your industry	9/25/2026, 9:51 PM	Lightning	✓
9 Community	Community	Salesforce CRM Communities	9/25/2026, 9:51 PM	Classic	✓
10 Content	Content	Salesforce CRM Content	9/25/2026, 9:51 PM	Classic	✓
11 Data Cloud	Audience360	Build a thorough and complete understanding of your customers	9/25/2026, 9:51 PM	Lightning	✓
12 Data Manager	DataManager	Use Data Manager to view limits, monitor usage, and manage recipes	9/25/2026, 9:51 PM	Lightning	✓
13 Developer Edition	Developer_Edition	Welcome to your Developer Edition Org	9/25/2026, 10:19 PM	Lightning (Managed)	✓
14 DevOps Center	AltDevOps	Manage your development and release processes easily and collaboratively	9/25/2026, 9:56 PM	Lightning	✓
15 Digital Experiences	SalesforceCMS	Manage content and media for all of your sites	9/25/2026, 9:51 PM	Lightning	✓

2.Click New Lightning App. Event Planner as the App Name,

3. Upload Image ,then click next.

New Lightning App

App Details & Branding

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

* App Name ⓘ

* Developer Name ⓘ

Description ⓘ

App Branding

Image ⓘ

Primary Color Hex Value ⓘ

[Clear](#)

Org Theme Options

☐ Use the app's image and color instead of the org's custom theme

App Launcher Preview

Event Planner

[Next](#)

4.Under App Options, leave the default selections and click Next.

5.Under Utility Items, leave as it is and click Next.

6.From Available Items, select Event,Client,Vendor,Venue,Feedback

7.Reports,and Dashboards and move them to Selected Items. Click Next.

New Lightning App

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or rename the items that you add. Some navigation items are available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

Available Items

- AI Prediction Scores
- Accounts
- Action Hub
- Activation Targets
- Activations
- Activity History
- Advisements (Beta)
- Agent Config
- AgentExchange Go-To-Market App Con...
- AgentExchange Go-To-Market App Pin...

Selected Items


- Events
- Clients
- Vendors
- Venues
- Feedbacks
- Reports
- Dashboards

[Back](#)

[Next](#)

8.From Available Profiles, select System Administrator and move it to

9. Selected Profiles. Click Save & Finish.



To verify your changes, click the App Launcher, type Event Planner and select the Event Planner app.

Note:

1. App Launcher-Displays available apps.
2. App Name-Displays the current selected app.
3. Navigation menu-Displays the tabs available inside the app.

Milestone 12 : Reports

Activity 1: Create a Report folder

1. Click on the app launcher and search for reports.
2. Click on the report tab, click on the new folder.
3. Enter the Folder label as “EventForce Report” Folder unique name will be auto populated.

4. Click save.

Activity 2: Sharing a Report folder

1. Go to the app → click on the reports tab.
2. Click on the All folder , click on the Drop down arrow for EventForce Report Folder, and Click on share.
3. Select the share with “roles”, in the name field search and select “Event Coordinator”, “ Vendor Manager” give “view” as access for that role.
4. Then click share, and click on Done.

Share folder

These sharing settings apply to all subfolders in this folder.

Share With

Roles

Names

Search Roles...

Access

View

Share

Who Can Access

Sapnaanamed23.00c922070310@agentforce.com

Users

Event Coordinator

Roles

View

Vendor Manager

Roles

View

Done

Activity 3: Create Report

Note : Before creating a report, create at least “10” records in every object.


Try to fill every field in each record for better experience.

Report 1 : Upcoming Events — Summary by Month

Use: See upcoming events and counts by month.

1. Go to the App Launcher → click on the Reports tab.
2. Click New Report.
3. Select the Category as All, search for Events or Events with Client & Venue, select it, and click Start Report.
4. In the outline pane, select the fields mentioned below in the Columns section:
 - Event Name
 - Event Date
 - Event Type
 - Client__r.Name
 - Venue__r.Name
 - Event_Budget__c
5. Remove any unnecessary fields.
6. Toggle Update Preview Automatically.
7. Go to Filters and apply the filters as follows:
 - Show Me = All Events
 - Event Date ≥ TODAY (or Next 30 Days)

- Event Status ≠ Canceled
8. In the GROUP ROWS section, select the fields:
- Event Date → click the drop-down → Group by Calendar Month
9. Click on Add Summary, summarize the following:
- Row Count (auto)
 - Event_Budget__c → SUM (to see total budget per month)
10. Click on Add Chart, select:
- Chart Type: Column or Line
 - X-axis = Event Date (Calendar Month)
 - Y-axis = Row Count or SUM(Event_Budget__c)
11. Click Save, give the report name: Upcoming Events by Month.
12. The Report Unique Name is auto-populated.
13. Select the folder EventForce Reports → click Save → Run




Milestone 13 - Dashboards

Activity 1: - Create Dashboard

Create EventForce Dashboard

1. Click on the Dashboards tab from the EventForce Management System application.
2. Click on New Dashboard.
3. Give name – EventForce Operations Dashboard.
4. Click Create.
5. Click on +Widget.
6. Select the Upcoming Events by Month Report.
 - Chart: Donut Chart
 - Max Values Displayed: 6
 - Subtitle: Upcoming Events Overview
 - Widget Theme: Light
 - Click save.



Phase 4 : Data Migration, Testing & Security

Data Migration, Testing & Security focuses on preparing and securing the system before deployment. This phase involved loading validated data into Salesforce, creating users, and implementing role-based access controls to ensure proper data visibility and protection.

During this phase, records for Events, Clients, Vendors, Venues, and Feedback were imported using the Data Import Wizard after pre-validation checks to avoid duplicates and maintain consistency.

User accounts were created for Event Admin, Event Coordinator, Vendor Manager, and Client, each assigned specific Profiles and Roles aligned with their access levels.

Security configurations included Profiles, Role Hierarchy, Permission Sets, and Sharing Rules to manage visibility and ensure compliance with business workflows. The Organization-Wide Defaults (OWD) were set to Private, allowing controlled record access through sharing rules like Event_Sharing_For_Vendors.

Testing activities validated data accuracy, automation performance, and user permissions.

This phase ensured that the EventForce Management System was secure, reliable, and fully functional for real-time business operations.

Milestone 14- Profile:

What is a profile?

A profile is a group/collection of settings and permissions that define what a user can do in salesforce. A profile controls “Object permissions, Field permissions, User permissions, Tab settings, App settings, Apex class access, Visualforce page access, Page layouts, Record Types, Login hours & Login IP ranges.


A profile can be assigned to many users, but users can be assigned a single profile at a time.

Activity 1:

Create a custom profile:

1. From setup , enter profiles in Quick Find box

2. Click On New Profile.



The screenshot shows a web-based setup application. At the top, there is a 'Search Setup' bar. Below it, a navigation menu includes 'Setup', 'Home', and 'Object Manager'. A search bar on the left contains the text 'profiles'. The main content area is titled 'Clone Profile' and includes a sub-header 'Enter the name of the new profile:'. A message states 'You must select an existing profile to clone from.' Below this, there are three fields: 'Existing Profile' with a dropdown menu showing 'System Administrator', 'User License' with a dropdown menu showing 'Standard', and 'Profile Name' with a text input field containing 'Event Admin'. At the bottom right of the form, there are 'Save' and 'Cancel' buttons. A 'Help for this Page' link is visible in the top right corner of the main content area.

3. Select Existing Profile as 'System Administration'.

4. Enter Profile Name as '**Event Admin**'.

5. Click On save.

Why use System Administrator as Base?

It already has Modify All Data, CustomizeApplication, and full CRUD access on all objects.


By cloning it, your Event Admin profile automatically inherits full access.

You can then restrict/remove any permissions if needed (but usually Event Admin = full access).

Activity 2:

Create a Custom profile:

1. From setup , enter profiles in Quick Find box
2. Click On New Profile.
3. Select Existing Profile as 'Standard Platform User'.
4. Enter Profile Name as '**Event Coordinator**'.
5. Click On save.
6. Click On Edit



The screenshot shows the Salesforce Setup interface for the 'Event Coordinator' profile. The page title is 'Event Coordinator' under the 'Profiles' section. Below the title, there is a description: 'Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information. If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.' A long list of permissions is displayed, including 'Login IP Ranges', 'Enabled Apex Class Access', 'Enabled Visualforce Page Access', 'Enabled External Data Source Access', 'Enabled Named Credential Access', 'Enabled External Credential Principal Access', 'Enabled Custom Metadata Type Access', 'Enabled Custom Setting Definitions Access', 'Enabled Flow Access', 'Enabled Service Presence Status Access', and 'Enabled Custom Permissions'. Below the permissions list, the 'Profile Detail' section is visible, showing the profile name 'Event Coordinator', user license 'Salesforce Platform', and a checkbox for 'Custom Profile' which is checked. The 'Created By' and 'Modified By' fields both show 'Sapna.A' with a timestamp of '10/2/2026, 7:33 AM'. Buttons for 'Edit', 'Clone', 'Delete', and 'View Users' are located at the top of the profile detail section.

Profile Detail	
Name	Event Coordinator
User License	Salesforce Platform
Description	
Created By	Sapna.A, 10/2/2026, 7:33 AM
Modified By	Sapna.A, 10/2/2026, 7:33 AM

7. Select the Custom App settings as default for the Event Planner.

Custom App Settings					
	Visible	Default		Visible	Default
Analytics Studio (standard__Insights)	☐	☐		Event Planner (Event_Planner)	☒
App Launcher (standard__AppLauncher)	☐	☐		Platform (standard__Platform)	☐
Developer Edition (devedapp__Developer_Edition)	☐	☐		WDC (standard__Work)	☐

8. Scroll down to Custom Object Permissions Give Access:

Event: CRED (Create, Read, Edit, Delete)

Client: Read / Edit

Vendor: Read

Venue: Read

Feedback: Create / Read

Custom Object Permissions							
	Basic Access				Data Administration		
	Read	Create	Edit	Delete	View All Records (1)	Modify All Records (1)	View All Fields
Clients	☒	☐	☒	☐	☐	☐	☐
Events	☒	☒	☒	☒	☐	☐	☐
Event Vendors	☐	☐	☐	☐	☐	☐	☐

	Basic Access				Data Administration		
	Read	Create	Edit	Delete	View All Records (1)	Modify All Records (1)	View All Fields
Feedbacks	☒	☒	☐	☐	☐	☐	☐
Vendors	☒	☐	☐	☐	☐	☐	☐
Venues	☒	☐	☐	☐	☐	☐	☐

9. Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :

11. User passwords expire in should be “ never expires ”.

12. Minimum password length should be “ 8 ”, and click save.

The screenshot shows a web interface for configuring session and password policies. At the top, there's a 'Session Settings' section with two dropdown menus: 'Session Times Out After' set to '2 hours of inactivity' and 'Session Security Level Required at Login' set to 'None'. Below this is the 'Password Policies' section, which contains several settings: 'User passwords expire in' set to 'Never expires', 'Enforce password history' set to '3 passwords remembered', 'Minimum password length' set to '8', 'Password complexity requirement' set to 'Must include alpha and numeric characters', 'Password question requirement' set to 'Cannot contain password', 'Maximum invalid login attempts' set to '10', and 'Lockout effective period' set to '15 minutes'. There are also three unchecked checkboxes: 'Obscure secret answer for password resets', 'Require a minimum 1 day password lifetime', and 'Don't immediately expire links in forgot password emails'. At the bottom right of the 'Password Policies' section are three buttons: 'Save', 'Save & New', and 'Cancel'.

Activity 3:

Create a Custom profile:

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
3. Select Existing Profile as ;Standard Platform User’.
4. Enter Profile Name as ‘**Vendor Manager**’.
5. Click On save.
6. Click On Edit
7. Select the CustomApp settings as default for the Event Planner.
8. Scroll down to Custom Object Permissions Give Access:

Vendor: CRED Event:

Read Only Venue:

Read Only Client:

Read Only Feedback:

Read Only

9.Changing the session times out after should be “ 2 hours of inactivity”.

10.Change the password policies as mentioned :

11.User passwords expire in should be “ never expires ”.

12.Minimum password length should be “ 8 ”, and click save.

Activity 4:

Create a Custom profile:

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
- 3.Select Existing Profile as ;Standard Platform User’.
4. Enter Profile Name as ‘**Client Profile**’.
5. Click On save.
6. Click On Edit
- 7.Select the Custom App settings as default for the Event Planner.
- 8.Scroll down to Custom Object Permissions Give Access:
Event: Read Only (for their own events)

Feedback: Create / Read (give feedback)

Vendor/Venue: No Access

Custom Object Permissions									
	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records 	Modify All Records 	View All Fields		
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐		
Clients	☐	☐	☐	☐	☐	☐	☐		
Events	☒	☐	☐	☐	☐	☐	☐		
Event Vendors	☐	☐	☐	☐	☐	☐	☐		

	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records 	Modify All Records 	View All Fields		
Feedbacks	☒	☒	☐	☐	☐	☐	☐		
Vendors	☐	☐	☐	☐	☐	☐	☐		
Venues	☐	☐	☐	☐	☐	☐	☐		

9.Changing the session times out after should be “ 2 hours of inactivity”.

10.Change the password policies as mentioned :

11.User passwords expire in should be “ never expires ”.

12.Minimum password length should be “ 8 ”, and click save.

Milestone 15 - Role:

In Salesforce, roles are used to determine which users have access to certain data and functions within the system. They are also used to define the reporting hierarchy within an organization. Users with higher roles have greater access to data and more control over the system.

Activity 1: Creation of Event Admin Role

Creation of role :

1. From the Quick find box search for the role and click on the roles option
2. Select the set up roles option

The screenshot displays the Salesforce Setup interface for the 'Roles' section. The left sidebar shows a search bar with 'roles' entered and a navigation menu with options like Users, Roles, Feature Settings, Sales, Service, and Case Teams. The main content area is titled 'Understanding Roles' and includes a 'Sample Role Hierarchy' diagram. The diagram shows a hierarchy starting with 'Executive Staff' (CEO, President, CFO, VP Sales) at the top, followed by 'Regional Sales' (Western, Eastern, International) and 'Sales Reps' (Western, Eastern, International). Each role has associated permissions listed next to it. A 'Set Up Roles' button is visible at the bottom right of the diagram.

3.Click on
Expand
All and

click on add role under CEO.

Activity 2: Creating other Role Under Event Admin Role

- 1.Create Another Role.
- 2.Create a Role with the Name “**Event Coordinator**”.
3. Below the Event Admin click on add role and enter the label name as a ”

Event

Coordinator” and role name, will be Automatically populated and click on save.

- 4.Follow the steps from above Activity.

Activity 3: Creating other Role Under Event Admin Role

- 1.Create Another Role.
 - 2.Create a Role with the Name “**Vendor Manager**”.
 - 3.Below the Event Admin click on add role and enter the label name as a ”
- and role name, will be Automatically populated and click on save.
- 4.Follow the steps from above Activity.

Vendor Manager”

Activity 4: Creating other Role Under Event Admin Role

- 1.Create Another Role.
 - 2.Create a Role with the Name “**Client**”.
 - 3.Below the Event Admin click on add role and enter the label name as a ”
- name, will be Automatically populated and click on save.
- 4.Follow the steps from above Activity.

Client” and role

Milestone 16 -User:


What is a user?

A user is anyone who logs in to Salesforce. Users are employees at your company, such as sales, reps, managers, and IT specialists, who need access to the company's records. Every user in Salesforce has a user account. The user account identifies the user, and the user account settings determine what features and records the user can access.

NOTE- As Salesforce license can only be used by 2 Users at a time in Dev Org, So If you don't find a salesforce license then deactivate a user who has a salesforce license Or change the license type from Salesforce to any other.

Activity 1: To Create a User :

1. From Setup, enter Users in the Quick Find box, then select Users.
2. Click New User.



3.Fill in the fields :

First Name : Sizzler

Last Name : Jaligam

Alias : Give an Alias Name

Email id : Give your Personal Email id

Username : Username should be in this form: text@text.text and it must be Unique.

Nick Name : Give a Nickname

Role : Event Admin

User licence : Salesforce

Profiles : Event Admin

4.Click On Save.

SETUP Users

New User

Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)

User Edit Cancel Save Save & New

General Information

First Name:
 Last Name:
 Alias:
 Email:
 Username:
 Nickname:
 Title:
 Company:
 Department:
 Division:

Role:
 User License:
 Profile:
 Active: ☒
 Marketing User: ☐
 Offline User: ☐
 Knowledge User: ☐
 Flow User: ☐
 Service Cloud User: ☐
 Site.com Contributor User: ☐
 Site.com Publisher User: ☐
 WDC User: ☐
 Data.com User Type:
 Data.com Monthly Addition Limit:
 Accessibility Mode (Classic Only): ☒
 High Contrast Palette on Charts: ☒
 Load Lightning Pages While Scrolling: ☒
 Debug Mode: ☒
 Quick Access Menu: ☒
 Salesforce CRM Content User: ☒
 Receive Salesforce CRM Content Email Alerts: ☒
 Receive Salesforce CRM Content Alerts as Daily Digest: ☒

Activity 2: Creating Other Users

1. Repeat the steps and create other users using
 - a. Role : Event Coordinator, Vendor Manager, Client
 - b. User licence : Salesforce Platform
 - c. Profile : Event Coordinator, Vendor Manager, Client

Milestone 17 : Permission Set

A Permission Set in Salesforce is a collection of settings and permissions that grant access to various tools, features, and objects without changing the user's profile.

Activity 1: Creating New Permission Set

1. Go to setup >> type Permission Set in quick find box >> Select Permission Set >> click New.
2. Give the Label as “Feedback Manager”.
3. Click Save.

Search Setup

Setup Home Object Manager

per

Hyperforce Assistant

Users

Permission Set Groups

Permission Sets

Apps

Mobile Apps

Salesforce

Mobile Builder for the Seller-Focused Experience

Feature Settings

Digital Experiences

Salesforce CMS

Settings

Functions

Headless Experience Layer Settings

Sales

Accounts

Permission Set Create

Enter permission set information

Label Feedback Manager

API Name Feedback Manager

Description

Session Activation Required ☐

Select the type of users who will use this permission set

Who will use this permission set?

Choose "None" if you plan to assign this permission set to multiple users with different user and permission set licenses.

Choose a specific user license if you want users with only one license type to use this permission set.

Choose a specific permission set license if you want this permission set license auto assigned with the permission set.

Not sure what a permission set license is? [Learn more here.](#)

License None

Save Cancel

4. Select Extra Permission For Feedback Manager Permission Set.
5. Go To the Object Settings.
6. Search Feedback Object,
7. Click On Edit, Go to the Object Permission.
8. Enable The R/E/C/D Permissions.
9. Click Save.

SETUP

Permission Sets

Permission Set Feedback Manager

Find Settings... Clone Delete Edit Properties Manage Assignments View Summary

Permission Set Overview > Object Settings Feedbacks

Feedbacks Save Cancel


Tab Settings

Available Visible


Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

10. Click On the Manage Assign




11. Click On the Add Assignment.



12. Select Event Coordinator Role User.

13. Click Next & Assign.



Milestone 18 : Sharing Settings

Salesforce allows you to configure sharing settings to control how records are accessed and shared within your organization. These settings are crucial for maintaining data security and privacy. Salesforce provides a variety of tools and mechanisms to define and enforce sharing rules, such as:

Organization-Wide Default (OWD) Settings:

In Salesforce, OWD (Organization-Wide Default) is the baseline level of access to records that determines what all users can see and do with records in an organization. It is used to control visibility and access for all records in Salesforce, and you can customize it based on different objects (such as Accounts, Contacts, Opportunities, etc.).

The OWD settings define the default access level to records, which can then be overridden by other sharing mechanisms such as Role Hierarchy, Sharing Rules, Manual Sharing, and Apex Sharing.

Here are the OWD options available for each object in Salesforce:

1. Private:

- Only the record owner and users above them in the role hierarchy can see or edit the record.
- Users cannot see each other's records by default.

2. Public Read Only:

- All users can view the records, but only the record owner and those above them in the role hierarchy can edit the record.
- Other users can only read, not modify, the records.

3. Public Read/Write:

- All users can view and edit records, regardless of ownership.
- This is useful when you want users to freely collaborate and modify each other's records.

4. Controlled by Parent:

- This option applies to child objects (like Tasks or Cases) that are related to a parent object (like Accounts). The access level to the child record is controlled by the parent record's sharing settings.

By setting up OWD correctly, administrators can ensure that the right people have access to the right data while maintaining the necessary security for sensitive information.

Activity 1: Configure OWD

1. Go to Setup → Sharing Settings → Click On Edit.

Sharing Settings

This page displays your organization's sharing settings. These settings specify the level of access your users have to each other's data. Go to [Background Jobs](#) to monitor the progress of a change to an organization-wide default or a parallel sharing recalculation.

Manage sharing settings for: [All Objects](#)

[Disable External Sharing Model](#)

Default Sharing Settings

Object	Default Internal Access	Default External Access	Grant Access Using Hierarchies
Lead	Public Read/Write/Transfer	Private	☒
Account and Contact	Public Read/Write	Private	☒
Contact	Controlled by Parent	Controlled by Parent	☒
Order	Controlled by Parent	Controlled by Parent	☒
Asset	Controlled by Parent	Controlled by Parent	☒
Opportunity	Public Read/Write	Private	☒
Case	Public Read/Write/Transfer	Private	☒
Campaign	Public Full Access	Private	☒
Campaign Member	Controlled by Campaign	Controlled by Campaign	☒
User	Public Read Only	Private	☒
Activity	Private	Private	☒
Calendar	Hide Details and Add Events	Hide Details and Add Events	☒
Price Book	User	User	☒

2. Open The Sharing Setting, In Organization Wide Defaults Select the Event Object.
3. Click On Edit Button, Change the Default Internal Access as **Private**, and Default External Access also as **Private** in Event Object.
4. Click Save.

Sharing Settings

Service Resource: ☐

Service Territory: ☐

Shift: ☐

Shipment: ☐

Shipping Carrier: ☐

Shipping Carrier Method: ☐

Shipping Configuration Set: ☐

Streaming Channel: ☐

Tableau Host Mapping: ☐

User Presence: ☐

Utilization Alert: ☐

Wallpost: ☐

Web Cart Document: ☐

Work Order: ☐

Work Plan: ☐

Work Plan Template: ☐

Work Step Template: ☐

Work Type: ☐

Work Type Group: ☐

Client: ☒

Event: ☒

Feedback: ☒

Vendor: ☒

Venue: ☒

Other Settings

Standard Report Visibility ☒ Manual User Record Sharing ☐ Manager Groups ☐

Secure guest user record access ☐ Require permission to view record names in lookup fields ☐ Test asynchronous sharing recalculation in Apex tests ☐ Grant access using hierarchies by default in new queries ☐

Save Cancel

Sharing Rules:

What are Sharing Rules?

Sharing rules help users to share records based on conditions. It is basically created for objects whose organization-wide defaults (OWD) are set to public read-only or private because sharing rules can only extend the access and not restrict it.

Types of sharing rules:

- Owner-based Sharing Rules
- Criteria-based Sharing Rules

Activity 1:

Create a sharing rule:

1. Go to Sharing Settings, which can be found under the Quick Find section.
2. Scroll down and find the Event object where a sharing rule needs to be added, and then click on New to create a new sharing rule.
3. Give the Label name as “ Event_Sharing_For_Vendors”
4. Rule name is auto populated.
5. In step 3 : Select which records to be shared, members of “ Roles ” >> “ Event Coordinator”
6. In step 4: share with, select “ Roles ” >> “ Vendor Manager ”
7. In step 5 : Change the access level to “ Read Only ”.
8. Click on Save.

SETUP
Sharing Settings

Event Sharing Rule

Use sharing rules to make automatic exceptions to your organization-wide sharing settings for defined sets of users.
Note: "Roles and subordinates" includes all users in a role, and the roles below that role.
You can use sharing rules only to grant wider access to data, not to restrict access.

Step 1: Rule Name Help for this Page

Label:
 Rule Name:
 Description:

Step 2: Select your rule type

Rule Type: ☒ Based on record owner ☐ Based on criteria

Step 3: Select which records to be shared

Event owned by members of:

Step 4: Select the users to share with

Share with:

Step 5: Select the level of access for the users

Access Level:

7. FUNCTIONAL & PERFORMANCE TESTING

During testing, screenshots were captured from Salesforce to validate vehicle creation, dealer assignment, stock validation triggers, order status updates, batch processing, scheduled reminders, and dashboard analytics. All features were verified to ensure correct functionality and performance.

8. ADVANTAGES & DISADVANTAGES

Advantages

- Centralized Data Management – Event, Client, Vendor, Venue, Feedback, and EventVendor information is managed within Salesforce.
- Process Automation – Flows automate reminders and other business processes, reducing manual effort.

- Prevents Double Booking – Apex Trigger and VenueStatusHelper validate venue availability and help prevent booking conflicts.
- Controlled Cancellation Process – Approval Process provides structured handling of event cancellation requests.
- Improved Operational Visibility – Reports and Dashboards provide visibility into event schedules, vendor activities, and feedback.
- Secure Access – Profiles, Roles, Permission Sets, OWD, and Sharing Rules provide controlled access to records.
- Scalable Solution – Salesforce provides a platform that can support future growth and additional business requirements.
- Better Data Quality – Validation Rules and pre-validation during data migration help maintain accurate and consistent data.

Disadvantages

- Developer Edition Limitation – The project was implemented in a Salesforce Developer Edition for academic purposes and was not connected to a production environment.
- Production Deployment Not Performed – Actual migration to production was outside the scope of this implementation.
- Deployment Requires Additional Tools – Real-world deployment may require sandboxes, Change Sets, Salesforce DX, or DevOps/CI-CD tools.
- Configuration Complexity – Managing Flows, Apex, Approval Processes, and security configurations requires appropriate Salesforce knowledge.
- Ongoing Maintenance Required – Flows, Apex jobs, approval processes, validation rules, and sharing settings need regular monitoring and troubleshooting.

9. Conclusion:

The EventForceManagement System successfully demonstrates how Salesforce can be used to streamline and automate event planning and management

operations. The project brings Events, Clients, Vendors, Venues, Feedback, and EventVendor data into a centralized platform.

The implementation combines Salesforce Lightning, Flows, Validation Rules, Formula Fields, Approval Processes, Apex Triggers, Apex Classes, Batch Apex, Scheduled Apex, security controls, Reports, and Dashboards to address key business requirements. Automation supports activities such as event reminders, cancellation approvals, venue availability management, double-booking prevention, and event completion.

The project also demonstrates the importance of data migration, testing, security, documentation, and maintenance in a Salesforce implementation. Although the solution was developed and tested in a Developer Edition Org and actual production deployment was not performed, the project reflects real-world Salesforce implementation practices and provides a foundation for future scalability and enhancement.

10. FUTURE SCOPE

The **EventForceManagement System** can be further enhanced to support larger-scale event operations and improve automation, integration, and user experience.

- Production Deployment – Deploy the solution from development to a production Salesforce environment using appropriate deployment tools.
- Advanced Event Automation – Extend automation for additional event planning and operational activities.
- Enhanced Vendor Management – Introduce more advanced vendor tracking and performance management capabilities.
- Advanced Analytics – Add more reports and dashboards for deeper insights into events, venues, vendors, and client feedback.

- External Integrations – Integrate Salesforce with external systems and services required for real-world event operations.
- Mobile Accessibility – Enhance the solution for convenient event management through mobile devices.
- Scalability Enhancements – Expand the system to support larger numbers of events, clients, vendors, venues, and users.
- Continuous Maintenance & Optimization – Regularly improve Flows, Apex, validation rules, sharing settings, and other configurations as business requirements evolve.

These enhancements can help transform the current EventForce implementation into a more comprehensive and enterprise-ready **event management CRM solution**. The source document specifically identifies future scalability, deployment readiness, maintenance, and enhancement as areas for continued development.

11. APPENDIX

- A. Custom Objects: Event, Client, Vendor, Venue, EventVendor, Feedback
- B. Automation: Flows, Validation Rules, Approval Process, Apex Triggers & Classes
- C. Processing: Batch Apex and Scheduled Apex
- D. Security: Profiles, Roles, Permission Sets, OWD, Sharing Rules
- E. Data Migration: Salesforce Data Import Wizard
- F. UI & Analytics: Lightning App, Reports & Dashboards
- G. Testing & Documentation: Configuration testing, security testing, automation testing, and project documentation

Thank You