



The City College
of New York

CSC 36000: Modern Distributed Computing *with AI Agents*

By Saptarashmi Bandyopadhyay

Email: sbandyopadhyay@ccny.cuny.edu

Assistant Professor of Computer Science

City College of New York and Graduate Center at City University of New York

October 24, 2025 CSC 36000

Today's Lecture

Reliable and Resilient Distributed AI

- Consistency-Availability Trade-off
- Replication for High-Availability AI

Optimizing Performance and Efficiency

- The Energy Footprint
- Quantization
- Pruning

Live Coding Demonstration

Reliable and Resilient Distributed AI

—

Consistency

Saptarashmi Bandyopadhyay



Consistency Models

- We need a way to make sure changes that happen in *one* node are reflected across *all* nodes
- This is accomplished using a *consistency model*: a fundamental contract that governs how and when changes become visible across all nodes of a distributed system
- A consistency model is core to the correctness, performance, and availability of a system, especially in Distributed AI systems
- There is a broad spectrum of consistency models ranging from strict immediate consistency to relaxed eventual consistency



The Spectrum of Consistency

There are two prominent models for consistency:

- **Strong Consistency:** Once a write operation completes, *any* subsequent read, regardless of the node it's directed to, will return the value of this write or a subsequent one
 - Unified and Up-to-date but introduces latency
- **Eventual Consistency:** Allows for *temporary* inconsistency. If no new updates are made to a data item, all its replicas will eventually converge to the same state
 - Can be inconsistent at times but allows for lower latency and more availability

Various hybrid models exist in between, such as **Sequential Consistency** (all operations happen in-order) and **Causal Consistency** (related operations in-order, others can vary)

Real-world Use Case: AI Fraud Detection

- The choice of consistency model is extremely important for many applications
- For some, the *cost of staleness*, i.e. the downsides of using slightly old data can be steep
- What consistency model would you use for an AI system to detect fraud in banking?



Real-world Use Case: AI Recommender Systems

- For some applications like TikTok, user interaction data such as the number of likes powers personalized recommendations
- Which is more important, showing the exact number of likes or immediately being able to show a video?
- Would this be a low or high cost of staleness?
- Also it crashes your phone!
 - How much cookies should distributed apps like this store?!



Questions?

—

Saptarashmi Bandyopadhyay