

Laxmi Charitable Trust's m
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Enterprise Java (EJ)

Roll No.: T013	Name: Saqlain Khan
Class: TYIT	Batch: 1
Date of Assignment: 07-08-2026	Date/Time of Submission: 07-08-2026

PRACTICAL 6

AIM :- Implement the following EJB Applications

A) Create a Currency Converter application using EJB

CODE :-

Index.html :-

```
<!DOCTYPE html>

<html>

<head>

<title>Currency Converter</title>

</head>

<body>

<form action="CCServlet">

Enter Amount<input type="text" name="amt"><br>

Select Conversion Type

<input type="radio" name="type" value="r2d" checked>Rupees to Dollar

<input type="radio" name="type" value="d2r">Dollar to Rupees<br> <input

type="reset"><input type="submit" value="CONVERT"><br> </form>

</body>

</html>
```

CCBean.java :-

```
package EJPracts;

import javax.ejb.Stateless;

@Stateless

public class CCBean {
```

```

public CCBean() {
}

public double r2Dollar(double r) {
return r / 95.22;
}

public double d2Rupees(double d) {
return d * 95.22;
}
}

```

CCServlet.java :-

```

import java.io.IOException;
import java.io.PrintWriter;
import javax.ejb.EJB;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import EJPracts.CCBean;

@WebServlet(urlPatterns = {"/CCServlet"})
public class CCServlet extends HttpServlet {

    @EJB
    CCBean obj;

    public void doGet(HttpServletRequest request,
        HttpServletResponse response)
        throws ServletException, IOException {
        PrintWriter out = response.getWriter();
        double amt = Double.parseDouble(
            request.getParameter("amt")
        );
    }
}

```

```

if (request.getParameter("type").equals("r2d")) {
    out.println(
        "<h1>" + amt + " Rupees = "
        + obj.r2Dollar(amt)
        + " Dollars</h1>"
    );
}
if (request.getParameter("type").equals("d2r")) {
    out.println(
        "<h1>" + amt + " Dollars = "
        + obj.d2Rupees(amt)
        + " Rupees</h1>"
    );
}
}
}

```

OUTPUT :-

Enter Amount

Select Conversion Type ☐ Rupees to Dollar ☒ Dollar to Rupees

1.0 Dollars = 95.22 Rupees

B) Develop a Simple Room Reservation System Application Using EJB

CODE :-

Index.jsp :-

```

<html>
<head>
<title>Room Reservation</title>
</head>
<body>

```

```
<p><b>Enter Details For Room Reservation.</b></p> <form method="post"
action="ReservationServlet">
```

Customers Name:

```
<input type="text" name="cname" value="" size="20"> <br><br>
```

Address:

```
<input type="text" name="cadd" value="" size="20"> <br><br>
```

Phone Number:

```
<input type="text" name="cph" value="" size="12"> <br><br>
```

Room Type:

```
<select name="roomtype">
```

```
<option value="General">General</option> <option
value="Deluxe">Deluxe</option> <option value="Suite">Suite</option>
```

```
</select>
```

```
<br><br>
```

Check In Date (DD/MM/YYYY):

```
<input type="text" name="checkindate">
```

```
<br><br>
```

Check Out Date (DD/MM/YYYY):

```
<input type="text" name="checkoutdate"> <br><br>
```

Payment Mode:

```
<select name="paymode">
```

```
<option value="CASH">CASH</option>
```

```
<option value="CREDIT CARD">CREDIT CARD</option> </select>
```

```
<br><br>
```

```
<input type="submit" value="Submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

ReservationServlet.java :-

```
package servlet;
```

```
import EJPracts.ReservationBean;
```

```

import java.io.IOException;
import java.io.PrintWriter;
import java.util.ArrayList;
import javax.ejb.EJB;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet(name = "ReservationServlet",
    urlPatterns = {"/ReservationServlet"})
public class ReservationServlet extends HttpServlet {
    @EJB
    ReservationBean rb;

    protected void processRequest(HttpServletRequest request,
        HttpServletResponse response)
        throws ServletException, IOException {
        response.setContentType("text/html;charset=UTF-8");
        String cname = request.getParameter("cname");
        String add = request.getParameter("cadd");
        String ph = request.getParameter("cph");
        String roomtype = request.getParameter("roomtype");
        String chkin = request.getParameter("checkindate");
        String chkout = request.getParameter("checkoutdate");
        String paymode = request.getParameter("paymode");
        PrintWriter out = response.getWriter();
        ArrayList<String> list1 =
        rb.reserve(cname, add, ph, chkin, chkout,
        roomtype, paymode);
        try {

```

```

out.println("<html>");
out.println("<head>");
out.println("<title>Reservation EJB</title>");
out.println("</head>");
out.println("<body>");
out.println("<h2>" + rb.welcome(cname) + "</h2>");
out.println("<br/>");
out.println(rb.roomType(roomtype)); out.println("<br/><br/>");
out.println(rb.payment(roomtype)); out.println("<br/><br/>");
out.println("<hr>");
out.println("Your Details :");
out.println("<br/><br/>");
out.println("<table border='1'>");
out.println("<tr>");
out.println("<th>Name</th>");
out.println("<th>Address</th>"); out.println("<th>Phone</th>");
out.println("<th>Check In Date</th>"); out.println("<th>Check Out Date</th>");
out.println("<th>Room</th>");
out.println("<th>Payment Mode</th>"); out.println("</tr>");
out.println("<tr>");
for (int i = 0; i < list1.size(); i++) {
out.println("<td>");
out.println(list1.get(i));
out.println("</td>");
}
out.println("</tr>");
out.println("</table>");
out.println("<br/>");
out.println("Click ");
out.println("<a href='index.jsp'>here</a>"); out.println(" to go back");
out.println("</body>");

```

```

out.println("</html>");
}
finally {
out.close();
}
}

@Override
protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
processRequest(request, response); }

@Override
protected void doPost(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
processRequest(request, response); }
}

```

ReservationBean.java :-

```

package EJPracts;

import java.util.ArrayList;
import javax.ejb.Stateless;

@Stateless
public class ReservationBean {

    public String welcome(String customer) {
        return "Hello " + customer.toUpperCase() + " Welcome to Our Hotel"; }

    public String roomType(String roomtype) {
        return "You have Selected " + roomtype.toUpperCase() + " Room"; }

    public String payment(String roomtype) {
        if (roomtype.equalsIgnoreCase("SUITE")) {
            return "You have to pay 8000 Rs";
        }
        else if (roomtype.equalsIgnoreCase("DELUXE")) {

```

```
return "You have to pay 4000 Rs";
}
else {
return "You have to pay 2000 Rs";
}
}

public ArrayList<String> reserve(
String customer,
String add,
String ph,
String checkin,
String checkout,
String roomtype,
String paymode) {
ArrayList<String> a = new ArrayList<String>();
a.add(customer);
a.add(add);
a.add(ph);
a.add(checkin);
a.add(checkout);
a.add(roomtype);
a.add(paymode);
return a;
}
}
```

OUTPUT :-

Enter Details For Room Reservation.

Customers Name:

Address:

Phone Number:

Room Type:

Check In Date (DD/MM/YYYY):

Check Out Date (DD/MM/YYYY):

Payment Mode:

← ↻ ⓘ localhost:8080/EJBRoomRes/ReservationServlet

Hello REZE Welcome to Our Hotel

You have Selected SUITE Room

You have to pay 8000 Rs

Your Details :

Name	Address	Phone	Check In Date	Check Out Date	Room	Payment Mode
Reze	My Heart	1234567890	07/08/2026	12/08/2026	Suite	CREDIT CARD

Click [here](#) to go back