

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Enterprise Java (EJ)

Roll No.: T013	Name: Saqlain Khan
Class: TYIT	Batch: 1
Date of Assignment: 04-07-2026	Date/Time of Submission: 04-07-2026

PRACTICAL 2

AIM :- Implement the following Servlet applications with Cookies and Sessions.

- A) Using Request Dispatcher Interface create a Servlet which will validate the password entered by the user, if the user has entered "Servlet" as password, then he will be forwarded to Welcome Servlet else the user will stay on the index.html page and an error message will be displayed.

CODE :-

Index.HTML :-

```
<!DOCTYPE html>

<html>

<head>

<title>Login Form</title>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

</head>

<form action="LoginServlet">

Enter User ID<input type="text" name="txtId"><br>

Enter Password<input type="password" name="txtPass"><br>

<input type="reset">

<input type="submit" value="Click to Login">

</form>

</html>
```

LoginServlet.Java :-

```

import java.io.*;
import java.io.PrintWriter;
import javax.servlet.RequestDispatcher;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet(urlPatterns = {"/LoginServlet"})
public class LoginServlet extends HttpServlet {
    public void doGet(HttpServletRequest request,
        HttpServletResponse response) throws ServletException,
        IOException{
        PrintWriter out = response.getWriter();
        out.println("<html><head>");
        out.println("<title>Servlet LoginServlet</title></head>");
        String uname=request.getParameter("txtId");
        String upass=request.getParameter("txtPass");
        if(uname.equals("Saqlain Khan")&&upass.equals("pass"))
        {
            RequestDispatcher rd= request.getRequestDispatcher("WelcomeServlet");
            rd.forward(request,response);
        }
        else
        {
            out.println("<h1>Login Failed </h1>");
            RequestDispatcher rd=request.getRequestDispatcher("index.html");
            rd.include(request,response);
        }
        out.println("</body>");
    }
}

```

```
out.println("/html>");
```

```
}
```

```
}
```

WelcomeServlet.Java :-

```
import java.io.*;
```

```
import java.io.PrintWriter;
```

```
import javax.servlet.ServletException;
```

```
import javax.servlet.annotation.WebServlet;
```

```
import javax.servlet.http.HttpServlet;
```

```
import javax.servlet.http.HttpServletRequest;
```

```
import javax.servlet.http.HttpServletResponse;
```

```
@WebServlet(urlPatterns = {"/WelcomeServlet"})
```

```
public class WelcomeServlet extends HttpServlet {
```

```
@Override
```

```
public void doGet(HttpServletRequest request,
```

```
HttpServletResponse response)
```

```
throws ServletException , IOException{
```

```
response.setContentType("text/html");
```

```
PrintWriter out= response.getWriter();
```


```
String n=request.getParameter("txtId");
```

```
out.print("T013 Presents Welcome : "+n);
```

```
}
```

```
}
```

OUTPUT :-



T013 Presents Welcome : Saqlain Khan

B) Create a servlet that uses Cookies to store the number of times a user has visited servlet.

CODE :-

Index.HTML :-

```
<!DOCTYPE html>

<html>

<head>

<title>Cookie Demo</title>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

</head>

<body>

<form action = "Page1">Enter Your Name<input type = "text" name =
"txtName"><br>

<input type = "submit" value = "~~~Click to Enter~~~">

</form>

</body>

</html>
```

Page 1.Java :-

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;

@WebServlet(urlPatterns = {"/Page1"})

public class Page1 extends HttpServlet {

@Override

public void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {

PrintWriter out=response.getWriter();

out.println("<html><head><title>Page1</title></head>");

out.println("<body bgcolor=pink>");
```

```

String uname=request.getParameter("txtName");
out.println("<h1>~Welcome"+uname+"</h1>");
Cookie ck1=new Cookie("Username",uname);
Cookie ck2=new Cookie("visit","1");
response.addCookie(ck1);
response.addCookie(ck2);
out.println("<h1><a href=Page2>Click to visit Page 2</a></h1>");
out.println("</body>");
out.println("</html>");
}
}

```

Page2.Java :-

```

import java.io.*;
import javax.servlet.*;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;

@WebServlet(urlPatterns = {"/Page2"})
public class Page2 extends HttpServlet {
    @Override
    public void doGet(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException{
        PrintWriter out=response.getWriter();
        out.println("<html><head><title>Page2</title></head>");
        out.println("<body bgcolor=yellow>");
        Cookie [] ck= request.getCookies();
        for(int i=0;i<ck.length;i++){
            if(ck[i].getName().equals("visit")){
                int count=Integer.parseInt(ck[i].getValue())+1;
                out.println("<h1>Visit no: "+count+"</h1>");
            }
        }
    }
}

```

```

ck[i]=new Cookie("visit",count+"");
response.addCookie(ck[i]);
}
else{
out.println(ck[i].getName()+"="+ck[i].getValue());
}
out.println("<h1><a href=Page3>Click to visit page 3</a></h1>");
out.println("<h1><a href=Page4>Click to visit page 4</a></h1>");
out.println("<h1><a href=Page5>Click to visit page 5</a></h1>");
out.println("</body>");
out.println("</html>");
}}}

```

OUTPUT :-

Enter Your Name

~WelcomeSaqlain Khan T013

[Click to visit Page 2](#)

Username=Saqlain Khan T013

[Click to visit page 3](#)

[Click to visit page 4](#)

[Click to visit page 5](#)

Visit no: 2

[Click to visit page 3](#)

[Click to visit page 4](#)

[Click to visit page 5](#)

- C) Create a servlet demonstrating the use of session creation and destruction. Also check whether the user has visited this page first time or has visited earlier also using sessions.

CODE :-

Index.HTML :-

```
<!DOCTYPE html>

<html>

<head>

<title>Session Demo</title>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

</head>

<form action = "SPage1" method = "get">

Enter User ID<input type = "text" name = "txtName"><br>

<input type = "reset"><input type = "submit">

</form>

</html>
```

SPage1.java :-

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;

@WebServlet(urlPatterns = {"/SPage1"})

public class SPage1 extends HttpServlet{

public void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException{

PrintWriter out = response.getWriter();

out.println("<html><head><title>Servlet Page1</title></head>");

HttpSession hs = request.getSession(true);

if(hs.isNew()){
```

```

out.println("<body bgcolor = #96D9FF>");
String name = request.getParameter("txtName");
hs.setAttribute("uname", name);
hs.setAttribute("visit", "1");
out.println("<h1>Welcome First Time</h1>");
}
else{
out.println("<h1> Welcome Again </h1>");
int visit = Integer.parseInt((String)hs.getAttribute("visit"))+1;
out.println("<h1>You Visited"+visit+"Times</h1>");
hs.setAttribute("visit"," " + visit);
}
out.println("<h1>Your Session ID"+hs.getId()+"</h1>");
out.println("<h1>You Logged in at "+new
java.util.Date(hs.getCreationTime())+"</h1>");
out.println("<h1><a href = SPage2>Click for Page 2 </a></h1>");
out.println("<h1><a href = LogoutServlet>Click to Terminate Session</a></h1>");
out.println("</body>");
out.println("</html>");
}}

```

SPage2.java :-

```

import java.io.*;
import javax.servlet.*;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;

@WebServlet(urlPatterns = {"/SPage2"})

public class SPage2 extends HttpServlet{

public void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException{

PrintWriter out = response.getWriter();

out.println("<html><head><title>Servlet Page2</title></head>");

```



```

HttpSession hs = request.getSession(false);
out.println("<body bgcolor = #FECF6E>");
out.println("<h1> Welcome Again </h1>");
int visit = Integer.parseInt(((String)hs.getAttribute("visit"))+1);
out.println("<h1>You Visited"+visit+"Times</h1>");
hs.setAttribute("visit"," " + visit);
out.println("<h1>Your Session ID"+hs.getId()+"</h1>");
out.println("<h1>You Logged in at "+new
java.util.Date(hs.getCreationTime())+"</h1>");
out.println("<h1><a href = SPage1>Click for Page 1 </a></h1>");
out.println("<h1><a href = LogoutServlet>Click to Terminate Session</a></h1>");
out.println("</body>");
out.println("</html>");
}
}

```

LogoutServlet.java :-

```

import java.io.*;
import javax.servlet.*;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;

@WebServlet(urlPatterns = {"/LogoutServlet"})

public class LogoutServlet extends HttpServlet{

public void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException{

PrintWriter out = response.getWriter();

out.println("<html><head><title>Servlet LogoutServlet</title></head>");
out.println("<body bgcolor = #F6B0FF >");

javax.servlet.http.HttpSession hs = request.getSession();

if(hs != null){ hs.invalidate(); }

out.println("<h1>You are Logged out now.....</h1>");

out.println("</body>");

```

```
out.println("</html>");  
}  
}
```

OUTPUT :-

Enter User ID

Saqlain Khan T013

Reset

Submit

Welcome First Time

Your Session IDba65e827bf7417052bde473722bb<>/h1

You Logged in at Sat Jul 04 11:12:31 IST 2026

[Click for Page 2](#)

[Click to Terminate Session](#)

Welcome Again

You Visited2**Times**

Your Session IDba65e827bf7417052bde473722bb<>/h1

You Logged in at Sat Jul 04 11:12:31 IST 2026

[Click for Page 1](#)

[Click to Terminate Session](#)

You are Logged out now.....