

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
FULL STACK DEVELOPMENT IN MERN

Practical 4

Roll No.: T013	Name: Saqlain Khan
Class: TYIT	Batch: 1
Date of Assignment: 15-07-2026	Date/Time of Submission: 15-07-2026

AIM :- React Components, Props, and State

A) Create multiple components and render them on a single page.

CODE :-

components/Header.jsx :-

```
function Header() {  
  return (  
    <div className="header">  
      <h1>Placement Dashboard</h1>  
      <p>MERN Student Profile</p>  
    </div>  
  );  
}  
  
export default Header;
```

Student.jsx :-

```
function Student() {  
  return (  
    <div className="card">  
      <h2>Student Details</h2>  
      <p>Name : Saqlain Khan</p>  
      <p>Roll No : T013</p>  
    </div>  
  );  
}
```

```
}  
  
export default Student;
```

Eligibility.jsx :-

```
function Student() {  
  
  return (  
  
    <div className="card">  
  
      <h2>Student Details</h2>  
  
      <p>Name : Saqlain Khan</p>  
  
      <p>Roll No : T013</p>  
  
    </div>  
  
  );  
}  
  
export default Student;
```

PlacementStatus.jsx :-

```
function PlacementStatus() {  
  
  return (  
  
    <div className="card">  
  
      <h2>Placement Status</h2>  
  
      <p>Status : Selected</p>  
  
      <p>Round : HR Interview</p>  
  
    </div>  
  
  );  
}  
  
export default PlacementStatus;
```

CompanyOffer.jsx :-

```
function CompanyOffer() {
```

```

    return (
      <div className="card">
        <h2>Company Offer</h2>
        <p>Company : Infosys</p>
        <p>Package : 6 LPA</p>
      </div>
    );
  }
  export default CompanyOffer;

```

SkillProgress.jsx :-

```

function SkillProgress() {
  return (
    <div className="card">
      <h2>Skill Progress</h2>
      <p>React : 90%</p>
      <p>Java : 85%</p>
    </div>
  );
}
export default SkillProgress;

```

Footer.jsx :-

```

function Footer() {
  return (
    <div className="footer">
      © Sheth LUJ Sir MV College of Arts, Science & Commerce
    </div>
  );
}


```

```
}  
  
export default Footer;
```

App.jsx :-

```
import Header from "../components/Header";  
  
import Student from "../components/Student";  
  
import Eligibility from "../components/Eligibility";  
  
import PlacementStatus from "../components/PlacementStatus";  
  
import CompanyOffer from "../components/CompanyOffer";  
  
import SkillProgress from "../components/SkillProgress";  
  
import Footer from "../components/Footer";  
  
import "../App.css";  
  
function App() {  
  return (  
    <div className="App">  
      <Header />  
  
      <Student />  
  
      <Eligibility />  
  
      <PlacementStatus />  
  
      <CompanyOffer />  
  
      <SkillProgress />  
  
      <Footer />  
  
    </div>  
  );  
}  
  
export default App;
```

OUTPUT :-



B) Pass data between components using props

CODE :-

Header.jsx :-

```
function Header() {  
  
  return(  
  
    <div>
```

```
    <h1> Online Food Delivery Dashboard</h1>

  </div>

)

}

export default Header;
```

Footer.jsx :-

```
function Footer() {

  return (

    <div className="footer">

      © 2026 Food Delivery

    </div>

  );

}

export default Footer;
```

App.jsx :-

```
import Header from "../components/Header";

import HotelCard from "../components/HotelCard"

import Footer from "../components/Footer";

function App() {

  return (

    <div>

      <Header />

      <HotelCard

        restaurant = "Urban Pizza"

        food = "Simply Cheese Pizza"

        price = {199}

        discount = {20}

      />

    </div>

  );

}
```

```

        rating = {4.5}

      />

      <HotelCard

        restaurant = "Barbeque Nation"

        food = "Unlimited Buffet"

        price = {700}

        discount = {20}

        rating = {4.5}

      />

      <HotelCard

        restaurant = "Mao Restaurant"

        food = "Triple Schezwan Fried Rice"

        price = {450}

        discount = {20}

        rating = {4.5}

      />

      <Footer />

    </div>

  );
}

export default App;

```

HotelCard.jsx :-

```

function HotelCard(props) {

  const discount = (props.price * props.discount) / 100;

  const finalPrice = props.price - discount;

  return (

    <div>

      <h2>{props.restaurant}</h2>

```

```

        <p>Food Item : {props.food}</p>

        <p>Original Price : ₹{props.price}</p>

        <p>Discount : {props.discount}%</p>

        <p>Discount Amount : ₹{discount}</p>

        <p><b>Final Price : ₹{finalPrice}</b></p>

        <p>Rating : {props.rating}</p>


    </div>

    );
}

export default HotelCard;

```

OUTPUT :-



C) Use the useState hook to manage and update data.

CODE :-

App.jsx :-

```
import { useState } from "react";
```



```
function App() {

  const [count, setCount] = useState(0);

  return (

    <div>

      <h1> Button Click Counter </h1>

      <hr />

      <h2>Saqlain Clicks : {count} Times</h2>

      <button onClick={ () => setCount(count + 1)} > Click Me
</button>

    </div>

  );
}

export default App;
```

OUTPUT :-



D) Create a form component to accept user input and display it dynamically.

CODE :-

StudentRegistration.jsx :-

```
import { useState } from "react";

function StudentRegistration() {

  const [name, setName] = useState("");

  const [roll, setRoll] = useState("");

  const [branch, setBranch] = useState("");
```



```
export default StudentRegistration;
```

App.jsx :-

```
import StudentRegistration from
"./components/StudentRegistration";


function App() {

  return <StudentRegistration />;

}

export default App;
```

OUTPUT :-



The screenshot shows a web application with a dark theme. At the top, there is a title "Student Registration Form" in a bold, light blue font. Below the title are four input fields, each with a light blue border and a light blue background. The first field contains the text "Saqlain Khan", the second "T013", the third "IT", and the fourth "8". Below these fields is a light blue button with the text "Submit". Below the button is a section titled "Student Details" in a bold, light blue font. Under this title, the following details are displayed in a light blue font: "Name : Saqlain Khan", "Roll No : T013", "Branch : IT", and "CGPA : 8".

E) Display a list of items stored in the state using map().

CODE :-

TodoList.jsx :-

```

import { useState } from "react";

function TodoList() {

  const [tasks] = useState([

    "Eat Breakfast",

    "Attend React Lab",

    "Complete Assignment",

    "Go for a Walk",

    "Sleep Early"

  ]);

  return (

    <div>

      <h2><img alt="notepad icon" data-bbox="288 401 308 416"/> To-Do List</h2>

      <ul>

        {tasks.map((task, index) => (

          <li key={index}><img alt="checkmark icon" data-bbox="458 488 478 503"/> {task}</li>

        ))}

      </ul>

    </div>

  );

}

export default TodoList;

```

App.jsx :-

```

import TodoList from "../components/TodoList";

function App() {


  return <TodoList />;

}

```

```
export default App;
```

OUTPUT :-



F) Build a small interactive component (e.g., counter or to-do list).

CODE :-

```
import { useState } from "react";

function App() {

  const [count, setCount] = useState(0);

  return (

    <div>

      <h1>Button Click Counter</h1>

      <hr />

      <h2>Saqlain Clicks : {count} Times</h2>

      <button onClick={() => setCount(count + 1)}>Increase</button>

      <button onClick={() => setCount(count - 1)}>Decrease</button>

    </div>

  );
}
```

```
        <button onClick={ () => setCount (0) }>Reset</button>

      </div>

    );
  }
export default App;
```

OUTPUT :-

