

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
MERN STACK

Practical 3

Roll No.: T013	Name: Saqlain Khan
Class: TYIT	Batch: 1
Date of Assignment: 10-07-2026	Date/Time of Submission: 10-07-2026

AIM :- React Introduction and JSX

- A) Create a React application using Vite/CRA and display “Welcome to MERN Stack Development”.

CODE :-

```
function App()
{
  return (
    <div>
      <h1>"Welcome to MERN Stack, I am Saqlain from TYIT
T013"</h1>
    </div>
  );
}
export default App
```

OUTPUT :-

"Welcome to MERN Stack, I am Saqlain from TYIT T013"

- B) Display dynamic data using JSX.

CODE :-

```
function App()
{
  const emp = "Saqlain";
  const dep = "TYIT";
```

```

const sal = 50000;

const roll = "T013";

return (

  <div>

    <h1>Employee Details</h1>

    <p>Name : {emp}</p>

    <p>Department : {dep}</p>

    <p>Salary : ₹{sal}</p>

    <p>Roll No : {roll}</p>


  </div>

);
}

export default App

```

OUTPUT :-



3B) CODE :-

```

function App()
{
  const studentName = "Saqlain";

  const RollNo = "T013";

  const totalClasses = 60;

  const attendedClasses = 49;

```


```

const attendance = (attendedClasses / totalClasses) * 100;

return (
  <div>
    <h1>Attendance Dashboard</h1>
    <hr />
    <p>Name : {studentName}</p>
    <p>Roll No : {RollNo}</p>
    <p>Total Classes : {totalClasses}</p>
    <p>Classes Attended : {attendedClasses}</p>
    <p>Attendance : {attendance.toFixed(2)}%</p>
    <h3>
      Status : { attendance >= 75? "Eligible for Exams" : " Not
Eligible" }
    </h3>
  </div>
);
}
export default App

```

OUTPUT :-



- C) Declare variables and write a function to calculate the sum of two numbers and display the result.

CODE :-

```
function App()
{
  const maths = 67;

  const sci = 69;

  function calculate(marks1, marks2) { return marks1 + marks2; }

  return (

    <div>

      <h1> Student Marks </h1>

      <h3> Student Name : Saqlain Khan </h3>

      <h2> Roll No : T013 </h2>

      <p> Mathematics Marks : {maths} </p>

      <p> Science Marks : {sci} </p>

      <hr />


      <h2> Total Marks : {calculate(maths,sci)}</h2>

    </div>

  );
}

export default App
```

OUTPUT :-



- D) Create a React component that displays the current date and time dynamically using JavaScript. (F Question)


CODE :-

```
function App()
{
  const currentDate = new Date();

  return (
    <div>
      <h1> Current Date and Time </h1>
      <hr />
      <p> Date : {currentDate.toLocaleDateString()} </p>
      <p> Time : {currentDate.toLocaleTimeString()}</p>
    </div>
  );
}

export default App;
```

OUTPUT :-



- E) Apply basic CSS styling to a React component (D Question)

CODE :-

```
import './App.css';

function App() {
  return(
    <div className="container">
      <h1>Student Dashboard</h1>
    </div>
  );
}
```

```

    <hr />

    <p>Name : Saqlain Khan</p>

    <p>Roll Number : T013</p>

    <p>Course : MERN</p>

    <p>Semester : V</p>

    <button>View Button</button>

  </div>

);
}

export default App;

```

App.CSS :-

```

body{

  margin:0;

  font-family:Arial,sans-serif;

  background:linear-gradient(135deg,#0f172a,#1e293b);

  display:flex;

  justify-content:center;

  align-items:center;

  height:100vh;

}

.App{

  background:#1e293bcc;

  color:#fff;

  text-align:center;

  padding:25px;

  border-radius:15px;

  width:320px;

  box-shadow:0 8px 20px rgba(0,0,0,.4);

```

```

}

h1{margin-bottom:15px;}

hr{border:1px solid #ffffff44;}

p{margin:10px 0;font-size:18px;}

button{

    background:#3b82f6;

    color:#fff;

    border:none;

    padding:10px 20px;

    border-radius:8px;


    cursor:pointer;

}

button:hover{background:#2563eb;}

```

OUTPUT :-



F) Create a simple functional component and render it in App.js. (Question E)

CODE :-

Components/Course.jsx :-

```

function Course() {

    return (

```

```

    <div className="card">

      <h2>Course</h2>

      <p>Course: MERN Stack</p>

      <p>Semester: V</p>

    </div>

  );
}

export default Course;

```

Course.jsx :-

```

function Course() {

  return (

    <div className="card">

      <h2>Course</h2>

      <p>Course: MERN Stack</p>

      <p>Semester: V</p>

    </div>

  );

}

export default Course;

```

Marks.jsx :-

```

function Marks() {

  return (

    <div className="card">

      <h2>Marks</h2>

      <p>React: 90</p>

      <p>Java: 88</p>

      <p>Python: 95</p>

    </div>

  );

}

export default Marks;

```



```
    </div>

    );
}

export default Marks;
```

Student.jsx :-

```
function Student() {

    return (

        <div className="card">

            <h2>Student Details</h2>

            <p>Name: Saqlain Khan</p>

            <p>Roll No: T013</p>

        </div>

    );

}

export default Student;
```

App.jsx :-

```
import Greeting from "../components/Greeting.jsx";

import Student from "../components/Student.jsx";

import Course from "../components/Course.jsx";

import Marks from "../components/Marks.jsx";

function App() {

    return (

        <div>

            <Greeting />

            <Student />

            <Course />

            <Marks />

        </div>

    );

}
```

```


    </div>

    );
}

export default App;

```

OUTPUT :-



-----EXTRA COMPONENT PRACTICAL-----

CODE :-

components/AttendanceDashboard.jsx :-

```

function AttendanceDashboard() {

  return (

    <div className="header">

      <h1>Student Attendance Dashboard</h1>

      <p>Semester V - MERN Batch</p>

    </div>

  );
}

export default AttendanceDashboard;

```

Saqlain.jsx :-

```
function Saqlain() {  
  
  return (  
  
    <div className="card">  
  
      <h2>Saqlain Khan</h2>  
  
      <p>Roll No : T013</p>  
  
      <p>Attendance : 95%</p>  
  
    </div>  
  
  );  
}  
  
export default Saqlain;
```

Ritesh.jsx :-

```
function Ritesh() {  
  
  return (  
  
    <div className="card">  
  
      <h2>Ritesh</h2>  
  
      <p>Roll No : T005</p>  
  
      <p>Attendance : 91%</p>  
  
    </div>  
  
  );  
}  
  
export default Ritesh;
```

Himani.jsx :-

```
function Himani() {  
  
  return (  
  
    <div className="card">  
  
      <h2>Himani</h2>
```

```
        <p>Roll No : T016</p>

        <p>Attendance : 98%</p>

    </div>

    );
}

export default Himani;
```

App.jsx :-

```
import AttendanceDashboard from "../components/AttendanceDashboard";

import Saqlain from "../components/Saqlain";

import Ritesh from "../components/Ritesh";

import Himani from "../components/Himani";

import Footer from "../components/Footer";

import "../App.css";

function App() {

    return (

        <div className="App">

            <AttendanceDashboard />

            <Saqlain />

            <Ritesh />

            <Himani />

            <Footer />

        </div>

    );
}

export default App;
```

App.css :-

```
body{

    margin:0;

    font-family:Arial,sans-serif;

    background:linear-gradient(135deg,#4f46e5,#0ea5e9);

}

.App{

    width:450px;

    margin:30px auto;

}

.header,.card,.footer{

    background:#fff;

    text-align:center;

    padding:15px;

    margin:15px 0;

    border-radius:10px;

    box-shadow:0 4px 10px rgba(0,0,0,.2);

}

.header h1{

    margin:0;

    color:#4338ca;

}

.header p,p{

    color:#555;

}

.card{

    border-left:5px solid #06b6d4;

}

.card h2{

    color:#2563eb;
```

```
}  
  
.footer{  
  
    background:transparent;  
  
    color:#fff;  
  
    box-shadow:none;  
  
}
```

OUTPUT :-

