


The background is a blurred image of a computer monitor. It shows a dark-themed code editor with various lines of code in different colors (blue, green, white). At the bottom, a taskbar is visible with several application icons, including what looks like a web browser, a file explorer, and some development tools. The overall image is out of focus, with the text overlaid on top.

C# Level 1 Ticks



C#

Level 1

Ticks

Definition

 Tick

 A tick represents 100 nanoseconds.

 `DateTime.Ticks` represents the number of ticks elapsed since `01/01/0001 00:00:00`.

Explanation

Ticks in DateTime

-  Every `DateTime` value has a `Ticks` property.
-  `DateTime.MinValue.Ticks` returns the minimum DateTime tick value.
-  `DateTime.MaxValue.Ticks` returns the maximum DateTime tick value.

Procedures

1. Use a `DateTime` value.
2. Access its `.Ticks` property.
3. Use `MinValue.Ticks` or `MaxValue.Ticks` to check the `DateTime` range

💡 Example

```
Console.WriteLine(DateTime.MinValue.Ticks);  
Console.WriteLine(DateTime.MaxValue.Ticks);
```

➡ Result

0

31553789759999999999

Note

- ◆ 1 tick = 100 nanoseconds.
- ◆ `DateTime.MinValue` starts at `01/01/0001 00:00:00`.
- ◆ `DateTime.Ticks` is a `long` value.

⊘ Warning

- ◆ Ticks are not milliseconds or seconds.
- ◆ Do not confuse the tick count with Unix time, which uses a different starting point.

✦✦ Summary

- ✓ A tick equals 100 nanoseconds.
- ✓ `DateTime.Ticks` counts ticks from `01/01/0001 00:00:00`.
- ✓ `MinValue.Ticks` is `0`.
- ✓ `MaxValue.Ticks` represents the maximum supported DateTime tick value.

Thank you 😊