


The background is a blurred image of a computer monitor. It shows a dark-themed code editor with various lines of code in different colors (blue, green, yellow). At the bottom, a taskbar is visible with several application icons, including what looks like a web browser, a file explorer, and some development tools. The overall image is out of focus, with the text overlaid on top.

C#

Level 1

ReadLine()



C#

Level 1

ReadLine()

Definition

 Console.ReadLine()

 Reads input entered by the user through the console.

 Always returns the input as a string.

Explanation

Reading User Input

-  The user enters a value and presses Enter.

-  `Console.ReadLine()` stores the entered text as a string.

Reading Numbers

-  Numbers are initially read as strings.

-  `int.Parse()` can convert the string into an int.

Procedures

1. Ask the user to enter a value.
2. Use `Console.ReadLine()` to read the input.
3. Store the result in a string variable.
4. Convert it if a numeric type is required.

💡 Example

```
Console.WriteLine("Enter username?");  
string userName = Console.ReadLine();  
Console.WriteLine("Username is: " + userName);  
Console.ReadKey();
```

➡ Result:

```
Enter username:  
Username is Sara
```

Note

- ◆ `Console.ReadLine()` always returns string.
- ◆ Use `int.Parse(Console.ReadLine())` when an integer is required.



Comparison



C++

- ✓ `cin >> variable;`
- ✓ Input type depends on the variable.



C#

- ✓ `Console.ReadLine();`
- ✓ Always returns string.

✦✦ Summary

- ✓ Reads user input from the console.
- ✓ Returns the input as a string.
- ✓ Numeric input must be converted when needed.

Thank you 😊