

The background is a blurred image of a computer screen. On the left, a calculator application is visible with its numeric keypad and various function buttons. The main area of the screen shows lines of code in a dark-themed editor, with some text highlighted in blue and green. At the bottom, a taskbar with various application icons is visible.

C#

Level 1

User Input and Numbers



C#

Level 1

User Input and Numbers

Definition

User Input and Numbers

-  `Console.ReadLine()` always returns a string.

-  To store the input as another type, such as `int`, it must be converted.

Explanation

String to Number

-  User input like 25 is read as "25" (string).

-  `Convert.ToInt32()` converts the string into an int.

Type Conversion

-  This is type conversion, not casting.

-  Invalid input that cannot be converted causes a conversion exception.

Procedures

1. Read the user's input with `Console.ReadLine()`.
2. Convert the string using `Convert.ToInt32()`.
3. Store the converted value in an int variable.

💡 Example

```
Console.WriteLine("Enter your age:");  
int age = Convert.ToInt32(Console.ReadLine());  
Console.WriteLine("Your age is: " + age);
```

➡ Result:

```
Enter your age:  
45  
Your age is: 45
```

⊘ Warning

- ◆ Input such as "Sara" cannot be converted to int.
- ◆ This causes a conversion exception.
- ◆ `int.TryParse()` can be used later for safer conversion.



Comparison



C++

- ✓ `cin >> age;`
- ✓ Can directly read the input as an int.



C#

- ✓ `Convert.ToInt32(Console.ReadLine());`
- ✓ Converts the string input into an int.

✦✦ Summary

- ✓ `Console.ReadLine()` returns a string.
- ✓ `Convert.ToInt32()` converts it to int.
- ✓ This is type conversion, not casting.

Thank you 😊