



C#

Level 1

Ternary Operator



C#

Level 1

Ternary Operator

Definition

Ternary Operator

-  Written as ? : and works with three operands.
-  A shorter way to write a simple if-else.
-  Selects one of two values based on a condition.

Explanation

`variable = condition ? expression1 : expression2;`

-  If condition is true
 -  expression1 is selected.
-  If condition is false
 -  expression2 is selected.

💡 Example

```
Console.Write("Enter a number to check if it's even or odd: ");  
int number = int.Parse(Console.ReadLine());  
string result;  
result = (number % 2 == 0) ? "Even Number" : "Odd Number";  
Console.WriteLine("{0} is {1}", number, result);
```

➡ Result:

```
Enter a number to check if it's even or odd: 56  
56 is Even Number
```

Note

- ◆ Ternary is equivalent to a simple if-else that assigns one of two values.
- ◆ true → first expression.
- ◆ false → second expression.

Comparison

Ternary

- ✓ Shorter and suitable for simple conditions.
- ✓ Produces/selects a value.

If-Else

- ✓ Better for more complex logic.
- ✓ Can execute multiple statements.

✦ Summary

- ✓ `? : →` Ternary operator.
- ✓ Works with three operands.
- ✓ Shorthand for simple if-else.
- ✓ `true → expression1.`
- ✓ `false → expression2.`

Thank you 😊