




C#

Level 1

Return Values



C#

Level 1

Return Values

Definition

Method Return Values

-  A method can return a value instead of only performing an action.
-  Replace void with the data type of the value the method returns.
-  Use return to send the value back to the calling code.

Explanation

Return Type

-  string → returns a string.
-  int → returns an integer.
-  double → returns a decimal number.
-  bool → returns true or false.

return Keyword

-  Sends a value back from the method.
-  The returned value must match the method's return type.

Procedures

1. Define the method with the required return type.
2. Write the method logic.
3. Use return to send the result back.
4. Store or use the returned value where the method is called.

💡 Example

```
static string GetMyName()
{
    return "Ahmad Aljaseem";
}
static void Main(string[] args)
{
    Console.WriteLine("My Name is {0}", GetMyName());

    Console.ReadKey();
}
```

➡ Result:
My Name is Ahmad Aljaseem

Note

- ◆ A non-void method must return a value of the declared type.
- ◆ The returned value can be stored in a variable or used directly.
- ◆ return also ends the method execution.



Comparison



void Method

- ✓ Performs an action.
- ✓ Does not return a value.



Return Value Method

- ✓ Produces and returns a value.
- ✓ The return type specifies the type of value returned.

⊘ Warning

- ◆ Returning a value with the wrong type causes a compilation error.
- ◆ A method declared as string cannot return an int.

✦✦ Summary

- ✓ Replace void with the required return type.
- ✓ Use return to send a value back.
- ✓ The returned value must match the method's return type.
- ✓ Returned values can be stored or used directly.

Thank you 😊