

Sustainable Computing through Digital Cleanup: Addressing E-Waste in Digital Age

ABSTRACT

The growth of the digitalization process has caused the world to produce more data, which consumes more energy and leads to carbon emissions caused by constantly running data centres. This paper explores how a systematic digital clean up, including deleting the junk files that are not used, cutting down on cloud storage, and streamlining the data handling processes can enable green computing. Based on the knowledge acquired in studies on green computing,

e-waste management, and data-centre efficiency, the paper outlines technical, behavioural, and policy actions that, in combination, reduce digital waste and environmental pollution. The results highlight that even small-scale digital cleanup mechanisms, when implemented on a large scale, can significantly decrease the level of energy consumption and carbon emissions, and thus make digital practises more sustainable and responsible.

Key Words - *Digital Cleanup, Sustainable Computing, E-waste Management, Green Computing, Data Storage Energy Consumption, Carbon Emissions, Digital Waste, Cloud Optimization, Energy-Efficient Data Centres*

1. INTRODUCTION

Digital technologies have rapidly increased, and this has changed the way people and organisations communicate, store, and process information. With the movement toward increased reliance on digital infrastructure, extensive amounts of data are collected and stored every day most of which is not utilised. Such a concentration of digital waste and outdated data indirectly leads to the destruction of the environment, as more energy is needed to operate and sustain even large-scale data centres [1]. These data storage locations use lots of electricity to keep servers and cooling systems running, thus directly

connecting the digital memory to the number of carbon emissions and overall energy consumption worldwide [2].

Although research on environmental sustainability has largely concerned physical electronic waste, the notion of digital waste, which includes redundant files, ex-old emails, and duplicate data, has been becoming relevant as a hidden source of digital pollution. Unnecessary data storage not only increases the energy consumption but also speeds up the necessity to expand the hardware and cloud infrastructure, contributing to the total e-waste footprint [3]. Digital waste management should thus

be incorporated into more general e-waste reduction initiatives to reach sustainable computing practises [4], [5].

Green computing principles focus on the optimization of IT to minimise the use of resources and its ecological effects. Eco-friendly IT practises are based on energy-efficient data storage, cloud optimisation, and responsible digital behaviour [1], [6]. In addition, sustainability reporting frameworks (including those that conform to the 2030 Agenda of Sustainable Development of the United Nations) emphasize the importance of institutional responsibility and technological advancement to promote sustainable digital ecosystems [7].

The recent developments in sustainable computing research highlight the necessity to solve the two-fold problem of expanding data amounts and prevalent electronic waste. Green computing efforts are now

covering not only hardware efficiency but also digital behaviour and data management as the key attributes of sustainability [8]. This is paramount because individuals and organisations aiming to become responsible to global sustainability should understand how personal and business digital behaviours (such as deletion of unnecessary files or minimisation of cloud storage) can decrease the environmental footprint of computing [1], [2].

This paper examines how a routine digital clean-up can minimise data storage and energy consumption and encourage sustainable computing. It will connect digital cluttering with energy efficiency and mitigation of e-waste to operate a goal of illustrating how even straightforward, proactive data management could play a measurable role in the overall concept of digital sustainability.




Figure 1: Cycle illustrating how digital cleanup supports sustainable computing

2. LITERATURE REVIEW

2.1 E-Waste and Environmental Impact

Increasing dependency on digital technologies has further contributed to the increased production of electronic waste, which is partly caused by the high rates of turning the device very quickly and the lack of a proper recycling infrastructure. The low life cycle of electronic goods, coupled with the constant technological improvements, helps generate an increasing number of e-waste that is dangerous to the environment and human safety due to the harmful nature of its components including lead, mercury, and cadmium [3], [9]. The emphasis on reuse, refurbishment, and effective recycling as the ways to reduce such impacts is determined by sustainable management practises [4], [5]. Waste and the

shortened lifespan of electronic instruments can be mitigated by incorporating the principles of green computing in the manufacturing and recycling of electronic devices, which will support the idea of a circular economy in the technological industry [1], [6].

2.2 Data Storage, Energy Usage and Carbon Emissions

As the core of the existing global digital infrastructure, data centres require significant amounts of electricity to operate servers, maintain the integrity of data and control cooling systems. The designation of them as one of the fastest-growing sources of carbon emissions all around the globe is related to their constant functioning [2], [10]. Although cloud storage is a useful accessibility method, it often leads to redundant reproduction of

data across various servers, which intensifies the use of energy. Computational carbon accounting research indicates that storage of every gigabyte produces quantifiable emissions based on server efficiency and the electricity intensity in the region [11], [12]. A switch to energy efficiency in the management of data, server consolidation, and renewable-driven facilities would lead to a significant decrease in the environmental load [8], [13].

2.3 Sustainable IT Practises and Green Computing

Green computing involves designing, manufacturing as well as utilising information technology systems in a manner that does not cause harm to the environment but still ensures high performance and efficiency. The most important methods towards sustainable IT operations include hardware virtualization, power efficient processors, adaptive cooling, and cloud optimisation [1]. Combining these approaches alleviates the environmental impact of the computing industry through energy saving and minimisation of e-waste of outdated computer systems [6]. The implications of green computing in society are far beyond corporate responsibility as noted by Oduor and Franklin (2024) as they help in developing a sustainable digital culture and sense of awareness among institutions. Environmental reporting inclusion that is consistent with the Sustainable Development Goals (SDGs) facilitates

responsibility in the implementation of eco-friendly computing [7].

2.4 Digital Waste and Sustainability of Behaviour

Digital waste as the redundant accumulation of invalid data is an undervalued aspect of sustainability. Contrary to the physical e-waste, digital waste occupies no physical space but constantly takes up space in storage and power. Digital hoarding, and the lack of cleanup habits are behavioural elements that play a major role in this phenomenon [14]. Free and very cheap cloud storage has motivated over saving of a lot of data, and when combined on a global scale, it can lead to significant energy consumption [15]. Such initiatives as Digital Cleanup Day have shown that storing data can be beneficial to the environment by linking the number of deleted files with the amount of carbon saved [16], [17]. Urging users to delete outdated files and embrace conscious digital practises can be used alongside more comprehensive e-waste management practises and facilitate sustainable computer behaviour [18].

2.5 Associating Digital Cleanup and Sustainable Computing

Recent research draws a relationship between emissions linked to data and the use of energy in digital infrastructures and proposes that active data management potentially has a quantifiable impact on emissions [19], [20]. Digital cleanup follows green computing goals as it reduces the operation overhead

and reduces the necessity to expand hardware. Even minor changes in storage volumes can save a lot of energy at the scale when implemented on millions of users [11], [12]. It unites human behaviour and technological optimization where people will take an active role in digital sustainability.

2.6 Research Gap

The available literature mostly covers the topics of e-waste management and the energy-efficient hardware, but the potential of digital cleanup in terms of sustainability is not the priority. There is a lack of

research that quantifies the connexion between smaller data storage and smaller carbon emissions and behavioural interventions in digital sustainability are under-researched [3], [4]. Inclusion of the concept of green computing with respect to digital waste minimisation practises would enhance sustainability efforts in both personal and organisational levels. The interpretation of this relation is the key to the assessment of digital cleanup as one of the possible aspects of sustainable computing.




Figure 2: Hierarchical model of sustainable computing practices

3. MITIGATION TECHNIQUES

3.1 The Enforcement of Digital Cleanup

Dealing with the overload of unnecessary digital data is one of the most immediate ways of reducing the environmental effect of computing. The regular cleaning of cloud storage and emptying of recycle

bins, as well as unsubscribing to unnecessary email subscriptions, will lower the size of the cloud storage needs and the workload of datacentre [16], [17]. Digital cleanup practises can be institutionalised in organisations by means of automated data retention policies and awareness programmes. It is also important to note that behavioural engagement is

essential because the habitual data management promotes efficiency and sustainability [14], [15].

3.2 Cloud optimization and Energy efficiency

Cloud computing is scalable and, in many cases, results in unnecessary data replication and non-utilisation of storage. Deduplication, server virtualization, and data tiering used to optimise cloud infrastructure reduce redundancy operations and energy potential [2], [11]. The reduction of the impact of digital storage can also be achieved by using renewable-powered data centres and low-carbon cloud providers [10], [13]. Active workload control and efficient cooling technologies promote the sustainability of the entire system without compromising on efficiency.

3.3. Prolonging the Lifecycles of Devices and Hardware reuse

The physical e-waste can be minimised by increasing the life of hardware equipment by maintenance, repair and upgrades on the components. Refurbishment and reuse promote the reduction in the number of new devices in demand, reducing the overall amount of resource extraction and manufacturing production [3], [4]. Organisations can also enforce asset recovery programmes that will enable them to utilise old systems in secondary roles instead of disposing them [6]. Reusing of hardware and implementing digital cleanup will decrease both physical and virtual streams of waste, which corresponds to green computing [1].

3.4 Policy and institutional Frameworks

Government and institutional structures are very crucial in normalising sustainable digital practises. The introduction of digital waste management into the wider area of e-waste law prompts adherence and responsibility [9], [21]. Digital sustainability indicators could be integrated into the reporting framework of universities and other public agencies, which is in line with the Sustainable Development Goals [7]. Corporate digital accountability efforts need to have measures of storage efficiency, carbon footprint of data, and understanding of sustainable IT practises by employees [8].

3.5 Awareness, Education, and Behavioural Change

The mitigation strategy in the long term is reliant on the development of a digital-responsible culture. Increased awareness campaigns on the carbon footprint of stored data can be used to change behaviour both on an individual and an organisational level [12], [18]. Promoting the green computing traditions, i.e., sorting files, maximizing backups and overloading to the minimum storage amounts, converts the abstract effects of the environment into a solid, feasible action. The cooperation of the technology sector with educators and policymakers can help strengthen the belief that digital minimalism is a tool to act on climate and become an environmental guardian.

3.6 Adaptation of New Technologies

Digital activities can be more quantified using new tools like AI-based data monitoring, carbon tracking dashboards, and green algorithms calculators [11], [20]. Data clean up mechanisms which detect the presence of redundant or inactive data aids in

effective storage management. Additional measures to increase the transparency in energy usage may include blockchain-based auditing and cloud lifetime analytics to support the evidence-based sustainability interventions [13], [15].




Figure 3: Estimated Annual CO₂ Savings from Key Digital Cleanup and Optimization Actions

4. ANALYSIS AND FINDINGS

4.1 Correlation of Data Storage and Energy Consumption

The result of extant data analysis indicates that there is a linear relationship between the amount of stored digital data and the amount of data centre energy usage. Every gigabyte of idle or redundant information requires uninterrupted power supply to run servers and cooling systems as well as redundancy [2], [10]. Using the energy model of Green Algorithms, the average storage energy intensity is calculated to be 0.006 W/GB, or about 0.0526 kWh/GB is the stored data of a year [11]. That

can be converted to about 25 kg of CO₂ emissions per terabyte per year, demonstrating that the slightest cleanup of data at scale can result in tangible energy savings and the decrease of the emissions [12], [17].

4.2 Effect of Digital Cleanup Practise

The practises of digital cleanup show scalable potential to reduce emissions in case they are implemented on a wider scale. Deleting 100GB of redundant files alone, an average person can save 2.5 kg/CO₂/year, and small organisations can save more than 25 kg/CO₂/TB of storage swept [16]. These savings are even multiplied by larger interventions, such as deduplication of stored data or cloud

optimisation. As an illustration, the elimination of 30 per cent of redundant data in a 10 TB system will save about 75 kg (CO₂) a year, and switching 100 TB to low-carbon data centres will save more than 1.4 metric tonne (CO₂) a year [13], [20].

4.3 Blending Technical and Behavioural Mitigation

The most effective technical solutions include data deduplication, virtualization, and energy-effective cloud migration, which is best supported by behavioural interventions. To achieve long-term digital waste reduction, there is a need to raise awareness and develop a habit [14], [15]. According to the experience of the campaigns that encourage regular digital cleanup, the number of people interested in participating in cleanup programmes increases significantly when they understand the energy footprint of the data they store [16]. A dual-layered method of decreasing the number of energies consumed throughout operations and carbon emissions is the joint influence of technical efficiency and behavioural commitment [8], [18].

4.4 Relative Performance of Mitigation Techniques

Quantitative analysis shows that optimisation of clouds and transition to low-carbon infrastructures has the most significant environmental returns in comparison with other digital mitigation measures.

However, the greatest level of accessibility and scalability is provided by digital cleanup as it involves minimum investment and is universal and can be applied by individual users [12], [17]. Repurposing devices and giving them second lives also lead to sustainable results by minimising the upstream emissions by manufacturing and disposal [3]. Taken together, these results show that the digital sector could greatly reduce its carbon intensity with the introduction of incremental changes, when taken together [1], [6].

4.5 Additional Environmental and Social Impact

Sustainable computing practise is not only focused on reducing emissions but also on ethical consumption and conserving resources. Digital and electronic waste management is consistent with the global sustainability principles, such as the sustainability development goals 12 and 13 of the United Nations on responsible consumption and climate action [7],[21]. Organisational implementation of digital sustainability guidelines creates a sense of accountability and helps bring cultural changes to accountable digital behaviour. Such a joint effort of users, corporations, and policymakers, therefore, makes the digital cleanup an environmental and social requirement towards a sustainable digital ecosystem [8], [9].




Figure 4: Correlation between Stored Data Volume and Annual CO₂ Emissions

5. DISCUSSION

5.1 Interpretation of Findings

The analysis has validated a linear correlation between the amount of digital data in storage and the amount of carbon emission, with the point that even idle or redundant files result in the ongoing use of energy. This creates digital cleanup as a viable sustainability intervention by closing the divide between individual computing behaviour and climate targets worldwide [2], [11]. The carbon footprint of each gigabyte is not very large, but when it is multiplied by millions of users and organisations, the effect will be massive. The results support the idea that sustainability in the digital age goes beyond the efficiency of hardware, and it involves a deliberate management of the digital storing habits [10], [12].

5.2 Digital Sustainability Behavioural Dimension

Such behavioural trends as digital hoarding and reluctance to delete files are still key obstacles to sustainable data management. Research on digital behaviour points out that the retention behaviours are affected by the level of user awareness and perceived data value [14], [15]. The Digital Cleanup Day shows that awareness programmes can successfully change the storage habits, leading to the quantifiable emission savings when executed on a large scale [16], [17]. With personal digital management matching environmental responsibility, people can help the community to achieve increased energy efficiency and carbon reduction without significant investment of technology.

5.3 Organisational and Technical Integration

Firms can be systematically involved with technical solutions that enhance behaviour. An example of measures that will minimise energy consumption and

the cost of operations includes data deduplication, reallocation of servers to renewable-powered facilities, and dynamism [13], [20]. The implementation of data retention policy and automated clean up schedules by organisations will maintain regular digital cleanliness. These practises that are incorporated in sustainability policies, especially under the corporate social responsibility programmes, aid in long-term carbon intensity reduction in IT operations [6], [8].

5.4 Policy and Institutional Implications

Digital sustainability on a large scale requires institutional and policy-level frameworks to support it. Digital waste as part of e-waste makes a more integrative approach towards environmental governance [9], [21]. The academic and public institutions may become bridges by including digital efficiency in the sustainability reporting, which in line with the Sustainable Development Goals regarding responsible consumption and climate

6. RECOMMENDATIONS

6.1 Technical Interventions

Technological optimisation can be used to obtain immediate sustainability benefits in energy-intensive computing infrastructure. To minimise idle energy use as reported in exascale computing research work, large-scale data centres must implement energy-sensitive scheduling and workload optimization [22]. Principles of an algorithmic design that has low carbon footprint can be used to optimise power usage

action [7]. More collective accountability and transformation of the sector can be promoted by encouraging data-centre emission transparency and green IT operation standards [8], [18].

5.5 Future Perspectives of Sustainable Computing

There is an opportunity to raise the level of visibility of the energy footprint of digital storage with new technologies, including AI-based data monitoring and carbon-tracking platforms [11], [20]. Motivation to cleanup behaviour can be further reinforced by the development of real-time feedback systems to measure the number of emissions per user or organisation. Future studies ought to prioritise the modelling of the energy in large scale even with the different rates of the cleanup adoption, and the possibility of alignment to net-zero in the ICT operations. The coordination of governments, business, and users will be crucial to changing digital sustainability as a voluntary practise into a policy.

during computing and storage operations [20]. Switching to hybrid and renewable-powered cloud systems, with the help of cost-effective data-replication controls, will reduce reliance on fossil-fuel grids [23] Periodic evaluation of infrastructure efficiency with the help of such frameworks as Power Usage Effectiveness (PUE) will ensure a quantifiable progression toward net-zero data operations [24].

6.2 Behavioural and Educational Strategy

The invisible costs of digital habits on the environment are understood by users to strengthen sustainability in computing. Long-term behavioural change can be affected by promoting awareness through campaigning and educational programmes [25], [26]. Employee and student training modules should focus on the power of data storage footprint and promote responsible use of cloud storage. Sustainable practises at scale can be achieved by causing users to reconsider the need of files stored, a practise known as digital minimalism. Integrating behavioural consciousness with observable indicators, e.g. personal or departmental CO₂ dashboards, can encourage the further participation in the cleanup activities [15].

6.3 Organisational and Institutional Measures

Data-retention and cleanup policies should be institutionalised by the institutions to ensure that they have sustainable IT operations. These measures incorporated in the corporate sustainability frameworks create accountability and quantifiable results [27]. Sustainable computing audits can be applied in institutions, where both the hardware lifecycle and the digital storage impact is reviewed. Universities can be in the forefront with adoption by conducting research, teaching, and implementing changes in their operations to embed digital sustainability in their governance structures [7]. These measures would add value to the bigger

sustainability goals because transparent reporting and alignment to the SDGs make sure that these measures are taken [21].

6.4 Policy/ Regulatory Recommendations

To enhance the level of digital sustainability, governments and international organisations can enhance the current e-waste management policies to encompass digital waste responsibility [9], [21]. Increasing the visibility of data through the introduction of standardised carbon-reporting systems of cloud providers and high-performance computing operators helps to increase the visibility [25]. The policymakers ought to be encouraged to use renewable energy credits, tax incentives, and carbon-labelling of ICT services in encouraging green cloud infrastructure. The global systems might ensure that the digital waste and energy management get the same focus as the conventional electronic waste control [3], [5].

6.5 Future-Focused Innovations

The studies of AI-based carbon monitoring systems can facilitate real-time monitoring of digital emissions, which will facilitate the delivery of optimisation decisions in real time [20]. A predictive-analytics approach to green-propositional design enables the systems to estimate future emissions of the data-store and propose preventative cleanup. Sustainable computing is also expected to be developed into circular digital ecosystems where reuse of hardware and renewable power, and responsible data management will work in balance

[1], [6]. The emergent policies and technologies should come together to make sure that the

advancement of digital infrastructure is in line with climate and resource-efficiency objectives.




Figure 5: Key elements linking technology, behaviour, and policy for sustainable computing

7. CONCLUSION

Digital sustainability is not only about good hardware but also the way information is produced, stored and how it is manipulated. The results prove that idle digital data directly affect energy consumption and carbon emissions because of constant server use. These can be as simple as deleting unnecessary files, maximising cloud storage, and increasing the lifespan of hardware all of which can be measured to have beneficial environmental effects.

The combination of technical innovation, awareness of the user and supportive policy will see the digital growth match environmental responsibility. Sustainable computing can be realised and provided at scale when digital cleanup is practised by individuals, organisations, and institutions. By means of these joint efforts, the digital ecosystem will have the potential to develop into less emissions, less waste, and ecological balance over the long term.

References

- [1] K. Sonawane and A. Padalkar, "Green Computing: Techniques for Eco-Friendly IT Operations," *Glob. J. Comput. Sci. Technol.*, vol. 24, pp. 19–21, 2024, Accessed: Nov. 05, 2025. [Online]. Available: <https://computerresearch.org/index.php/computer/article/view/102380>
- [2] D. Al Kez, A. M. Foley, D. Laverty, D. F. Del Rio, and B. Sovacool, "Exploring the Sustainability Challenges Facing Digitalization and Internet Data Centers," *J. Clean. Prod.*, vol. 371, p. 133633, Aug. 2022, doi: 10.1016/j.jclepro.2022.133633.
- [3] M. Zunguka and K. I. U. VIII, "E-Waste Management: Strategies for Sustainable Practices," *NEWPORT Int. J. Eng. Phys. Sci.*, vol. 5, pp. 13–16, Mar. 2025, doi: 10.59298/NIJEP/2025/511316.
- [4] S. Manna, S. Mukherjee, D. Das, and A. Saha, "Influence of E-Waste Management in Green-Computing," *J. Inf. Technol. Policy*, June 2024, doi: 10.62836/jitp.v1i1.183.
- [5] T. Akther and I. Ahmed, "Review on E-Waste Management Strategies for Implementing Green Computing," *Int. J. Comput. Appl.*, vol. 177, pp. 45–52, Mar. 2020, doi: 10.5120/ijca2020919975.
- [6] D. Bundi, A. Chege, and J. John, "Green Computing a Way to Reduce Environmental Impacts of E-Waste in Manufacturing Companies in Meru County," *Zenodo CERN Eur. Organ. Nucl. Res.*, Sept. 2019, doi: 10.5281/zenodo.3461569.
- [7] G. Fiorani and C. Di Gerio, "Reporting University Performance through the Sustainable Development Goals of the 2030 Agenda: Lessons Learned from Italian Case Study," *Sustainability*, vol. 14, p. 9006, July 2022, doi: 10.3390/su14159006.
- [8] P. Oduor and N. W. Franklin, "The Evolution of Green computing: Current Practices and Societal Implications," *World J. Adv. Eng. Technol. Sci.*, vol. 13, pp. 541–548, Dec. 2024, doi: 10.30574/wjaets.2024.13.2.0622.
- [9] W. H. Organization, "Electronic Waste (E-Waste)." World Health Organization, Oct. 2024. [Online]. Available: [https://www.who.int/news-room/fact-sheets/detail/electronic-waste-\(e-waste\)](https://www.who.int/news-room/fact-sheets/detail/electronic-waste-(e-waste))
- [10] N. Jones, "How to Stop Data Centres from Gobbling up the World's Electricity," *Nature*, vol. 561, pp. 163–166, Sept. 2018, doi: 10.1038/d41586-018-06610-y.
- [11] L. Lannelongue, J. Grealey, and M. Inouye, "Green Algorithms: Quantifying the Carbon Footprint of Computation," *Adv. Sci.*, vol. 8, p. 2100707, May 2021, doi: 10.1002/advs.202100707.
- [12] I. Cloud, "What Is the Carbon Footprint of Data Storage?" Greenly.earth, Oct. 2022. [Online]. Available: <https://greenly.earth/en-gb/blog/industries/what-is-the-carbon-footprint-of-data-storage>
- [13] D. Raphael, N. Ninduwezuor-Ehiobu, O. F. Orikpete, B. A. Egbokhaebho, A. A. Fawole, and C. Onunka, "Impact of Data Centers on Climate Change: a Review of Energy Efficient Strategies," *J. Eng. Exact Sci.*, vol. 9, pp. 16397–01e, Aug. 2023, doi: 10.18540/jcecvl9iss6pp16397-01e.
- [14] Naga, "The Psychology of Digital Hoarding: How Unlimited Cloud Storage is Changing Consumer Behaviour," *SSRN*, Jan. 2025, doi: 10.2139/ssrn.5172811.
- [15] D. Hyun, E. Jang, J. Lee, and T. Kim, "Green Cloud: Supporting Sustainable Behavior by Helping Users Remove Unnecessary Photos from Cloud Storage Service," *Ext. Abstr. CHI Conf. Hum. Factors Comput. Syst.*, pp. 1–6, May 2024, doi: 10.1145/3613905.3647968.
- [16] "Digital Cleanup Day Campaign Report (2024/25)." Digitalcleanupday, 2024. [Online]. Available: <https://www.digitalcleanupday.org/>
- [17] Z. Markan, "How Much CO2 Emissions Could a Country save by Deleting Unused Data." Zan Markan, Feb. 2024. Accessed: Nov. 05, 2025. [Online]. Available: <https://markan.me/how-much-co2-could-a-country-save/>
- [18] N. Six, "Digital Sector Responsible for 3.4% of Annual Greenhouse Gas emissions, Study Finds." Le Monde, Feb. 2025. Accessed: Nov. 05, 2025. [Online]. Available:

https://www.lemonde.fr/en/pixels/article/2025/02/07/climate-annual-use-of-digital-media-is-equivalent-to-a-3-500-kilometer-road-trip_6737909_13.html?

- [19] E. Strubell, A. Ganesh, and A. McCallum, “Energy and Policy Considerations for Deep Learning in NLP,” *Proc. 57th Annu. Meet. Assoc. Comput. Linguist.*, pp. 3645–3650, 2019, doi: 10.18653/v1/p19-1355.
- [20] D. A. Patterson *et al.*, “Carbon Emissions and Large Neural Network Training,” *arXiv*, Apr. 2021, doi: 10.48550/arxiv.2104.10350.
- [21] The United Nations, “The United Nations and E-waste a Coordinated Approach to Tackling E-waste Draft Report by the EMG Issue Management Group on E-Waste: Mon 13 Th CFCs -chlorofluorocarbons COP -Conference of the Parties CRTs -cathode Ray Tubes DFS -Department of Field Support EEE - Electrical and Electronic Equipment EMG -Environment Management Group ENFORCE -The Environmental Network for Optimizing Regulatory Compliance on Illegal Traffic ESM -environmentally-sound Management FAO -Food and Agricultural Organisation GPWM -Global Partnership on Waste Management HCFCs -hydrochlorofluorocarbon ICCM -International Conference on Chemicals Management ICTs -Information Communications Technology IETC -International Environmental Technology Centre ILO -International Labour Organisation IMG -Issue Management Group IMO - International Maritime Organisation INTERPOL -Int...” 2017. [Online]. Available: https://unemg.org/wp-content/uploads/2018/11/01_Reference_doc_ewaste.pdf
- [22] P. Neumann *et al.*, “Assessing the scales in numerical weather and climate predictions: will exascale be the rescue?,” *Philos. Trans. R. Soc. Math. Phys. Eng. Sci.*, vol. 377, p. 20180148, Feb. 2019, doi: 10.1098/rsta.2018.0148.
- [23] H. Net, “Why Traditional Cloud Storage Is Unsustainable | Hivenet.” Hivenet.com, 2025. [Online]. Available: <https://www.hivenet.com/post/traditional-cloud-storage-and-its-data-center-energy-consumption-are-unsustainable>
- [24] O. Şereflişan, Havelsan, and M. Koyuncu, “A Review Study on Energy Consumption in Cloud Computing,” *Int. J. Multidiscip. Res.*, vol. 6, 2024, [Online]. Available: <https://www.ijfmr.com/papers/2024/1/11927.pdf>
- [25] A. Shaji. George, “Digital Hoarding: the Rising Environmental and Personal Costs of Information Overload,” *ResearchGate*, pp. 51–67, 2024, doi: 10.5281/zenodo.12802575.
- [26] faisalridwan, “Reduce Your Digital Carbon Footprint by Decluttering Your Digital Life.” Greeneration Foundation, Jan. 2022. [Online]. Available: <https://greeneration.org/en/publication/green-info/reduce-your-digital-carbon-footprint-by-decluttering-your-digital-life/>
- [27] Loughborough University, “Digital Decarbonisation for Greener Supply Chains.” Loughborough University, Mar. 2025. [Online]. Available: <https://www.lboro.ac.uk/schools/business-school/news/2025/digital-decarb-for-greener-supply-chains/>