

## Idv\_inspectionrequest Ribbon Buttons

Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.NewRecord

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/newrecord32.png
  - Modern Image: New
- Command: Mscrm.NewRecordFromGrid
  - FunctionName: XrmCore.Commands.Open.openNewRecord
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeName
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.IsValidForHierarchyPageInUC
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
  - Enable Rule Id: Mscrm.PrimaryIsNotActivityHomePageGrid
    - FunctionName: XrmCore.Rules.Enabled.PrimaryIsNotActivityHomePageGrid
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.CreateSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.ShowForNonRelationshipBoundGrids
    - AppliesTo: SelectedEntity
    - RelationshipType: NoRelationship
  - Display Rule: Mscrm.HideNewForChildEntities
    - AppliesTo: SelectedEntity
    - PropertyName: IsChildEntity
    - PropertyValue: false
  - Display Rule: Mscrm.HideAddressEntities
    - AppliesTo: SelectedEntity
    - EntityName: customeraddress
    - Default: false
    - InvertResult: true
  - Display Rule: Mscrm.SelectedEntityIsNotBPFEEntity

- AppliesTo: SelectedEntity
- PropertyName: IsBPFEntity
- PropertyValue: false
- Display Rule: Mscrm.IsNotActivityPointer
  - AppliesTo: SelectedEntity
  - EntityName: activitypointer
  - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.NewRecordForBPFEntity

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/newrecord32.png
  - Modern Image: New
- Command: Mscrm.HomepageGrid.NewRecordForBPFEntity
  - FunctionName: XrmCore.Commands.NewRecordForBPFEntity.openNewRecord
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypename
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.IsValidForHierarchyPageInUC
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
  - Display Rule: Mscrm.IsPUV2EntityCustomizationEnabled
    - FeatureControlBit: FCB.ProcessUnificationV2EntityCustomization
    - ExpectedValue: true
  - Display Rule: Mscrm.IsBPFEntityCustomizationFeatureEnabled
    - Setting: IsBPFEntityCustomizationFeatureEnabled
  - Display Rule: Mscrm.SelectedEntityIsBPFEntity
    - AppliesTo: SelectedEntity
    - PropertyName: IsBPFEntity
    - PropertyValue: true
  - Display Rule: Mscrm.CreateSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Create
    - PrivilegeDepth: Basic

### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Edit

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/edit32.png
  - Modern Image: Edit
- Command: Mscrm.EditSelectedRecord
  - FunctionName: XrmCore.Commands.BulkEdit.bulkEditRecords
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityType
- Enable Rules:
  - Enable Rule Id: Mscrm.CheckBulkEditSupportForEntity
    - FunctionName: XrmCore.InternalUtilities.DialogUtilities.isMobileCompanionApp
    - Library: \$webresource:Main\_system\_library.js
    - InvertResult: true
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.ShowOnNonModernAndModernIfAllowed
- Display Rules:
  - Display Rule: Mscrm.BulkEditPrivilege
    - PrivilegeName: BulkEdit
  - Display Rule: Mscrm.WriteSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HybridDialogBulkEditEnabled

### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Activate

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Activate\_32.png
  - Modern Image: Activate
- Command: Mscrm.HomepageGrid.Activate
  - FunctionName: XrmCore.Commands.Activate.activateRecords
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences

-- CrmParameter: SelectedEntityTypeName

- Enable Rules:

- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Enable Rule Id: Mscrm.SelectionCountAtLeastOne
  - Minimum: 1
  - AppliesTo: SelectedEntity

- Display Rules:

- Display Rule: Mscrm.CanWriteSelected
  - AppliesTo: SelectedEntity
  - PrivilegeType: Write
  - PrivilegeDepth: Basic
- Display Rule: Mscrm.SelectedEntityHasStatecode
  - AppliesTo: SelectedEntity
  - PropertyName: HasStateCode
  - PropertyValue: true

Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Deactivate

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/Deactivate\_32.png
- Modern Image: DeActivate

- Command: Mscrm.HomepageGrid.Deactivate

- FunctionName: XrmCore.Commands.Deactivate.deactivateRecords
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - CrmParameter: SelectedControl
  - CrmParameter: SelectedControlSelectedItemReferences
  - CrmParameter: SelectedEntityTypeName

- Enable Rules:

- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Enable Rule Id: Mscrm.SelectionCountAtLeastOne
  - Minimum: 1
  - AppliesTo: SelectedEntity

- Display Rules:

- Display Rule: Mscrm.CanWriteSelected
  - AppliesTo: SelectedEntity
  - PrivilegeType: Write
  - PrivilegeDepth: Basic
- Display Rule: Mscrm.SelectedEntityHasStatecode
  - AppliesTo: SelectedEntity
  - PropertyName: HasStateCode
  - PropertyValue: true

**Button: msdyn.ApplicationRibbon.Idv\_inspectionrequest.HomeGrid.BookResource.Button**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: \$webresource:msdyn\_/fps/Icons/CommandBar/Schedule\_32.png
  - Modern Image:
- Command: msdyn.ApplicationRibbon.HomeGrid.BookResource.Command
  - FunctionName: isNaN
  - Library: \$webresource:msdyn\_/fps/LocalizationLibrary/Localization.Library.js
  - Function Parameters:
    - FunctionName: isNaN
    - Library: \$webresource:msdyn\_/fps/Utils/FpsUtils.js
    - Function Parameters:
      - FunctionName: FpsUtils.Form.OpenSBSAMode
      - Library: \$webresource:msdyn\_/fps/Utils/FpsUtils.js
      - Function Parameters:
        - CrmParameter: FirstSelectedItemId
        - CrmParameter: SelectedEntityTypename
- Enable Rules:
  - Enable Rule Id: msdyn.ApplicationRibbon.HomeGrid.BookResource.EnableRule
    - FunctionName: FpsUtils.Form.isBookButtonEnabled
    - Library: \$webresource:msdyn\_/fps/Utils/FpsUtils.js
    - Default: false
    - AppliesTo: SelectedEntity
    - Minimum: 1
    - Maximum: 1

- Display Rules:

- Display Rule:

- msdyn.ApplicationRibbon.HomeGrid.BookResource.DisplayRule.CommandClientTypeRule
- Type: Modern
  - InvertResult: true

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.OpenActiveStage**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/EditForm\_32.png
  - Modern Image: FormDesign
- Command: Mscrm.HomepageGrid.OpenActiveStage
  - FunctionName: XrmCore.Commands.OpenActiveStage.openActiveStageFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControlSelectedItemReferences

- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
- Display Rules:
  - Display Rule: Mscrm.IsPUV2EntityCustomizationEnabled
    - FeatureControlBit: FCB.ProcessUnificationV2EntityCustomization
    - ExpectedValue: true
  - Display Rule: Mscrm.IsBPFEntityCustomizationFeatureEnabled
    - Setting: IsBPFEntityCustomizationFeatureEnabled
  - Display Rule: Mscrm.SelectedEntityIsBPFEntity
    - AppliesTo: SelectedEntity
    - PropertyName: IsBPFEntity
    - PropertyValue: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Detect.Selected

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/DeleteSelected\_32.png
  - Modern Image:
- Command: Mscrm.HomepageGrid.DetectDupesSelected
  - FunctionName: Mscrm.GridRibbonActions.detectDuplicatesSelectedRecords
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlSelectedItemIds
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Detect.All

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/DetectAll\_32.png

- Modern Image:
- Command: Mscrm.HomepageGrid.DetectDupesAll
  - FunctionName: Mscrm.GridRibbonActions.detectDuplicatesAllRecords
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: GuidedHelpIdiv\_inspectionrequest.Grid

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: loadGuidedHelp
  - FunctionName: checkForGuidedHelp
  - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: IsGuidedHelpEnabled
    - FunctionName: enableGuidedHelp
    - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
    - Default: true
    - InvertResult: false
- Display Rules:
  - Display Rule: GuidedHelpDisplayRule
    - Type: Modern
    - Type: Outlook
    - InvertResult: true
    - FeatureControlBit: FCB.GuidedHelp
    - ExpectedValue: true
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern

- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true

#### Button: LPLibraryIdv\_inspectionrequest.Grid

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: launchLPLibrary
  - FunctionName: launchLPLibrary
  - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: IsGuidedHelpEnabled
    - FunctionName: enableGuidedHelp
    - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
    - Default: true
    - InvertResult: false
  - Enable Rule Id: LPLibraryEnabled
    - FunctionName: enableLearningPathDesigner
    - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
    - Default: true
    - InvertResult: false
  - Enable Rule Id: IsNotISH
    - FunctionName: isNotISH
    - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
    - Default: true
    - InvertResult: false
- Display Rules:
  - Display Rule: GuidedHelpDisplayRule
    - Type: Modern
    - Type: Outlook
    - InvertResult: true
    - FeatureControlBit: FCB.GuidedHelp
    - ExpectedValue: true
  - Display Rule: LPPrivilegeRule
    - PrivilegeName: LearningPath
    - PrivilegeDepth: Global
    - Default: false
    - InvertResult: false
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.HideOnModern



- Type: Modern
- InvertResult: true

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.RefreshModernButton**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: Refresh
- Command: Mscrm.Modern.refreshCommand
  - FunctionName: XrmCore.Commands.Refresh.refreshCommand
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.NavigateToHomepageGrid**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: TableGroup
- Command: Mscrm.NavigateToHomepageGrid
  - FunctionName: XrmCore.Commands.NavigateToGrid.navigateToHomepageGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypeName
- Enable Rules:
  - Enable Rule Id: Mscrm.ShowOnDashboardPageUCI
    - Type: Modern
    - FunctionName: XrmCore.Rules.Dashboard.isDashboardPage
    - Library: \$webresource:Main\_system\_library.js

- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.IsNavigateToInUCIEnabled
    - FeatureControlBit: FCB.NavigateToGridFromSubgrid
    - ExpectedValue: true

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.ActionButtonForMSTeams**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: MSTeamsIcon
- Command: Mscrm.HomePageGrid.MSTeamsViewCollaborateCommand
  - FunctionName: OfficeProductivity.RibbonCommands.showMSTeamsViewCollaborateDialog
  - Library: \$webresource:msdyn\_/OfficeProductivity.js
  - Function Parameters:
    - CrmParameter: PrimaryControl

- Enable Rules:
  - Enable Rule Id: OfficeProductivity.RibbonRules.showMSTeamsViewCollaborateCommand
    - FunctionName:

OfficeProductivity.RibbonRules.showMSTeamsViewCollaborateCommand

- Library: \$webresource:msdyn\_/OfficeProductivity.js

- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.IsMSTeamsIntegrationEnabled
    - FeatureControlBit: FCB.MSTeamsIntegration
    - ExpectedValue: true

**Button: msdyn.HomepageGrid.Idv\_inspectionrequest.LaunchPlaybook.Button**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: \$webresource:Playbook/msdyn\_/Images/SVG/PlaybookInstancelcon.svg
- Command: Playbook.HomepageGrid.Launch
  - FunctionName: PlaybookService.GridCommandBarActions.LaunchPlaybook
  - Library:

\$webresource:Playbook/CommandBarActions/Playbook\_CommandBarActions\_library.js

- Function Parameters:
  - CrmParameter: SelectedControlSelectedItemReferences
  - CrmParameter: PrimaryControl

- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.IsPlaybookTemplateAvailableFromGrid
    - FunctionName: PlaybookService.GridCommandBarActions.IsDisplayPlayBook
    - Library:

\$webresource:Playbook/CommandBarActions/Playbook\_CommandBarActions\_library.js

- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.CanLaunchPlaybook
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: msdyn\_playbookinstance
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: msdyn\_playbooktemplate
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
    - EntityName: msdyn\_playbookactivity
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
    - EntityName: msdyn\_callablecontext
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.IsPlaybookFeatureEnabled
    - FeatureControlBit: FCB.Playbook
    - ExpectedValue: true

Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.SendDirectEmail

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Email\_32.png
  - Modern Image: EmailLink
- Command: Mscrm.AddEmailToSelectedRecord
  - FunctionName: Mscrm.GridRibbonActions.sendBulkEmail
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemIds
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlAllItemCount

- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.WriteActivityPermission
    - EntityName: activitypointer
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.SelectedEntityIsListedForSendDirectEmailOrEmailable
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.modern.SendDirectEmail

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Email\_32.png
  - Modern Image: EmailLink
- Command: Mscrm.modern.AddEmailToSelectedRecord
  - FunctionName: Activities.BulkEmailDialog.openBulkEmailDialog
  - Library: \$webresource:Activities/SystemLibraries/InsertEmailTemplate.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemIds
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsBulkEmailInUciEnabled
    - FunctionName: Activities.BulkEmailDialog.IsSendBulkEmailInUciEnabled
    - Library: \$webresource:Activities/SystemLibraries/InsertEmailTemplate.js
- Display Rules:
  - Display Rule: Mscrm.WriteActivityPermission
    - EntityName: activitypointer
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.SelectedEntityIsListedForSendDirectEmailOrEmailable

- Display Rule: Mscrm.ShowOnlyOnModern
  - Type: Modern

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Assign

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Assign\_32.png
  - Modern Image: Assign
- Command: Mscrm.AssignSelectedRecord
  - FunctionName: XrmCore.Commands.Assign.assignSelectedRecords
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityType
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.IsValidForHierarchyPageInUC
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.AssignSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Assign
    - PrivilegeDepth: Basic

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Sharing

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Sharing\_32.png
  - Modern Image: Share
- Command: Mscrm.ShareSelectedRecord
  - FunctionName: XrmCore.Commands.Share.shareSelectedRecords

- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - CrmParameter: SelectedControl
  - CrmParameter: SelectedControlSelectedItemReferences
  - CrmParameter: SelectedEntityTypeName
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.ShareValid
    - FunctionName: XrmCore.Commands.Share.isShareValid
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.ShowOnNonModernAndModernIfAllowed
- Display Rules:
  - Display Rule: Mscrm.ShareSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Share
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HybridDialogShareEnabled

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.ViewHierarchy

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Hierarchy\_32.png
  - Modern Image: ViewHierarchy
- Command: Mscrm.ViewHierarchyForSelectedRecord
  - FunctionName: XrmCore.Commands.Hierarchy.ViewHierarchyFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.IsRecordHierarchyEnabled
    - FunctionName: XrmCore.Rules.Hierarchy.IsRecordHierarchyEnabled
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne

- Minimum: 1
- Maximum: 1
- AppliesTo: SelectedEntity

- Display Rules:

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Copy.Selected**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/copyshortcut32.png
  - Modern Image:
- Command: Mscrm.CopyShortcutSelected
  - FunctionName: Mscrm.Utilities.sendSelectedRecordsUrl
  - Library: /\_common/global.ashx
  - Function Parameters:
    - BoolParameter: false
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.EnableInIEBrowser
    - FunctionName: Mscrm.IsIEBrowser\_0
    - Library: \$Webresource:Ribbon\_main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Copy.View**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/CopyView\_32.png
  - Modern Image:
- Command: Mscrm.CopyShortcutView
  - FunctionName: XrmCore.Commands.EmailCopyLink.sendCurrentViewUrl
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - BoolParameter: false
    - CrmParameter: SelectedControl

- Enable Rules:

- Display Rules:

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Send.Selected**

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/SendShortcut\_32.png
- Modern Image: EmailLink

- Command: Mscrm.SendShortcutSelected

- FunctionName: XrmCore.Commands.EmailCopyLink.emailCopyLinkRecords
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - BoolParameter: true
  - CrmParameter: SelectedControlSelectedItemReferences
  - CrmParameter: SelectedEntityTypename

- Enable Rules:

- Enable Rule Id: Mscrm.SelectionCountAtLeastOne
  - Minimum: 1
  - AppliesTo: SelectedEntity
- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Enable Rule Id: Mscrm.IsValidForHierarchyView
  - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
  - Library: \$webresource:Main\_system\_library.js
- Enable Rule Id: Mscrm.IsValidForHierarchyPageInUC
  - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
  - Library: \$webresource:Main\_system\_library.js

- Display Rules:

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Send.View**

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/SendView\_32.png
- Modern Image: EmailLink

- Command: Mscrm.SendShortcutView

- FunctionName: XrmCore.Commands.EmailCopyLink.sendCurrentViewUrl
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - BoolParameter: true
  - CrmParameter: SelectedControl



- Enable Rules:
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.IsValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddConnectionNew

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: ConnectionToOther
- Command: Mscrm.AddConnectionGrid
  - FunctionName: Mscrm.GridRibbonActions.addConnection
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControlSelectedItemReferences
    - BoolParameter: false
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.CreateConnection
    - PrivilegeName: CreateConnection
  - Display Rule: Mscrm.IsConnectionsEnabledSelected
    - Default: false
    - AppliesTo: SelectedEntity
    - PropertyName: IsConnectionsEnabled
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddConnectionToMe

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: ConnectionToMe
- Command: Mscrm.AddConnectionToMeGrid
  - FunctionName: Mscrm.GridRibbonActions.addConnection
  - Library: /\_static/\_common/scripts/RibbonActions.js

- Function Parameters:
  - CrmParameter: SelectedControlSelectedItemReferences
  - BoolParameter: true
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.CreateConnection
    - PrivilegeName: CreateConnection
  - Display Rule: Mscrm.IsConnectionsEnabledSelected
    - Default: false
    - AppliesTo: SelectedEntity
    - PropertyName: IsConnectionsEnabled
    - PropertyValue: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddToQueue

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/AddToQueue\_32.png
  - Modern Image: AddToQueue
- Command: Mscrm.AddSelectedToQueue
  - FunctionName: AppCommon.Commands.Queue.AddGridRecordsToQueue
  - Library: \$webresource:AppCommon/Commands/QueueCommands.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AppendToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.WorksWithQueueSelected
    - Default: false

- AppliesTo: SelectedEntity
- PropertyName: WorksWithQueue
- PropertyValue: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.FollowButton

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Entity32\_8003.png
  - Modern Image: RatingEmpty
- Command: Mscrm.HomepageGrid.FollowCommand
  - FunctionName: Follow.FollowCommands.followFromGrid
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: msdyn.ActivityFeeds.IsEntityWallEnabledActive
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowCommands.dummy
    - Library: \$webresource:msdyn\_/Scripts/PlatformScriptLoader.js
    - FunctionName: Follow.FollowCommands.dummy
    - Library: \$webresource:msdyn\_/InstalledLocales.js
    - FunctionName: Follow.FollowCommands.dummy
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowEnabled.isEntityWallEnabled
  - Enable Rule Id: msdyn.ActivityFeeds.Yammer.ShouldEnableFollow
    - Default: true
    - FunctionName: Follow.FollowEnableYammerCheck.shouldEnableFollow
    - Library: \$webresource:msdyn\_/Follow.Command.js
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: msdyn.ActivityFeeds.IsMultiRecordFollowAllowed
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowEnabled.isMultiRecordFollowAllowed

- Display Rules:
  - Display Rule: msdyn.ActivityFeeds.ShowFollowButton
    - AppliesTo: SelectedEntity
    - EntityName: postfollow
    - Default: true
    - InvertResult: true
    - EntityName: postfollow
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: postfollow
    - PrivilegeType: Read
    - PrivilegeDepth: Basic

### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.UnfollowButton

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Entity32\_8003\_u.png
  - Modern Image: RatingFull
- Command: Mscrm.HomepageGrid.UnfollowCommand
  - FunctionName: Follow.FollowCommands.unfollowFromGrid
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: msdyn.ActivityFeeds.IsEntityWallEnabledInActive
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowCommands.dummy
    - Library: \$webresource:msdyn\_/Scripts/PlatformScriptLoader.js
    - FunctionName: Follow.FollowCommands.dummy
    - Library: \$webresource:msdyn\_/InstalledLocales.js
    - FunctionName: Follow.FollowCommands.dummy
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowEnabled.isEntityWallEnabled
  - Enable Rule Id: Mscrm.IsValidForHierarchyView

- FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
- Library: \$webresource:Main\_system\_library.js
- Enable Rule Id: msdyn.ActivityFeeds.IsMultiRecordFollowAllowed
  - Default: false
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - FunctionName: Follow.FollowEnabled.IsMultiRecordFollowAllowed
- Display Rules:
  - Display Rule: msdyn.ActivityFeeds.ShowUnfollowButton
    - AppliesTo: SelectedEntity
    - EntityName: postfollow
    - Default: true
    - InvertResult: true
    - EntityName: postfollow
    - PrivilegeType: Delete
    - PrivilegeDepth: Basic
    - EntityName: postfollow
    - PrivilegeType: Read
    - PrivilegeDepth: Basic

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.RunWorkflow

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/runworkflow32.png
  - Modern Image:
- Command: Mscrm.RunWorkflowSelected
  - FunctionName: Mscrm.GridRibbonActions.launchOnDemandWorkflow
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
    - StringParameter:
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.RunWorkflowSelected
    - FunctionName: Mscrm.GridRibbonActions.enableWorkflowOnGrid
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js

- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.HideForTabletExperience

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.RunScript**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/startdialog\_32.png
  - Modern Image:
- Command: Mscrm.RunInteractiveWorkflowSelected
  - FunctionName: Mscrm.GridCommandActions.runScript
  - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Function Parameters:
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.RunWorkflowSelected
    - FunctionName: Mscrm.GridRibbonActions.enableWorkflowOnGrid
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.HideForTabletExperience

**Button: AIBuilder.Idv\_inspectionrequest.Flyout.Menu.MenuSection.Controls.CreateModel.Dummy**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: \$webresource:msdyn\_AIBuilder.svg
- Command: AIBuilder.Command.CreateModel
  - FunctionName: AIBuilder.Commands.CreateModel

- Library: \$webresource:msdyn\_AIBuilder.js
- Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.AnySelection
    - AppliesTo: SelectedEntity
- Display Rules:

**Button: AIBuilder.Idv\_inspectionrequest.Flyout.Menu.MenuSection.Controls.SeeModels.Dummy**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: \$webresource:msdyn\_AIBuilder.svg
- Command: AIBuilder.Command.SeeModels
  - FunctionName: AIBuilder.Commands.SeeModels
  - Library: \$webresource:msdyn\_AIBuilder.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.AnySelection
    - AppliesTo: SelectedEntity
- Display Rules:

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.ExportToExcelOnline**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.Online
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityType
    - IntParameter: 6
- Enable Rules:
  - Enable Rule Id: Mscrm.ExportToExcel.ValidForXlsxExport
    - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.EnableExportToExcelOnlineForModern
    - FunctionName: XrmCore.Rules.Enabled.enableExportToExcelOnlineForModern

- Library: \$webresource:Main\_system\_library.js
- Enable Rule Id: Mscrm.EnableOnlyInBrowsersForModern
  - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
  - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.Live
    - Sku: Online
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideOnOutlookClient
    - Type: Outlook
    - InvertResult: true
  - Display Rule: Mscrm.NotAdvancedFind
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
    - Address: /advancedfind/advfind.aspx
    - InvertResult: true
  - Display Rule: Mscrm.HideOnPhoneForNonModern
  - Display Rule: Mscrm.HideForTabletExperience

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.StaticWorksheetAll**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.AllStaticXlsx
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypename
    - IntParameter: 5
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideForTabletExperience

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.StaticWorksheet**

- Icon:



- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
- Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.StaticXlsx
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypename
    - IntParameter: 4

- Enable Rules:

- Display Rules:
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideForTabletExperience

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.DynamicWorkesheet

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.DynamicXlsx
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypename
    - IntParameter: 2
- Enable Rules:
  - Enable Rule Id: Mscrm.ExportToExcel.ValidForXlsxExport
    - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.EnableOnlyInBrowsersForModern
    - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideForTabletExperience

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.DynamicPivotTable**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.PivotXlsx
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypeNames
    - IntParameter: 3
- Enable Rules:
  - Enable Rule Id: Mscrm.ExportToExcel.ValidForXlsxExport
    - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.EnableOnlyInBrowsersForModern
    - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideForTabletExperience

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.ExportSelectedToExcel**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
- Command: Mscrm.ExportSelectedToExcel
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypeNames
    - IntParameter: 5
    - CrmParameter: SelectedControlSelectedItemIds
- Enable Rules:
  - Enable Rule Id: Mscrm.ExportToExcel

- FunctionName: XrmCore.Rules.Export.EnableExportToExcel
- Library: \$webresource:Main\_system\_library.js
- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Enable Rule Id: Mscrm.SelectionCountAtLeastOne
  - Minimum: 1
  - AppliesTo: SelectedEntity
- Display Rules:
  - Display Rule: Mscrm.ExportToExcelPrivilege
    - PrivilegeName: ExportToExcel
  - Display Rule: Mscrm.HideForTabletExperience
  - Display Rule: Mscrm.ShowExportSelectedToExcel
  - Display Rule: Mscrm.HideOnOutlookClient
    - Type: Outlook
    - InvertResult: true

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.ImportDataFromCSV**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: ExportToExcel
- Command: Mscrm.ImportDataFromCSV
  - FunctionName: XrmCore.Commands.Import.importFromCSV
  - Library: \$Webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityType
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableImportForWeb
    - FunctionName: XrmCore.Rules.Enabled.enableImportForWeb
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.SelectedEntityIsNotBPFEntity
    - AppliesTo: SelectedEntity
    - PropertyName: IsBPFEntity
    - PropertyValue: false

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.ImportDataFromXML**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:

- Modern Image: ExportToExcel
- Command: Mscrm.ImportDataFromXML
  - FunctionName: importFromXML
  - Library: \$webresource:AppCommon/ImportExport/ImportExport\_main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityType
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableImportForWeb
    - FunctionName: XrmCore.Rules.Enabled.enableImportForWeb
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.SelectedEntityIsNotBPFEntity
    - AppliesTo: SelectedEntity
    - PropertyName: IsBPFEntity
    - PropertyValue: false

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.ImportData**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/importdata32.png
  - Modern Image:
- Command: Mscrm.ImportData
  - FunctionName: Mscrm.ImportData\_0
  - Library: \$Webresource:Ribbon\_main\_system\_library.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.IsNotlos
    - FunctionName: Mscrm.Islos\_0
    - Library: \$Webresource:Ribbon\_main\_system\_library.js
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.HideForTabletExperience
  - Display Rule: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Display Rule: Mscrm.ImportData
    - EntityName: import
    - PrivilegeType: Create

- PrivilegeDepth: Basic
- EntityName: import
- PrivilegeType: Delete
- PrivilegeDepth: Basic
- EntityName: import
- PrivilegeType: Read
- PrivilegeDepth: Basic
- EntityName: import
- PrivilegeType: Write
- PrivilegeDepth: Basic
- EntityName: importmap
- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: importmap
- PrivilegeType: Read
- PrivilegeDepth: Basic
- EntityName: importmap
- PrivilegeType: AppendTo
- PrivilegeDepth: Basic
- Display Rule: Mscrm.HideOnSettingsCommandBarPage
- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true
- Display Rule: Mscrm.SelectedEntityIsNotBPFEntity
  - AppliesTo: SelectedEntity
  - PropertyName: IsBPFEntity
  - PropertyValue: false

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.ExportTemplate

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/ExportTemplate\_32.png
  - Modern Image:
- Command: Mscrm.ExportDataTemplate
  - FunctionName: Mscrm.ExportDataTemplate\_0
  - Library: \$Webresource:Ribbon\_main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedEntityType
- Enable Rules:
  - Enable Rule Id: Mscrm.CanExportDataTemplate
    - FunctionName: Mscrm.GridRibbonActions.IsValidForExportDataTemplate
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.HideForTabletExperience

- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AdvancedFind

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/advancedfind32.png
  - Modern Image:
- Command: Mscrm.OpenGridAdvancedFind
  - FunctionName: Mscrm.RibbonActions.openAdvancedFind
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.HideForTabletExperience
  - Display Rule: Mscrm.OutlookClient
    - Type: Outlook

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Meqf

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/search\_normal.gif
  - Modern Image:
- Command: Mscrm.OpenMultipleEntityQuickFindSearch
  - FunctionName: Mscrm.RibbonActions.openMultipleEntityQuickFindSearch
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.OutlookClient
    - Type: Outlook
  - Display Rule: Mscrm.HideOnModern

- Type: Modern
- InvertResult: true

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Help**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Help\_32.png
  - Modern Image:
- Command: Mscrm.OutlookHelp
- Enable Rules:
  - Enable Rule Id: Mscrm.ShowOnlyInOutlookExplorerOrInspector
    - FunctionName: Mscrm.RibbonActions.isOutlookExplorerOrInspector
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.OutlookClient
    - Type: Outlook
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.SaveAsDefaultGridView**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/setasdefaultview32.png
  - Modern Image:
- Command: Mscrm.SaveAsDefaultGridView
  - FunctionName: Mscrm.RibbonActions.saveAsDefaultGridView
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.SetDefaultGridViewButtonEnabled
    - FunctionName: Mscrm.RibbonActions.enableSetDefaultGridViewButton
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.EnableOnHomePageAspx
    - Address: /\_root/homepage.aspx
- Display Rules:
  - Display Rule: Mscrm.NotAdvancedFind
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
    - Address: /advancedfind/advfind.aspx

- InvertResult: true
- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.CustomizePreviewPane

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/CustomPreviewPane\_32.png
  - Modern Image:
- Command: Mscrm.CustomizePreviewPane
- Enable Rules:
  - Enable Rule Id: Mscrm.ShowOnlyInOutlookExplorerOrInspector
    - FunctionName: Mscrm.RibbonActions.isOutlookExplorerOrInspector
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.OutlookClient
    - Type: Outlook
  - Display Rule: Mscrm.OutlookClientNotVersion11
    - Version: 2003
    - InvertResult: true
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.SaveToCurrent

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/savefilters32.png
  - Modern Image:
- Command: Mscrm.SaveToCurrentView
  - FunctionName: Mscrm.RibbonActions.gridFiltersSaveToCurrentView
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.UserQuerySelected
    - FunctionName: Mscrm.RibbonActions.isUserQuerySelected
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.EnableSaveButton



- FunctionName: Mscrm.GridCommandActions.canEnableSaveButton
- Library: /\_static/\_common/scripts/CommandBarActions.js
- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.GridFiltersEnabled
    - AppliesTo: SelectedEntity
    - PropertyName: GridFiltersEnabled
    - PropertyValue: true
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
  - Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.SaveAsNew

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/savefiltersasview32.png
  - Modern Image:
- Command: Mscrm.SaveAsNewView
  - FunctionName: Mscrm.RibbonActions.gridFiltersSaveAsNewView
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableSaveButton
    - FunctionName: Mscrm.GridCommandActions.canEnableSaveButton
    - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.GridFiltersEnabled
    - AppliesTo: SelectedEntity
    - PropertyName: GridFiltersEnabled
    - PropertyValue: true
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.NewView

- Icon:
  - Image 16x16: {image16x16}

- Image 32x32: /\_imgs/ribbon/NewView\_32.png
- Modern Image:
- Command: Mscrm.NewPersonalView
  - FunctionName: Mscrm.RibbonActions.createPersonalView
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.userquery.Create
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: userquery
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.RefreshButton

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Refresh\_32.png
  - Modern Image:
- Command: Mscrm.RefreshGrid
  - FunctionName: Mscrm.RibbonActions.refreshGrid
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.ShowOnlyInOutlookExplorerOrInspector
    - FunctionName: Mscrm.RibbonActions.isOutlookExplorerOrInspector
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.New

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/newchart32.png
  - Modern Image:

- Command: Mscrm.VisualizationTab.NewChart
  - FunctionName: Mscrm.RibbonActions.createNewVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.VisualizationPaneRuntimeMode
    - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.IsFetchxmlQuery
    - FunctionName: Mscrm.RibbonActions.isFetchxmlQuery
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.Create
    - EntityName: userqueryvisualization
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.userqueryvisualization.Read
    - EntityName: userqueryvisualization
    - PrivilegeType: Read
    - PrivilegeDepth: Basic

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.Edit

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/editchart32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.EditChart
  - FunctionName: Mscrm.RibbonActions.editVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.VisualizationPaneRuntimeMode
    - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.IsChartSelected
    - FunctionName: Mscrm.RibbonActions.isChartSelected
    - Library: /\_static/\_common/scripts/RibbonActions.js

- Enable Rule Id: Mscrm.UserVisualizationSelected
  - FunctionName: Mscrm.RibbonActions.isUserQueryVisualizationSelected
  - Library: /\_static/\_common/scripts/RibbonActions.js
- Enable Rule Id: Mscrm.IsParentChartLoaded
  - FunctionName: Mscrm.RibbonActions.isDrilldownMode
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - InvertResult: true
- Enable Rule Id: Mscrm.IsFetchxmlQuery
  - FunctionName: Mscrm.RibbonActions.isFetchxmlQuery
  - Library: /\_static/\_common/scripts/RibbonActions.js
- Enable Rule Id: Mscrm.IsDefaultVisualizationModule
  - FunctionName: Mscrm.RibbonActions.isDefaultVisualizationModule
  - Library: /\_static/\_common/scripts/RibbonActions.js
- Enable Rule Id: Mscrm.NotOffline
  - State: Offline
  - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.Write
    - EntityName: userqueryvisualization
    - PrivilegeType: Write
    - PrivilegeDepth: Basic

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.Expand

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/expandchart32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.ExpandChart
  - FunctionName: Mscrm.RibbonActions.expandVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.WebClient
    - Type: Web

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.SaveCopy

- Icon:
  - Image 16x16: {image16x16}

- Image 32x32: /\_imgs/ribbon/saveaschart32.png
- Modern Image:
- Command: Mscrm.VisualizationTab.CopyChart
  - FunctionName: Mscrm.RibbonActions.copyVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableSaveAsChart
    - FunctionName: Mscrm.RibbonActions.isSaveAsChartEnabled
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.Create
    - EntityName: userqueryvisualization
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.userqueryvisualization.Read
    - EntityName: userqueryvisualization
    - PrivilegeType: Read
    - PrivilegeDepth: Basic

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.Import

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/importchart32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.ImportChart
  - FunctionName: Mscrm.RibbonActions.importVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.VisualizationPaneRuntimeMode
    - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true

- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.Create
    - EntityName: userqueryvisualization
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.userqueryvisualization.Read
    - EntityName: userqueryvisualization
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideForTabletExperience

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.Export

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exportchart32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.ExportChart
  - FunctionName: Mscrm.RibbonActions.exportVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.VisualizationPaneRuntimeMode
    - FunctionName: Mscrm.RibbonActions.isVisualizationPanelInRuntimeMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.IsChartSelected
    - FunctionName: Mscrm.RibbonActions.isChartSelected
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.IsParentChartLoaded
    - FunctionName: Mscrm.RibbonActions.isDrilldownMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
    - InvertResult: true
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.HideForTabletExperience
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.Delete

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/deletechart32.png
  - Modern Image:
- Command: Mscrm.DeleteChart
  - FunctionName: Mscrm.RibbonActions.deleteVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.IsDeleteVisualizationEnabled
    - FunctionName: Mscrm.RibbonActions.isDeleteVisualizationEnabled
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.VisualizationPaneRuntimeMode
    - FunctionName: Mscrm.RibbonActions.isVisualizationPanelInRuntimeMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.EnableOnHomePageAspxOrOutlook
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.Delete
    - EntityName: userqueryvisualization
    - PrivilegeType: Delete
    - PrivilegeDepth: Basic

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.RefreshButton

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Refresh\_32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.RefreshChart
  - FunctionName: Mscrm.RibbonActions.refreshVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.VisualizationPaneRuntimeMode
    - FunctionName: Mscrm.RibbonActions.isVisualizationPanelInRuntimeMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.IsChartSelected

- FunctionName: Mscrm.RibbonActions.isChartSelected
- Library: /\_static/\_common/scripts/RibbonActions.js

- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.Assign

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Assign\_32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.AssignVisualization
  - FunctionName: Mscrm.RibbonActions.assignVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableAssignShareChartButton
    - FunctionName: Mscrm.RibbonActions.enableAssignShareChartButton
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.IsParentChartLoaded
    - FunctionName: Mscrm.RibbonActions.isDrilldownMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
    - InvertResult: true
  - Enable Rule Id: Mscrm.VisualizationPaneRuntimeMode
    - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.Assign
    - EntityName: userqueryvisualization
    - PrivilegeType: Assign
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.Chart.Share

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Sharing\_32.png
  - Modern Image:



- Command: Mscrm.VisualizationTab.ShareVisualization
  - FunctionName: Mscrm.RibbonActions.shareVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableAssignShareChartButton
    - FunctionName: Mscrm.RibbonActions.enableAssignShareChartButton
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.IsParentChartLoaded
    - FunctionName: Mscrm.RibbonActions.isDrilldownMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
    - InvertResult: true
  - Enable Rule Id: Mscrm.VisualizationPaneRuntimeOrEditMode
    - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeOrEditMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.Share
    - EntityName: userqueryvisualization
    - PrivilegeType: Share
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddFile

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Attachment\_32.png
  - Modern Image:
- Command: Mscrm.AddFileToSelectedRecord
  - FunctionName: Mscrm.RibbonActions.addFileToRecord
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: FirstSelectedItemId
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1

- AppliesTo: SelectedEntity
- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Enable Rule Id: Mscrm.IsNotlos
  - FunctionName: Mscrm.Islos\_0
  - Library: \$Webresource:Ribbon\_main\_system\_library.js
  - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.AppendToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.CreateAndAppendNote
    - EntityName: annotation
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: annotation
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - EntityName: annotation
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
    - EntityName: annotation
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.SelectedEntityHasNotes
  - Display Rule: Mscrm.HideOnCommandBar

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddNote**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/noteyellowadd32.png
  - Modern Image:
- Command: Mscrm.AddNoteToSelectedRecord
  - FunctionName: Mscrm.RibbonActions.addNoteToRecord
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: FirstSelectedItemId
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized

- Display Rules:
  - Display Rule: Mscrm.AppendToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.CreateAndAppendNote
    - EntityName: annotation
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: annotation
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - EntityName: annotation
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
    - EntityName: annotation
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.SelectedEntityHasNotes
  - Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddTask

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4212.png
  - Modern Image:
- Command: Mscrm.AddTaskToSelectedRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: task
    - StringParameter:
    - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AddActivityToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo

- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Append
- PrivilegeDepth: Basic
- AppliesTo: SelectedEntity
- PropertyName: HasActivities
- PropertyValue: true
- Display Rule: Mscrm.HideOnCommandBar

### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddEmail

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Email\_32.png
  - Modern Image:
- Command: Mscrm.SendEmailToSelectedRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: email
    - StringParameter:
    - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AddActivityToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: SelectedEntity
    - PropertyName: HasActivities
    - PropertyValue: true

- Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddPhone

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4210.png
  - Modern Image:
- Command: Mscrm.AddPhoneToSelectedRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: phonecall
    - StringParameter:
    - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AddActivityToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: SelectedEntity
    - PropertyName: HasActivities
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddLetter

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4207.png
  - Modern Image:
- Command: Mscrm.AddLetterToSelectedRecord

- FunctionName: XrmCore.Commands.Add.AddActivityFromGrid
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - StringParameter: letter
  - StringParameter:
  - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AddActivityToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: SelectedEntity
    - PropertyName: HasActivities
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnCommandBar

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddFax**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4204.png
  - Modern Image:
- Command: Mscrm.AddFaxToSelectedRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: fax
    - StringParameter:
    - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1

- Maximum: 1
- AppliesTo: SelectedEntity
- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AddActivityToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: SelectedEntity
    - PropertyName: HasActivities
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddAppointment

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4201.png
  - Modern Image:
- Command: Mscrm.AddAppointmentToSelectedRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: appointment
    - StringParameter:
    - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AddActivityToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer

- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Append
- PrivilegeDepth: Basic
- AppliesTo: SelectedEntity
- PropertyName: HasActivities
- PropertyValue: true
- Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddRecurringAppointment

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/RecurringAppointmentInstance\_32.png
  - Modern Image:
- Command: Mscrm.AddRecurringAppointmentToSelectedRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: recurringappointmentmaster
    - StringParameter:
    - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AddActivityToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: SelectedEntity
    - PropertyName: HasActivities
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnCommandBar



**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddServiceActivity**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/AddServiceActivity\_32.png
  - Modern Image:
- Command: Mscrm.AddServiceActivityToSelectedRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - IntParameter: 4214
    - StringParameter:
    - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AddActivityToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: SelectedEntity
    - PropertyName: HasActivities
    - PropertyValue: true
  - Display Rule: Mscrm.CreateServiceAppointment
    - EntityName: service
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
    - EntityName: service
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnCommandBar

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.MailMerge**

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/mailmerge32.png
- Modern Image:
  
- Command: Mscrm.MailMergeSelected
  - FunctionName: Mscrm.GridRibbonActions.webMailMerge
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemIds
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlAllItemCount
  
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsNotlos
    - FunctionName: Mscrm.Islos\_0
    - Library: \$Webresource:Ribbon\_main\_system\_library.js
    - InvertResult: true
  
- Display Rules:
  - Display Rule: Mscrm.MailMergeSelected
    - AppliesTo: SelectedEntity
    - PropertyName: MailMergeEnabled
    - PropertyValue: true
    - PrivilegeName: MailMerge
    - EntityName: mailmergetemplate
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.AddCampaignResponse

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4401.png
  - Modern Image:
- Command: Mscrm.AddCampaignResponseToSelectedRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityFromGrid
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - IntParameter: 4401
    - StringParameter:
    - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AddActivityToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: SelectedEntity
    - PropertyName: HasActivities
    - PropertyValue: true
  - Display Rule: Mscrm.CreateCampaignResponse
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.SelectedEntityHasCampaignResponse
  - Display Rule: Mscrm.HideOnCommandBar

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.DesignView**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/DesignView\_32.png
  - Modern Image:

- Command: Mscrm.DesignView
  - FunctionName: Mscrm.GridCommandActions.designView
  - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.IsSystemViewLoaded
    - FunctionName: Mscrm.RibbonActions.isSystemViewLoaded
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.savedquery.Update
    - PrivilegeType: Write
    - PrivilegeDepth: Global
    - EntityName: savedquery
  - Display Rule: Mscrm.WriteCustomization
    - PrivilegeName: WriteCustomization
  - Display Rule: Mscrm.OpenCustomizations
    - PrivilegeType: Read
    - PrivilegeDepth: Global
    - EntityName: solution
    - PrivilegeType: Read
    - PrivilegeDepth: Global
    - EntityName: publisher
  - Display Rule: Mscrm.IsCustomizable
    - AppliesTo: SelectedEntity
    - PropertyName: IsCustomizable
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.SystemView

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/SystemViews\_32.png
  - Modern Image:
- Command: Mscrm.CreateView
  - FunctionName: Mscrm.GridCommandActions.createSystemView
  - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeCode

- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.savedquery.Create
    - PrivilegeType: Create
    - PrivilegeDepth: Global
    - EntityName: savedquery
  - Display Rule: Mscrm.WriteCustomization
    - PrivilegeName: WriteCustomization
  - Display Rule: Mscrm.OpenCustomizations
    - PrivilegeType: Read
    - PrivilegeDepth: Global
    - EntityName: solution
    - PrivilegeType: Read
    - PrivilegeDepth: Global
    - EntityName: publisher
  - Display Rule: Mscrm.IsCustomizable
    - AppliesTo: SelectedEntity
    - PropertyName: IsCustomizable
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.CustomizeEntity

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/CustomEntity\_32.png
  - Modern Image:
- Command: Mscrm.CustomizeEntity
  - FunctionName: Mscrm.RibbonActions.openEntityEditor
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.WriteCustomization
    - PrivilegeName: WriteCustomization
  - Display Rule: Mscrm.OpenCustomizations

- PrivilegeType: Read
- PrivilegeDepth: Global
- EntityName: solution
- PrivilegeType: Read
- PrivilegeDepth: Global
- EntityName: publisher
- Display Rule: Mscrm.NotOffline
  - State: Offline
  - InvertResult: true
- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true
- Display Rule: Mscrm.HideForTabletExperience
- Display Rule: Mscrm.ShowOnGridAndLegacy

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.ManageView

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/FormEditorRibbon/Properties\_32.png
  - Modern Image:
- Command: Mscrm.ManageViews
  - FunctionName: Mscrm.GridCommandActions.manageViews
  - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.savedquery.Read
    - PrivilegeType: Read
    - PrivilegeDepth: Global
    - EntityName: savedquery
  - Display Rule: Mscrm.OpenCustomizations
    - PrivilegeType: Read
    - PrivilegeDepth: Global
    - EntityName: solution
    - PrivilegeType: Read
    - PrivilegeDepth: Global
    - EntityName: publisher
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

## Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.SaveFiltersToCurrentSystemView

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/savefilters32.png
  - Modern Image:
- Command: Mscrm.SaveFilterForSystemQuery
  - FunctionName: Mscrm.RibbonActions.gridFiltersSaveToCurrentView
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.SystemQuerySelected
    - FunctionName: Mscrm.RibbonActions.isSystemQuerySelected
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.EnableSaveButton
    - FunctionName: Mscrm.GridCommandActions.canEnableSaveButton
    - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.GridFiltersEnabled
    - AppliesTo: SelectedEntity
    - PropertyName: GridFiltersEnabled
    - PropertyValue: true
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
  - Display Rule: Mscrm.savedquery.Update
    - PrivilegeType: Write
    - PrivilegeDepth: Global
    - EntityName: savedquery
  - Display Rule: Mscrm.WriteCustomization
    - PrivilegeName: WriteCustomization
  - Display Rule: Mscrm.IsCustomizable
    - AppliesTo: SelectedEntity
    - PropertyName: IsCustomizable
    - PropertyValue: true

## Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.PublishEntity

- Icon:
  - Image 16x16: {image16x16}

- Image 32x32: /\_imgs/ribbon/PublishEntity\_32.png
- Modern Image:
- Command: Mscrm.PublishEntity
  - FunctionName: Mscrm.FormEditor.PublishEntity
  - Library: /\_common/global.ashx
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.WriteCustomization
    - PrivilegeName: WriteCustomization
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.PublishAll

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/PublishAll\_32.png
  - Modern Image:
- Command: Mscrm.PublishAll
  - FunctionName: Mscrm.FormEditor.PublishAll
  - Library: /\_common/global.ashx
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.WriteCustomization
    - PrivilegeName: WriteCustomization
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true



### Button: MailApp.Form.SetRegarding.Idv\_inspectionrequest.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: LinkArticle
- Command: MailApp.Form.SetRegarding.Command
  - FunctionName: MailApp.ContextualSetRegarding
  - Library: \$webresource:new\_MailAppScriptResource
  - Function Parameters:
    - CrmParameter: PrimaryControl
- Enable Rules:
  - Enable Rule Id: MailApp.Rules.HasTrackAction
    - Default: false
    - FunctionName: HasMailContextAction
    - Library: \$webresource:new\_MailAppScriptResource
  - Enable Rule Id: MailApp.Rules.IsTrackAllowed
    - Default: false
    - FunctionName: IsTrackAllowed
    - Library: \$webresource:new\_MailAppScriptResource
  - Enable Rule Id: MailApp.Rules.IsRecordSaved
    - Default: false
    - FunctionName: IsRecordSaved
    - Library: \$webresource:new\_MailAppScriptResource
  - Enable Rule Id: MailApp.Rules.IsNotSetRegardingCurrentRecord
    - Default: false
    - FunctionName: IsSetRegardingCurrentRecord
    - Library: \$webresource:new\_MailAppScriptResource
    - InvertResult: true
- Display Rules:
  - Display Rule: MailApp.Rules.HasActivities
    - PropertyName: HasActivities
    - PropertyValue: true
    - AppliesTo: PrimaryEntity
    - Default: false

### Button: Mscrm.Form.Idv\_inspectionrequest.Save

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Save\_32.png
  - Modern Image: Save
- Command: Mscrm.SavePrimary
  - FunctionName: XrmCore.Commands.Save.saveForm

- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - CrmParameter: PrimaryControl
- Enable Rules:
  - Enable Rule Id: Mscrm.AvailableOnForm
    - AppliesTo: PrimaryEntity
    - Default: false
    - Context: Form
  - Enable Rule Id: Mscrm.CanSavePrimary
  - Enable Rule Id: Mscrm.ReadPrimaryPermission
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Read
  - Enable Rule Id: Mscrm.IsAutoSaveDisable
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
  - Display Rule: Mscrm.CanSavePrimaryEntityType
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Read
    - PrivilegeDepth: Basic

#### Button: MailApp.Form.OpenRecordOnWeb.Idv\_inspectionrequest.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: Dynamics365
- Command: MailApp.Form.OpenRecordOnWebCommand
  - FunctionName: MailApp.OpenRecordOnWeb
  - Library: \$webresource:new\_MailAppScriptResource
  - Function Parameters:
    - CrmParameter: FirstPrimaryItemId
    - CrmParameter: PrimaryEntityType
- Enable Rules:
  - Enable Rule Id: MailApp.Rules.IsRecordSaved
    - Default: false
    - FunctionName: IsRecordSaved
    - Library: \$webresource:new\_MailAppScriptResource
  - Enable Rule Id: MailApp.Rules.IsMailApp
    - Default: false
    - FunctionName: HasMailContext
    - Library: \$webresource:new\_MailAppScriptResource

- Display Rules:
  - Display Rule: FCB.MailAppOpenRecordInBrowser.IsEnabled
    - FeatureControlBit: FCB.MailAppOpenRecordInBrowser
    - ExpectedValue: true
  - Display Rule: IsModernClientType
    - Type: Modern

#### Button: Mscrm.Form.Idv\_inspectionrequest.SaveAsComplete

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/SaveAsCompleted\_32.png
  - Modern Image: SaveAsComplete
- Command: Mscrm.SavePrimaryActivityAsComplete
  - FunctionName: XrmCore.Commands.Save.saveAsCompleted
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.AvailableOnForm
    - AppliesTo: PrimaryEntity
    - Default: false
    - Context: Form
  - Enable Rule Id: Mscrm.CanSavePrimary
  - Enable Rule Id: Mscrm.ReadPrimaryPermission
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Read
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
  - Display Rule: Mscrm.PrimaryIsActivity
    - AppliesTo: PrimaryEntity
    - PropertyName: IsActivity
    - PropertyValue: true
  - Display Rule: Mscrm.CanSavePrimaryEntityType
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Read
    - PrivilegeDepth: Basic

#### Button: Mscrm.Form.Idv\_inspectionrequest.SaveAndClose

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/SaveAndClose\_32.png
  - Modern Image: SaveAndClose

- Command: Mscrm.SaveAndClosePrimary
  - FunctionName: XrmCore.Commands.Save.saveAndCloseForm
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: PrimaryControl
- Enable Rules:
  - Enable Rule Id: Mscrm.IsAutoSaveDisable
  - Enable Rule Id: Mscrm.AvailableOnForm
    - AppliesTo: PrimaryEntity
    - Default: false
    - Context: Form
  - Enable Rule Id: Mscrm.CanSavePrimary
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
  - Display Rule: Mscrm.CanSaveAndClosePrimaryEntityType

#### Button: Mscrm.Form.Idv\_inspectionrequest.SaveAndNew

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/saveandnew32.png
  - Modern Image:
- Command: Mscrm.SaveAndNewPrimary
  - FunctionName: Mscrm.RibbonActions.saveAndNewForm
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: PrimaryControl
- Enable Rules:
  - Enable Rule Id: Mscrm.AvailableOnForm
    - AppliesTo: PrimaryEntity
    - Default: false
    - Context: Form
  - Enable Rule Id: Mscrm.CanSavePrimary
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.CreatePrimaryEntityPermission
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnModern

- Type: Modern
- InvertResult: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.NewRecord

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/newrecord32.png
  - Modern Image: New
- Command: Mscrm.NewRecordFromForm
  - FunctionName: XrmCore.Commands.Open.openNewRecord
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeName
- Enable Rules:
  - Enable Rule Id: Mscrm.AvailableOnForm
    - AppliesTo: PrimaryEntity
    - Default: false
    - Context: Form
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
  - Display Rule: Mscrm.PrimaryIsNotActivity
    - AppliesTo: PrimaryEntity
    - PropertyName: IsActivity
    - PropertyValue: false
  - Display Rule: Mscrm.HideInLegacyRibbon
    - Type: Legacy
    - InvertResult: true
    - Address: /userdefined/edit.aspx
    - InvertResult: true
    - Address: /advancedfind/advfind.aspx
    - InvertResult: true
    - Address: /advancedfind/fetchData.aspx
    - InvertResult: true
    - Address: /tools/formeditor/formeditor.aspx
    - InvertResult: true
    - Address: /tools/visualizationdesigner/visualizationdesigner.aspx
    - InvertResult: true
  - Display Rule: Mscrm.CreatePrimaryEntityPermission
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.PrimaryEntityIsNotBPFEntity

- AppliesTo: PrimaryEntity
- PropertyName: IsBPFEntity
- PropertyValue: false

#### Button: Mscrm.Form.Idv\_inspectionrequest.NewRecordForBPFEntity

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/newrecord32.png
  - Modern Image: New
- Command: Mscrm.Form.NewRecordForBPFEntity
  - FunctionName: XrmCore.Commands.NewRecordForBPFEntity.openNewRecord
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypename
- Enable Rules:
  - Enable Rule Id: Mscrm.AvailableOnForm
    - AppliesTo: PrimaryEntity
    - Default: false
    - Context: Form
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
  - Display Rule: Mscrm.IsPUV2EntityCustomizationEnabled
    - FeatureControlBit: FCB.ProcessUnificationV2EntityCustomization
    - ExpectedValue: true
  - Display Rule: Mscrm.IsBPFEntityCustomizationFeatureEnabled
    - Setting: IsBPFEntityCustomizationFeatureEnabled
  - Display Rule: Mscrm.PrimaryEntityIsBPFEntity
    - AppliesTo: PrimaryEntity
    - PropertyName: IsBPFEntity
    - PropertyValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.Activate

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Activate\_32.png
  - Modern Image: Activate
- Command: Mscrm.Form.Activate
  - FunctionName: XrmCore.Commands.Activate.activatePrimaryRecord
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:

- CrmParameter: FirstPrimaryItemId
- CrmParameter: PrimaryEntityTypeName
- Enable Rules:
  - Enable Rule Id: Mscrm.CanWritePrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Write
- Display Rules:
  - Display Rule: Mscrm.CanWritePrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.PrimaryIsInactive
    - State: Disabled
  - Display Rule: Mscrm.PrimaryEntityHasStatecode
    - AppliesTo: PrimaryEntity
    - PropertyName: HasStateCode
    - PropertyValue: true
  - Display Rule: Mscrm.PrimaryIsNotActivity
    - AppliesTo: PrimaryEntity
    - PropertyName: IsActivity
    - PropertyValue: false

**Button: msdyn.ApplicationRibbon.Idv\_inspectionrequest.Form.BookResource.Button**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: \$webresource:msdyn\_/fps/Icons/CommandBar/Schedule\_32.png
  - Modern Image:
- Command: msdyn.ApplicationRibbon.Form.BookResource.Command
  - FunctionName: isNaN
  - Library: \$webresource:msdyn\_/fps/Utils/FpsUtils.js
  - Function Parameters:
    - FunctionName: FpsUtils.Form.OpenSBSAMode
    - Library: \$webresource:msdyn\_/fps/Utils/FpsUtils.js
    - Function Parameters:
      - CrmParameter: FirstPrimaryItemId
      - CrmParameter: PrimaryEntityTypeName
  - FunctionName: isNaN
  - Library: \$webresource:msdyn\_/fps/LocalizationLibrary/Localization.Library.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: msdyn.ApplicationRibbon.Form.BookResource.EnableRule
    - State: Existing
    - FunctionName: FpsUtils.Form.isBookButtonEnabled

- Library: \$webresource:msdyn\_/fps/Utils/FpsUtils.js
- Default: false

- Display Rules:
  - Display Rule:

msdyn.ApplicationRibbon.Form.BookResource.DisplayRule.CommandClientTypeRule

- Type: Modern
- InvertResult: true

#### Button: Idv.Idv\_inspectionrequest.BookInspection.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: \$webresource:msdyn\_/Images/SecurityRole
- Command: Idv.Idv\_inspectionrequest.BookInspection.Command
  - FunctionName: BoookInspection\_Action
  - Library: \$webresource:ldv\_inspectionribbon
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Idv.Idv\_inspectionrequest.BookInspection.Command.EnableRule
    - FunctionName: BookInspection\_Enable
    - Library: \$webresource:ldv\_inspectionribbon
- Display Rules:

#### Button: Idv.Idv\_inspectionrequest.ReassignInspection.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Idv.Idv\_inspectionrequest.ReassignInspection.Command
  - FunctionName: ReassignInspection\_Action
  - Library: \$webresource:ldv\_inspectionribbon
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Idv.Idv\_inspectionrequest.ReassignInspection.Command.EnableRule
    - FunctionName: ReassignInspection\_Enable
    - Library: \$webresource:ldv\_inspectionribbon
- Display Rules:



#### Button: Idv.Idv\_inspectionrequest.CancelAppointment.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Idv.Idv\_inspectionrequest.CancelAppointment.Command
  - FunctionName: CancelAppointment\_Action
  - Library: \$webresource:ldv\_inspectionribbon
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Idv.Idv\_inspectionrequest.CancelAppointment.Command.EnableRule
    - FunctionName: CancelInspection\_Enable
    - Library: \$webresource:ldv\_inspectionribbon
- Display Rules:

#### Button: Idv.Idv\_inspectionrequest.RescheduleInspection.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Idv.Idv\_inspectionrequest.RescheduleInspection.Command
  - FunctionName: RescheduleInspection\_Action
  - Library: \$webresource:ldv\_inspectionribbon
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Idv.Idv\_inspectionrequest.RescheduleInspection.Command.EnableRule
    - FunctionName: RescheduleInspection\_Enable
    - Library: \$webresource:ldv\_inspectionribbon
- Display Rules:

#### Button: Idv.Idv\_inspectionrequest.Button2.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Idv.Idv\_inspectionrequest.RunInspectionReportCommand.Command
  - FunctionName: RunInspectionReportCommand
  - Library: \$webresource:ldv\_inspectionribbon
  - Function Parameters:

-- CrmParameter: PrimaryControl

- Enable Rules:

- Enable Rule Id: Idv.Idv\_inspectionrequest.InspectionReport.EnableRule
  - FunctionName: GenerateInspectionReport\_Enable
  - Library: \$webresource:Idv\_inspectionribbon

- Display Rules:

Button: Mscrm.Form.Idv\_inspectionrequest.OpenActiveStage

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/EditForm\_32.png
- Modern Image: FormDesign

- Command: Mscrm.Form.OpenActiveStage

- FunctionName: XrmCore.Commands.OpenActiveStage.openActiveStageFromForm
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - CrmParameter: FirstPrimaryItemId
  - CrmParameter: PrimaryEntityTypeName

- Enable Rules:

- Enable Rule Id: Mscrm.FormStateNotNew
  - State: Create
  - InvertResult: true

- Display Rules:

- Display Rule: Mscrm.IsPUV2EntityCustomizationEnabled
  - FeatureControlBit: FCB.ProcessUnificationV2EntityCustomization
  - ExpectedValue: true
- Display Rule: Mscrm.IsBPFEntityCustomizationFeatureEnabled
  - Setting: IsBPFEntityCustomizationFeatureEnabled
- Display Rule: Mscrm.PrimaryEntityIsBPFEntity
  - AppliesTo: PrimaryEntity
  - PropertyName: IsBPFEntity
  - PropertyValue: true

Button: GuidedHelp.Idv\_inspectionrequest.Form

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image:

- Command: loadGuidedHelp

- FunctionName: checkForGuidedHelp

- Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
- Function Parameters:
- Enable Rules:
  - Enable Rule Id: IsGuidedHelpEnabled
    - FunctionName: enableGuidedHelp
    - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
    - Default: true
    - InvertResult: false
- Display Rules:
  - Display Rule: GuidedHelpDisplayRule
    - Type: Modern
    - Type: Outlook
    - InvertResult: true
    - FeatureControlBit: FCB.GuidedHelp
    - ExpectedValue: true
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

Button: mo.Idv\_inspectionrequest.Button4.Button.Idv.Idv\_inspectionrequest.Button2.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: mo.Idv\_inspectionrequest.Button4.Button.Idv.Idv\_inspectionrequest.Button2.Button
  - FunctionName: printInspectionReport\_Resco\_Action
  - Library: \$webresource:ldv\_inspectionribbon
  - Function Parameters:
    - CrmParameter: PrimaryControl
- Enable Rules:
  - Enable Rule Id: Idv.Idv\_inspectionrequest.RescoQuestionnaireReport.EnableRule
    - FunctionName: GenerateInspectionReport\_Resco\_Enable
    - Library: \$webresource:ldv\_inspectionribbon
- Display Rules:

Button: Idv.Idv\_inspectionrequest.GenerateIndustrialAccidentReport.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:

- Modern Image: \$webresource:ldv\_IndustrialAccidentReportIcon
- Command: Idv.Idv\_inspectionrequest.Command7.Command
  - FunctionName: printIndustrialAccidentVisitInspectionReport\_Resco\_Action
  - Library: \$webresource:ldv\_inspectionribbon
  - Function Parameters:
    - CrmParameter: PrimaryControl
- Enable Rules:
  - Enable Rule Id: Idv.Idv\_inspectionrequest.IndustrialAccidentVisitRescoQuestionnaireReport.EnableRule
    - FunctionName: GenerateIndustrialAccidentVisitInspectionReport\_Resco\_Enable
    - Library: \$webresource:ldv\_inspectionribbon
- Display Rules:

**Button: LPLibrary.Idv\_inspectionrequest.Form**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: launchLPLibrary
  - FunctionName: launchLPLibrary
  - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: IsGuidedHelpEnabled
    - FunctionName: enableGuidedHelp
    - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
    - Default: true
    - InvertResult: false
  - Enable Rule Id: LPLibraryEnabled
    - FunctionName: enableLearningPathDesigner
    - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
    - Default: true
    - InvertResult: false
  - Enable Rule Id: IsNotISH
    - FunctionName: isNotISH
    - Library: \$webresource:msdyn\_LoadGuidedHelpMoCA.js
    - Default: true
    - InvertResult: false
- Display Rules:
  - Display Rule: GuidedHelpDisplayRule
    - Type: Modern

- Type: Outlook
- InvertResult: true
- FeatureControlBit: FCB.GuidedHelp
- ExpectedValue: true
- Display Rule: LPPrivilegeRule
  - PrivilegeName: LearningPath
  - PrivilegeDepth: Global
  - Default: false
  - InvertResult: false
- Display Rule: Mscrm.ShowOnlyOnModern
  - Type: Modern
- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.RefreshModernButton

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: Refresh
- Command: Mscrm.Modern.refreshCommand
  - FunctionName: XrmCore.Commands.Refresh.refreshCommand
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern

#### Button: Mscrm.Form.Idv\_inspectionrequest.FollowButtonForYammer

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: YammerIcon
- Command: Mscrm.Form.YammerCommand

- FunctionName: Yammer.Commands.yammer
- Library: \$webresource:msdyn\_/YammerIntegration/Yammer\_main\_system\_library.js
- Function Parameters:
  - CrmParameter: PrimaryControl
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Yammer.ShowYammer
    - FunctionName: Yammer.Rules.showYammer
    - Library: \$webresource:msdyn\_/YammerIntegration/Yammer\_main\_system\_library.js
    - Default: false
- Display Rules:
  - Display Rule: Mscrm.HideForTabletExperience

#### Button: Mscrm.Form.Idv\_inspectionrequest.ActionButtonForMSTeams

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: MSTeamsIcon
- Command: Mscrm.Form.MSTeamsCollaborateCommand
  - FunctionName: OfficeProductivity.RibbonCommands.showMSTeamsCollaborateDialog
  - Library: \$webresource:msdyn\_/OfficeProductivity.js
  - Function Parameters:
    - CrmParameter: PrimaryControl
    - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: OfficeProductivity.RibbonRules.showMSTeamsCollaborateCommand
    - FunctionName: OfficeProductivity.RibbonRules.showMSTeamsCollaborateCommand
    - Library: \$webresource:msdyn\_/OfficeProductivity.js
  - Enable Rule Id: OfficeProductivity.RibbonRules.hideCollaborateCommandForContextualEmail
    - FunctionName:
- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.IsMSTeamsIntegrationEnabled

- FeatureControlBit: FCB.MSTeamsIntegration
- ExpectedValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.PDFButtonId

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: PdfIconFile
- Command: Mscrm.Form.PDFCommand
  - FunctionName: AppCommon.CommandActions.LaunchPDFDialog
  - Library: \$webresource:AppCommon/CommandActions/AppCommon\_CommandActions.js
  - Function Parameters:
    - CrmParameter: CommandProperties
    - CrmParameter: PrimaryEntityTypeCode
    - CrmParameter: PrimaryControl
    - CrmParameter: FirstPrimaryItemId
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.AppCommon.IsPdfEnabledForEntity
    - FunctionName: AppCommon.RibbonRules.isPdfCommandEnabled
    - Library: \$webresource:AppCommon/CommandActions/AppCommon\_CommandActions.js
- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.ShowOnlyInBrowsersForModern
  - Display Rule: Mscrm.Pdf2020Wave2UpdatesEnabled
    - FeatureControlBit: FCB.PDF2020Wave2Updates
    - ExpectedValue: true
  - Display Rule: Mscrm.October2020UpdateEnabled
    - FeatureControlBit: FCB.October2020Update
    - ExpectedValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.Close

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/ActivitiyClose\_32.png
  - Modern Image: Close
- Command: Mscrm.Form.CloseActivity
  - FunctionName: XrmCore.Commands.ChangeState.changeState
  - Library: \$webresource:Main\_system\_library.js

- Function Parameters:
  - StringParameter: deactivate
  - CrmParameter: PrimaryEntityTypeCode
  - StringParameter: 5
- Enable Rules:
  - Enable Rule Id: Mscrm.CanWritePrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Write
- Display Rules:
  - Display Rule: Mscrm.CanWritePrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.PrimaryIsActive
    - State: Existing
  - Display Rule: Mscrm.PrimaryEntityHasStatecode
    - AppliesTo: PrimaryEntity
    - PropertyName: HasStateCode
    - PropertyValue: true
  - Display Rule: Mscrm.PrimaryIsActivity
    - AppliesTo: PrimaryEntity
    - PropertyName: IsActivity
    - PropertyValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.SwitchProcess

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/convert\_32.png
  - Modern Image: SwitchProcess
- Command: Mscrm.SwitchProcess
  - FunctionName: Mscrm.WorkflowWebResource.SwitchProcess
  - Library: \$Webresource:Main\_system\_library.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.CanSwitchProcess
    - FunctionName: Mscrm.WorkflowWebResource.CanSwitchProcess
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline



- Enable Rule Id: Mscrm.IsBPFCCommandsAvaialableOffline
  - FunctionName: Mscrm.WorkflowWebResource.IsBPFCCommandsAvaialableOffline
  - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.CanWritePrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.IsBusinessProcessEnabled
    - AppliesTo: PrimaryEntity
    - PropertyName: IsBusinessProcessEnabled
    - PropertyValue: true

**Button: Mscrm.Form.Idv\_inspectionrequest.EditSalesProcess**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/edit32.png
  - Modern Image:
- Command: Mscrm.EditSalesProcess
  - FunctionName: Mscrm.CommandBarActions.editSalesProcess
  - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.CanEditProcess
    - FunctionName: Mscrm.WorkflowWebResource.CanEditProcess
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.IsBusinessProcessEnabled
    - AppliesTo: PrimaryEntity
    - PropertyName: IsBusinessProcessEnabled
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.HideForTabletExperience
  - Display Rule: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Display Rule: Mscrm.CanActivateBusinessProcessFlows
    - PrivilegeName: ActivateBusinessProcessFlow

**Button: Mscrm.Form.Idv\_inspectionrequest.Abandon**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/convert\_32.png
  - Modern Image: Abandon
- Command: Mscrm.Abandon
  - FunctionName: Mscrm.WorkflowWebResource.AbandonProcess
  - Library: \$Webresource:Main\_system\_library.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.IsBusinessProcessPresent
    - FunctionName: Mscrm.WorkflowWebResource.IsBusinessProcessPresent
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.ShowAbandon
    - FunctionName: Mscrm.WorkflowWebResource.ShowAbandon
    - Library: \$webresource:Main\_system\_library.js
    - Default: true
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
  - Enable Rule Id: Mscrm.IsBPFCCommandsAvaialableOffline
    - FunctionName: Mscrm.WorkflowWebResource.IsBPFCCommandsAvaialableOffline
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.CanWritePrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.IsBusinessProcessEnabled
    - AppliesTo: PrimaryEntity
    - PropertyName: IsBusinessProcessEnabled
    - PropertyValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.Re-activate

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/convert\_32.png
  - Modern Image: Reactivate
- Command: Mscrm.Reactivate
  - FunctionName: Mscrm.WorkflowWebResource.ReactivateProcess
  - Library: \$Webresource:Main\_system\_library.js

- Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.IsBusinessProcessPresent
    - FunctionName: Mscrm.WorkflowWebResource.IsBusinessProcessPresent
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.ShowReactivate
    - FunctionName: Mscrm.WorkflowWebResource.ShowReactivate
    - Library: \$webresource:Main\_system\_library.js
    - Default: true
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
  - Enable Rule Id: Mscrm.IsBPFCommandsAvaialableOffline
    - FunctionName: Mscrm.WorkflowWebResource.IsBPFCommandsAvaialableOffline
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.CanWritePrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.IsBusinessProcessEnabled
    - AppliesTo: PrimaryEntity
    - PropertyName: IsBusinessProcessEnabled
    - PropertyValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.FinishStage

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/convert\_32.png
  - Modern Image: FinishStage
- Command: Mscrm.FinishStage
  - FunctionName: Mscrm.WorkflowWebResource.FinishProcess
  - Library: \$Webresource:Main\_system\_library.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.IsBusinessProcessPresent
    - FunctionName: Mscrm.WorkflowWebResource.IsBusinessProcessPresent

- Library: \$webresource:Main\_system\_library.js
- Enable Rule Id: Mscrm.ShowFinish
  - FunctionName: Mscrm.WorkflowWebResource.ShowFinish
  - Library: \$webresource:Main\_system\_library.js
  - Default: true
- Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
  - Library: \$webresource:Main\_system\_library.js
  - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Enable Rule Id: Mscrm.IsBPFCommandsAvaialableOffline
  - FunctionName: Mscrm.WorkflowWebResource.IsBPFCommandsAvaialableOffline
  - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.CanWritePrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.IsBusinessProcessEnabled
    - AppliesTo: PrimaryEntity
    - PropertyName: IsBusinessProcessEnabled
    - PropertyValue: true

**Button: msdyn.Form.Idv\_inspectionrequest.LaunchPlaybook.Button**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: \$webresource:Playbook/msdyn\_/Images/SVG/PlaybookInstancelcon.svg
- Command: Playbook.Form.Launch
  - FunctionName: PlaybookService.CommandBarActions.LaunchPlaybook
  - Library:
    - \$webresource:Playbook/CommandBarActions/Playbook\_CommandBarActions\_library.js
  - Function Parameters:
    - CrmParameter: PrimaryControl
- Enable Rules:
  - Enable Rule Id: Mscrm.IsPlaybookTemplateAvailable
    - FunctionName: PlaybookService.CommandBarActions.isDisplayPlayBook
    - Library:
      - \$webresource:Playbook/CommandBarActions/Playbook\_CommandBarActions\_library.js
- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern
  - Display Rule: Mscrm.CanLaunchPlaybook
    - EntityName: activitypointer
    - PrivilegeType: Create

- PrivilegeDepth: Basic
- EntityName: msdyn\_playbookinstance
- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: msdyn\_playbooktemplate
- PrivilegeType: Read
- PrivilegeDepth: Basic
- EntityName: msdyn\_playbookactivity
- PrivilegeType: Read
- PrivilegeDepth: Basic
- EntityName: msdyn\_callablecontext
- PrivilegeType: Read
- PrivilegeDepth: Basic
- Display Rule: Mscrm.PrimaryIsActive
  - State: Existing
- Display Rule: Mscrm.IsPlaybookFeatureEnabled
  - FeatureControlBit: FCB.Playbook
  - ExpectedValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.SuggestProduct

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/SuggestProduct\_32.png
  - Modern Image:
- Command: Mscrm.SuggestProduct

#### Button: Mscrm.Form.Idv\_inspectionrequest.Convert.Opportunity

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/ConvertOpportunity\_32.png
  - Modern Image: Opportunity
- Command: Mscrm.Form.ConvertToOpportunity
  - FunctionName: isNaN
  - Library: \$webresource:Marketing/ClientCommon/Marketing\_ClientCommon.js
  - Function Parameters:
  - FunctionName: isNaN
  - Library: \$webresource:Sales/ClientCommon/Sales\_ClientCommon.js
  - Function Parameters:
  - FunctionName: isNaN
  - Library: \$webresource:Sales/CommandBarActions/SalesCommandBarActions.js
  - Function Parameters:
  - FunctionName: isNaN
  - Library: \$webresource:CRM/ClientUtility.js
  - Function Parameters:

- FunctionName: isNaN
  - Library: \$webresource:MarketingSales/Localization/ResourceStringProvider.js
  - Function Parameters:
  - FunctionName: MarketingSales.CommandBarActions.Instance.convertToOpportunityActivity
  - Library:
- \$webresource:MarketingSales/CommandBarActions/MarketingSalesCommandBarActions.js
- Function Parameters:
    - CrmParameter: PrimaryEntityTypeCode
- 
- Enable Rules:
    - Enable Rule Id: Mscrm.ConvertActivity
      - State: Create
      - InvertResult: true
      - State: Disabled
      - InvertResult: true
    - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
      - Library: \$webresource:Main\_system\_library.js
      - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
    - Enable Rule Id: Mscrm.IsOpportunityAvailableInMocaOffline
      - Library: \$webresource:Main\_system\_library.js
      - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
  - Display Rules:
    - Display Rule: Mscrm.ConvertActivity
      - AppliesTo: PrimaryEntity
      - PropertyName: IsActivity
      - PropertyValue: true
      - EntityName: activitypointer
      - PrivilegeType: Write
      - PrivilegeDepth: Basic
      - EntityName: activitypointer
      - PrivilegeType: AppendTo
      - PrivilegeDepth: Basic
    - Display Rule: Mscrm.PrimaryIsNotCampaign
      - AppliesTo: PrimaryEntity
      - EntityName: campaignactivity
      - InvertResult: true
      - AppliesTo: PrimaryEntity
      - EntityName: campaignresponse
      - InvertResult: true
    - Display Rule: Mscrm.HasOpportunityCreatePrivilege
      - PrivilegeType: Create
      - PrivilegeDepth: Basic
      - EntityName: opportunity

Button: Mscrm.Form.Idv\_inspectionrequest.Convert.Case

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/ConvertCase\_32.png
- Modern Image: Case
  
- Command: Mscrm.Form.ConvertToCase
  - FunctionName: CrmService.Activity.Instance.convertToCase
  - Library: \$webresource:Service/Activities/activity.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeCode
  
- Enable Rules:
  - Enable Rule Id: Mscrm.ConvertActivity
    - State: Create
    - InvertResult: true
    - State: Disabled
    - InvertResult: true
  
- Display Rules:
  - Display Rule: Mscrm.ConvertActivity
    - AppliesTo: PrimaryEntity
    - PropertyName: IsActivity
    - PropertyValue: true
    - EntityName: activitypointer
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.ShowOnInteractionCentricHideOnModern

#### Button: Mscrm.Form.Idv\_inspectionrequest.PromoteToResponse

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/Workplace/ConvertActivity\_32.png
  - Modern Image:
  
- Command: Mscrm.PromoteToResponse
  - FunctionName: Mscrm.CommandBarActions.promoteToResponse
  - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeCode
  
- Enable Rules:
  - Enable Rule Id: Mscrm.EnablePromoteToResponse
    - FunctionName: Marketing.CommandActions.Instance.canPromoteActivityToResponse
    - Library: \$webresource:Marketing/CommandActions/Marketing\_CommandActions.js

- Display Rules:
  - Display Rule: Mscrm.PrimaryIsActivity
    - AppliesTo: PrimaryEntity
    - PropertyName: IsActivity
    - PropertyValue: true
  - Display Rule: Mscrm.CanCreateActivity
    - PrivilegeName: CreateActivity
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.AddConnectionNew

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: ConnectionToOther
- Command: Mscrm.AddConnectionForm
  - FunctionName: Mscrm.RibbonActions.addConnectionFromForm
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: FirstPrimaryItemId
    - CrmParameter: PrimaryEntityTypeCode
    - CrmParameter: PrimaryControl
    - BoolParameter: false
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnlyOrDisabled
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.CreateConnection
    - PrivilegeName: CreateConnection
  - Display Rule: Mscrm.IsConnectionsEnabledPrimary
    - Default: false
    - AppliesTo: PrimaryEntity
    - PropertyName: IsConnectionsEnabled
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.AddConnectionToMe

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:



- Modern Image: ConnectionToMe
- Command: Mscrm.AddConnectionToMeForm
  - FunctionName: Mscrm.RibbonActions.addConnectionFromForm
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: FirstPrimaryItemId
    - CrmParameter: PrimaryEntityTypeCode
    - CrmParameter: PrimaryControl
    - BoolParameter: true
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnlyOrDisabled
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.CreateConnection
    - PrivilegeName: CreateConnection
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.IsConnectionsEnabledPrimary
    - Default: false
    - AppliesTo: PrimaryEntity
    - PropertyName: IsConnectionsEnabled
    - PropertyValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.AddToQueue

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/AddToQueue\_32.png
  - Modern Image: AddToQueue
- Command: Mscrm.AddPrimaryToQueue
  - FunctionName: AppCommon.Commands.Queue.AddRecordToQueue
  - Library: \$webresource:AppCommon/Commands/QueueCommands.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo

- Display Rules:
  - Display Rule: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.WorksWithQueuePrimary
    - Default: false
    - AppliesTo: PrimaryEntity
    - PropertyName: WorksWithQueue
    - PropertyValue: true

**Button: Mscrm.Form.Idv\_inspectionrequest.QueueItemDetail**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/Workplace/QueueItemDetails\_32.png
  - Modern Image: QueueItemDetail
- Command: Mscrm.QueueItemDetail
  - FunctionName: AppCommon.Commands.Queue.entityQueueItemDetail
  - Library: \$webresource:AppCommon/Commands/QueueCommands.js
  - Function Parameters:
    - CrmParameter: FirstPrimaryItemId
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.AppendToQueue
    - EntityName: queue
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.WorksWithQueuePrimary
    - Default: false
    - AppliesTo: PrimaryEntity
    - PropertyName: WorksWithQueue
    - PropertyValue: true

**Button: Mscrm.Form.Idv\_inspectionrequest.Assign**

- Icon:
  - Image 16x16: {image16x16}

- Image 32x32: /\_imgs/ribbon/Assign\_32.png
- Modern Image: Assign
  
- Command: Mscrm.AssignPrimaryRecord
  - FunctionName: XrmCore.Commands.Assign.assignObject
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeName
  
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.AssignPrimaryPermission
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Assign
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  
- Display Rules:
  - Display Rule: Mscrm.AssignPrimaryPermission
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Assign
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.NotClosedActivity

#### Button: Mscrm.Form.Idv\_inspectionrequest.ViewHierarchy

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Hierarchy\_32.png
  - Modern Image: ViewHierarchy
  
- Command: Mscrm.ViewHierarchyForPrimaryRecord
  - FunctionName: XrmCore.Commands.Hierarchy.ViewHierarchy
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeCode
    - CrmParameter: PrimaryControl
  
- Enable Rules:
  - Enable Rule Id: Mscrm.IsFormHierarchyEnabled
    - FunctionName: XrmCore.Rules.Hierarchy.IsFormHierarchyEnabled
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true

- Display Rules:

Button: `Mscrm.Form.Idv_inspectionrequest.Permissions.SharingNonRefresh`

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/Sharing\_32.png
- Modern Image: Share

- Command: `Mscrm.SharePrimaryRecord`

- FunctionName: `XrmCore.Commands.Common.onActionMenuClick`
- Library: `$webresource:Main_system_library.js`
- Function Parameters:
  - StringParameter: share
  - CrmParameter: PrimaryEntityTypeName

- Enable Rules:

- Enable Rule Id: `Mscrm.FormStateNotNew`
  - State: Create
  - InvertResult: true
- Enable Rule Id: `Mscrm.SharePrimaryPermission`
  - AppliesTo: PrimaryEntity
  - PrivilegeType: Share
- Enable Rule Id: `Mscrm.NotOffline`
  - State: Offline
  - InvertResult: true
- Enable Rule Id: `Mscrm.ShowOnNonModernAndModernIfAllowed`

- Display Rules:

- Display Rule: `Mscrm.SharePrimaryPermission`
  - AppliesTo: PrimaryEntity
  - PrivilegeType: Share
  - PrivilegeDepth: Basic
  - EntityName: bulkoperation
  - InvertResult: true
- Display Rule: `Mscrm.HybridDialogShareEnabled`

Button: `Mscrm.Form.Idv_inspectionrequest.Permissions.GrantNonRefresh`

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/GrantPermissions\_32.png
- Modern Image:

- Command: `Mscrm.ShareSecuredFieldsPrimaryRecord`

- FunctionName: `onActionMenuClick`
- Library: `/_static/_forms/form.js`

- Function Parameters:
  - StringParameter: grant
  - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: Mscrm.ShareSecuredFieldsPrimaryPermission
    - FunctionName: Mscrm.RibbonActions.hasSecuredFields
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.ShareSecuredFieldsPrimaryPermission
    - EntityName: principalobjectattributeaccess
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.Permissions.Sharing

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Sharing\_32.png
  - Modern Image: Share
- Command: Mscrm.SharePrimaryRecordRefresh
  - FunctionName: XrmCore.Commands.Common.onActionMenuClick
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: share
    - CrmParameter: PrimaryEntityTypeName
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.SharePrimaryPermission
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Share
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true

- Enable Rule Id: Mscrm.ShowOnNonModernAndModernIfAllowed
- Display Rules:
  - Display Rule: Mscrm.SharePrimaryPermission
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Share
    - PrivilegeDepth: Basic
    - EntityName: bulkoperation
    - InvertResult: true
  - Display Rule: Mscrm.HybridDialogShareEnabled
  - Display Rule: Mscrm.HideInLegacyRibbon
    - Type: Legacy
    - InvertResult: true
    - Address: /userdefined/edit.aspx
    - InvertResult: true
    - Address: /advancedfind/advfind.aspx
    - InvertResult: true
    - Address: /advancedfind/fetchData.aspx
    - InvertResult: true
    - Address: /tools/formeditor/formeditor.aspx
    - InvertResult: true
    - Address: /tools/visualizationdesigner/visualizationdesigner.aspx
    - InvertResult: true
  - Display Rule: Mscrm.OutlookRenderTypeWeb
    - Type: Web

#### Button: Mscrm.Form.Idv\_inspectionrequest.Permissions.Grant

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/GrantPermissions\_32.png
  - Modern Image:
- Command: Mscrm.ShareSecuredFieldsPrimaryRecord
  - FunctionName: onActionMenuClick
  - Library: /\_static/\_forms/form.js
  - Function Parameters:
    - StringParameter: grant
    - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: Mscrm.ShareSecuredFieldsPrimaryPermission

- FunctionName: Mscrm.RibbonActions.hasSecuredFields
- Library: /\_static/\_common/scripts/RibbonActions.js

- Display Rules:

- Display Rule: Mscrm.ShareSecuredFieldsPrimaryPermission
  - EntityName: principalobjectattributeaccess
  - PrivilegeType: Read
  - PrivilegeDepth: Basic
- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true

**Button: Mscrm.Form.Idv\_inspectionrequest.CopySelected**

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/copyshortcut32.png
- Modern Image:

- Command: Mscrm.CopyShortcutPrimary

- FunctionName: Mscrm.RibbonActions.sendFormShortcut
- Library: /\_static/\_common/scripts/RibbonActions.js
- Function Parameters:
  - BoolParameter: false
  - CrmParameter: PrimaryControl

- Enable Rules:

- Enable Rule Id: Mscrm.FormStateNotNew
  - State: Create
  - InvertResult: true
- Enable Rule Id: Mscrm.EnableInIEBrowser
  - FunctionName: Mscrm.IsIEBrowser\_0
  - Library: \$Webresource:Ribbon\_main\_system\_library.js

- Display Rules:

- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true

**Button: Mscrm.Form.Idv\_inspectionrequest.SendSelected**

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/SendShortcut\_32.png
- Modern Image: EmailLink

- Command: Mscrm.SendShortcutPrimary

- FunctionName: XrmCore.Commands.EmailCopyLink.emailCopyLinkPrimaryRecord
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - BoolParameter: true
  - CrmParameter: PrimaryControl
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
- Display Rules:

#### Button: Mscrm.Form.Idv\_inspectionrequest.FollowButton

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Entity32\_8003.png
  - Modern Image: RatingEmpty
- Command: Mscrm.Form.FollowCommand
  - FunctionName: Follow.FollowCommands.followFromForm
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - Function Parameters:
    - CrmParameter: FirstPrimaryItemId
    - CrmParameter: PrimaryEntityTypename
    - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: msdyn.ActivityFeeds.NotNewEnableRule
    - State: Create
    - InvertResult: true
  - Enable Rule Id: msdyn.ActivityFeeds.IsFollowButtonEnabled
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowCommands.dummy
    - Library: \$webresource:msdyn\_/Scripts/PlatformScriptLoader.js
    - FunctionName: Follow.FollowCommands.dummy
    - Library: \$webresource:msdyn\_/InstalledLocales.js
    - FunctionName: Follow.FollowCommands.dummy
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowEnabled.isFollowButtonEnabled
  - Enable Rule Id: msdyn.ActivityFeeds.Yammer.ShouldEnableFollow
    - Default: true



- FunctionName: Follow.FollowEnableYammerCheck.shouldEnableFollow
- Library: \$webresource:msdyn\_/Follow.Command.js

- Display Rules:

- Display Rule: msdyn.ActivityFeeds.ShowFollowButton
  - AppliesTo: SelectedEntity
  - EntityName: postfollow
  - Default: true
  - InvertResult: true
  - EntityName: postfollow
  - PrivilegeType: Create
  - PrivilegeDepth: Basic
  - EntityName: postfollow
  - PrivilegeType: Read
  - PrivilegeDepth: Basic

**Button: Mscrm.Form.Idv\_inspectionrequest.UnfollowButton**

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/Entity32\_8003\_u.png
- Modern Image: RatingFull

- Command: Mscrm.Form.UnfollowCommand

- FunctionName: Follow.FollowCommands.unfollowFromForm
- Library: \$webresource:msdyn\_/Follow.Command.js
- Function Parameters:
  - CrmParameter: FirstPrimaryItemId
  - CrmParameter: PrimaryEntityTypeName
  - CrmParameter: PrimaryEntityTypeCode

- Enable Rules:

- Enable Rule Id: Mscrm.NotOffline
  - State: Offline
  - InvertResult: true
- Enable Rule Id: msdyn.ActivityFeeds.NotNewEnableRule
  - State: Create
  - InvertResult: true
- Enable Rule Id: msdyn.ActivityFeeds.IsUnFollowButtonEnabled
  - Default: false
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - FunctionName: Follow.FollowCommands.dummy
  - Library: \$webresource:msdyn\_/Scripts/PlatformScriptLoader.js
  - FunctionName: Follow.FollowCommands.dummy
  - Library: \$webresource:msdyn\_/InstalledLocales.js
  - FunctionName: Follow.FollowCommands.dummy
  - Default: false
  - Library: \$webresource:msdyn\_/Follow.Command.js

-- FunctionName: Follow.FollowEnabled.isFollowButtonEnabled

- Display Rules:

- Display Rule: msdyn.ActivityFeeds.ShowUnfollowButton
  - AppliesTo: SelectedEntity
  - EntityName: postfollow
  - Default: true
  - InvertResult: true
  - EntityName: postfollow
  - PrivilegeType: Delete
  - PrivilegeDepth: Basic
  - EntityName: postfollow
  - PrivilegeType: Read
  - PrivilegeDepth: Basic

Button: Mscrm.Form.Idv\_inspectionrequest.RunWorkflow

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/runworkflow32.png
- Modern Image:

- Command: Mscrm.RunWorkflowPrimary

- FunctionName: Mscrm.CommandBarActions.launchOnDemandWorkflowForm
- Library: /\_static/\_common/scripts/CommandBarActions.js
- Function Parameters:
  - CrmParameter: PrimaryEntityTypeCode
  - StringParameter:

- Enable Rules:

- Enable Rule Id: Mscrm.FormStateNotNew
  - State: Create
  - InvertResult: true
- Enable Rule Id: Mscrm.RunWorkflowPrimary
  - FunctionName: Mscrm.RibbonActions.enableWorkflowOnForm
  - Library: /\_static/\_common/scripts/RibbonActions.js

- Display Rules:

- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true
- Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.Form.Idv\_inspectionrequest.RunScript

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/startdialog\_32.png

- Modern Image:
- Command: Mscrm.RunInteractiveWorkflowPrimary
  - FunctionName: Mscrm.CommandBarActions.runScript
  - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeCode
    - CrmParameter: PrimaryEntityTypeName
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.RunWorkflowPrimary
    - FunctionName: Mscrm.RibbonActions.enableWorkflowOnForm
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.HideForTabletExperience

#### Button: Mscrm.Form.Idv\_inspectionrequest.AddFile

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Attachment\_32.png
  - Modern Image:
- Command: Mscrm.AddFileToPrimaryRecord
  - FunctionName: Mscrm.RibbonActions.addFileToRecord
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeCode
    - CrmParameter: FirstPrimaryItemId
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.IsNotlos
    - FunctionName: Mscrm.Islos\_0
    - Library: \$Webresource:Ribbon\_main\_system\_library.js
    - InvertResult: true

- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.CreateAndAppendNote
    - EntityName: annotation
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: annotation
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - EntityName: annotation
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
    - EntityName: annotation
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.PrimaryEntityHasNotes
    - AppliesTo: PrimaryEntity
    - PropertyName: HasNotes
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

**Button: Mscrm.Form.Idv\_inspectionrequest.AddNote**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/noteyellowadd32.png
  - Modern Image:
- Command: Mscrm.AddNoteToPrimaryRecord
  - FunctionName: Mscrm.RibbonActions.addNoteToRecord
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeCode
    - CrmParameter: FirstPrimaryItemId
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateNotNew
    - State: Create
    - InvertResult: true
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity

-- PrivilegeType: AppendTo

- Display Rules:

- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.AppendToPrimary
  - AppliesTo: PrimaryEntity
  - PrivilegeType: AppendTo
  - PrivilegeDepth: Basic
- Display Rule: Mscrm.CreateAndAppendNote
  - EntityName: annotation
  - PrivilegeType: Create
  - PrivilegeDepth: Basic
  - EntityName: annotation
  - PrivilegeType: Append
  - PrivilegeDepth: Basic
  - EntityName: annotation
  - PrivilegeType: Read
  - PrivilegeDepth: Basic
  - EntityName: annotation
  - PrivilegeType: Write
  - PrivilegeDepth: Basic
- Display Rule: Mscrm.PrimaryEntityHasNotes
  - AppliesTo: PrimaryEntity
  - PropertyName: HasNotes
  - PropertyValue: true

Button: Mscrm.Form.Idv\_inspectionrequest.AddTask

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/entity32\_4212.png
- Modern Image:

- Command: Mscrm.AddTaskToPrimaryRecord

- FunctionName: XrmCore.Commands.Add.AddActivityOnForm
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - StringParameter: task

- Enable Rules:

- Enable Rule Id: Mscrm.AppendToPrimary
  - AppliesTo: PrimaryEntity
  - PrivilegeType: AppendTo
- Enable Rule Id: Mscrm.FormStateExistingOrReadOnly

- Display Rules:

- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.AddActivityToPrimary

- AppliesTo: PrimaryEntity
- PrivilegeType: AppendTo
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Append
- PrivilegeDepth: Basic
- AppliesTo: PrimaryEntity
- PropertyName: HasActivities
- PropertyValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.AddEmail

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Email\_32.png
  - Modern Image:
- Command: Mscrm.SendEmailPrimaryRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityOnForm
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: email
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnly
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.AddActivityToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: PrimaryEntity
    - PropertyName: HasActivities
    - PropertyValue: true
  - Display Rule: Mscrm.WriteActivityPermission

- EntityName: activitypointer
- PrivilegeType: Write
- PrivilegeDepth: Basic

#### Button: Mscrm.Form.Idv\_inspectionrequest.AddPhone

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4210.png
  - Modern Image:
- Command: Mscrm.AddPhoneToPrimaryRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityOnForm
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: phonecall
- Enable Rules:
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.AddActivityToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: PrimaryEntity
    - PropertyName: HasActivities
    - PropertyValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.AddLetter

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4207.png
  - Modern Image:
- Command: Mscrm.AddLetterToPrimaryRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityOnForm

- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - StringParameter: letter
- Enable Rules:
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.AddActivityToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: PrimaryEntity
    - PropertyName: HasActivities
    - PropertyValue: true

**Button: Mscrm.Form.Idv\_inspectionrequest.AddFax**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4204.png
  - Modern Image:
- Command: Mscrm.AddFaxToPrimaryRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityOnForm
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: fax
- Enable Rules:
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.AddActivityToPrimary



- AppliesTo: PrimaryEntity
- PrivilegeType: AppendTo
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Append
- PrivilegeDepth: Basic
- AppliesTo: PrimaryEntity
- PropertyName: HasActivities
- PropertyValue: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.AddAppointment

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/entity32\_4201.png
  - Modern Image:
- Command: Mscrm.AddAppointmentToPrimaryRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityOnForm
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: appointment
- Enable Rules:
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.AddActivityToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: PrimaryEntity
    - PropertyName: HasActivities
    - PropertyValue: true

### Button: Mscrm.Form.Idv\_inspectionrequest.AddRecurringAppointment

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/RecurringAppointmentInstance\_32.png
  - Modern Image:
- Command: Mscrm.AddRecurringAppointmentToPrimaryRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityOnForm
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: recurringappointmentmaster
- Enable Rules:
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.AddActivityToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: PrimaryEntity
    - PropertyName: HasActivities
    - PropertyValue: true

### Button: Mscrm.Form.Idv\_inspectionrequest.AddServiceActivity

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/AddServiceActivity\_32.png
  - Modern Image:
- Command: Mscrm.AddServiceActivityToPrimaryRecord
  - FunctionName: XrmCore.Commands.Add.AddActivityToForm
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - StringParameter: serviceappointment

- Enable Rules:
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.AddActivityToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
    - AppliesTo: PrimaryEntity
    - PropertyName: HasActivities
    - PropertyValue: true
  - Display Rule: Mscrm.CreateServiceAppointment
    - EntityName: service
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
    - EntityName: service
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic

#### Button: Mscrm.Form.Idv\_inspectionrequest.MailMerge

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/mailmerge32.png
  - Modern Image:
- Command: Mscrm.MailMergePrimary
  - FunctionName: onActionMenuClick
  - Library: /\_static/\_forms/form.js
  - Function Parameters:
    - StringParameter: webmailmerge
    - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.FormStateExistingOrReadOnly
  - Enable Rule Id: Mscrm.IsNotlos
    - FunctionName: Mscrm.Islos\_0
    - Library: \$Webresource:Ribbon\_main\_system\_library.js

-- InvertResult: true

- Display Rules:

- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.MailMergePrimary
  - AppliesTo: PrimaryEntity
  - PropertyName: MailMergeEnabled
  - PropertyValue: true
  - EntityName: activitypointer
  - PrivilegeType: Create
  - PrivilegeDepth: Basic
  - PrivilegeName: MailMerge

Button: Mscrm.Form.Idv\_inspectionrequest.AddCampaignResponse

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/entity32\_4401.png
- Modern Image:

- Command: Mscrm.AddCampaignResponseToPrimaryRecord

- FunctionName: XrmCore.Commands.Add.AddActivityToForm
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - StringParameter: campaignresponse

- Enable Rules:

- Enable Rule Id: Mscrm.AppendToPrimary
  - AppliesTo: PrimaryEntity
  - PrivilegeType: AppendTo
- Enable Rule Id: Mscrm.FormStateExistingOrReadOnly

- Display Rules:

- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.AddActivityToPrimary
  - AppliesTo: PrimaryEntity
  - PrivilegeType: AppendTo
  - PrivilegeDepth: Basic
  - EntityName: activitypointer
  - PrivilegeType: Create
  - PrivilegeDepth: Basic
  - EntityName: activitypointer
  - PrivilegeType: Append
  - PrivilegeDepth: Basic
  - AppliesTo: PrimaryEntity
  - PropertyName: HasActivities
  - PropertyValue: true
- Display Rule: Mscrm.CreateCampaignResponse

- EntityName: activitypointer
- PrivilegeType: Append
- PrivilegeDepth: Basic
- Display Rule: Mscrm.PrimaryEntityHasCampaignResponse

#### Button: Mscrm.Form.Idv\_inspectionrequest.FormDesign

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/EditForm\_32.png
  - Modern Image:
- Command: Mscrm.FormDesign.OpenFromForm
  - FunctionName: Mscrm.CommandBarActions.OpenFormEditor
  - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Function Parameters:
    - CrmParameter: PrimaryEntityTypeCode
    - StringParameter: main
- Enable Rules:
  - Enable Rule Id: Mscrm.FormDesignValid
    - FunctionName: Mscrm.RibbonActions.isFormDesignValid
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.WriteCustomization
    - PrivilegeName: WriteCustomization
  - Display Rule: Mscrm.IsCustomizable
    - AppliesTo: SelectedEntity
    - PropertyName: IsCustomizable
    - PropertyValue: true
  - Display Rule: Mscrm.HideForTabletExperience
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.Form.Idv\_inspectionrequest.CustomizeEntity

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/CustomizeEntity\_32.png
  - Modern Image:
- Command: Mscrm.CustomizeEntity
  - FunctionName: Mscrm.RibbonActions.openEntityEditor
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeCode

-- CrmParameter: PrimaryEntityTypeCode

- Enable Rules:

- Display Rules:

- Display Rule: Mscrm.WriteCustomization
  - PrivilegeName: WriteCustomization
- Display Rule: Mscrm.OpenCustomizations
  - PrivilegeType: Read
  - PrivilegeDepth: Global
  - EntityName: solution
  - PrivilegeType: Read
  - PrivilegeDepth: Global
  - EntityName: publisher
- Display Rule: Mscrm.NotOffline
  - State: Offline
  - InvertResult: true
- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true
- Display Rule: Mscrm.HideForTabletExperience
- Display Rule: Mscrm.ShowOnGridAndLegacy

#### Button: Mscrm.Form.Idv\_inspectionrequest.PublishEntity

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/PublishEntity\_32.png
- Modern Image:

- Command: Mscrm.PublishEntity

- FunctionName: Mscrm.FormEditor.PublishEntity
- Library: /\_common/global.ashx
- Function Parameters:
  - CrmParameter: SelectedEntityTypeCode
  - CrmParameter: PrimaryEntityTypeCode

- Enable Rules:

- Enable Rule Id: Mscrm.NotOffline
  - State: Offline
  - InvertResult: true

- Display Rules:

- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.WriteCustomization
  - PrivilegeName: WriteCustomization
- Display Rule: Mscrm.HideOnModern
  - Type: Modern

-- InvertResult: true

**Button: Mscrm.Form.Idv\_inspectionrequest.PublishAll**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/PublishAll\_32.png
  - Modern Image:
- Command: Mscrm.PublishAll
  - FunctionName: Mscrm.FormEditor.PublishAll
  - Library: /\_common/global.ashx
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.WriteCustomization
    - PrivilegeName: WriteCustomization
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

**Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Save.Save**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Save\_32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.SaveChart
  - FunctionName: Mscrm.RibbonActions.saveVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableSaveChart
    - FunctionName: Mscrm.RibbonActions.isSaveChartEnabled
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.CreateOrWrite

### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Save.SaveAndClose

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/SaveAndCloseChart\_32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.SaveAndCloseChart
  - FunctionName: Mscrm.RibbonActions.saveAndCloseVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableSaveChart
    - FunctionName: Mscrm.RibbonActions.isSaveChartEnabled
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.CreateOrWrite
  - Display Rule: Mscrm.HideOnCommandBar

### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Save.Copy

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/saveaschart32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.CopyChart
  - FunctionName: Mscrm.RibbonActions.copyVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableSaveAsChart
    - FunctionName: Mscrm.RibbonActions.isSaveAsChartEnabled
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.userqueryvisualization.Create
    - EntityName: userqueryvisualization
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true



- Display Rule: Mscrm.userqueryvisualization.Read
  - EntityName: userqueryvisualization
  - PrivilegeType: Read
  - PrivilegeDepth: Basic

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.ExpandChart

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/expandchart32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.ExpandChart
  - FunctionName: Mscrm.RibbonActions.expandVisualization
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.WebClient
    - Type: Web

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Column.Column

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.Column
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: Column
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern

-- InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Column.StackedColumn

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedColumn
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: StackedColumn
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Column.StackedColumn100

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedColumn100
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: StackedColumn100
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern

-- InvertResult: true

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Bar.Bar

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.Bar
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: Bar
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Bar.StackedBar

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedBar
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: StackedBar
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern

-- InvertResult: true

**Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Bar.StackedBar100**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedBar100
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: StackedBar100
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

**Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Area.Area**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.Area
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: Area
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern

-- InvertResult: true

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Area.StackedArea

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedArea
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: StackedArea
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Area.StackedArea100

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedArea100
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: StackedArea100
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern

-- InvertResult: true

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Line

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/linechart32.png
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.LineChart
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: Line
- Enable Rules:
  - Enable Rule Id: Mscrm.Enable.IsVisualizationCustomizableRule
    - FunctionName: Mscrm.RibbonActions.canCustomizeVisualization
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.Visualization.CanApplyLineChart
    - FunctionName: Mscrm.RibbonActions.canApplyChartType
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Pie

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/piechart32.png
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.PieChart
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: Pie
- Enable Rules:
  - Enable Rule Id: Mscrm.Enable.IsVisualizationCustomizableRule
    - FunctionName: Mscrm.RibbonActions.canCustomizeVisualization
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.Visualization.CanApplyPieChart
    - FunctionName: Mscrm.RibbonActions.canApplyChartType

-- Library: /\_static/\_common/scripts/RibbonActions.js

- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Other

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/funnelchart32.png
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.FunnelChart
  - FunctionName: Mscrm.RibbonActions.applyChartType
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - StringParameter: Funnel
- Enable Rules:
  - Enable Rule Id: Mscrm.Enable.IsVisualizationCustomizableRule
    - FunctionName: Mscrm.RibbonActions.canCustomizeVisualization
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.Visualization.CanApplyFunnelChart
    - FunctionName: Mscrm.RibbonActions.canApplyChartType
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Top3

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.Top3
  - FunctionName: Mscrm.RibbonActions.applyTopBottom
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - BoolParameter: true
    - IntParameter: 3

- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

**Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Top5**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.Top5
  - FunctionName: Mscrm.RibbonActions.applyTopBottom
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - BoolParameter: true
    - IntParameter: 5
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

**Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.TopX**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.TopX
  - FunctionName: Mscrm.RibbonActions.applyTopBottomCustom
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:



-- BoolParameter: true

- Enable Rules:

- Enable Rule Id: Mscrm.Enabled
  - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
  - Library: \$webresource:Main\_system\_library.js

- Display Rules:

- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Bottom3

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image:

- Command: Mscrm.VisualizationDesignerTab.TopBottom.Bottom3

- FunctionName: Mscrm.RibbonActions.applyTopBottom
- Library: /\_static/\_common/scripts/RibbonActions.js
- Function Parameters:
  - BoolParameter: false
  - IntParameter: 3

- Enable Rules:

- Enable Rule Id: Mscrm.Enabled
  - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
  - Library: \$webresource:Main\_system\_library.js

- Display Rules:

- Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Bottom5

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image:

- Command: Mscrm.VisualizationDesignerTab.TopBottom.Bottom5

- FunctionName: Mscrm.RibbonActions.applyTopBottom
- Library: /\_static/\_common/scripts/RibbonActions.js
- Function Parameters:
  - BoolParameter: false
  - IntParameter: 5

- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.BottomX

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.BottomX
  - FunctionName: Mscrm.RibbonActions.applyTopBottomCustom
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - BoolParameter: false
- Enable Rules:
  - Enable Rule Id: Mscrm.Enabled
    - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Clear

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.Clear
  - FunctionName: Mscrm.RibbonActions.clearTopBottom
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.Enable.IsVisualizationCustomizableRule
    - FunctionName: Mscrm.RibbonActions.canCustomizeVisualization
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.TopBottomEnabled
    - FunctionName: Mscrm.RibbonActions.isTopBottomEnabled

-- Library: /\_static/\_common/scripts/RibbonActions.js

- Display Rules:
  - Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Close.Close

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Close\_32.png
  - Modern Image:
- Command: Mscrm.VisualizationTab.CloseDesigner
  - FunctionName: Mscrm.RibbonActions.closeDesigner
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.VisualizationPaneDesignerMode
    - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInDesignerMode
    - Library: /\_static/\_common/scripts/RibbonActions.js
- Display Rules:

#### Button: MailApp.SubGrid.SetRegarding.Idv\_inspectionrequest.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: LinkArticle
- Command: MailApp.SubGrid.SetRegardingCommand

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.NewRecord

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/newrecord32.png
  - Modern Image: New
- Command: Mscrm.NewRecordFromGrid
  - FunctionName: XrmCore.Commands.Open.openNewRecord
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypename
    - CrmParameter: SelectedControl
- Enable Rules:

- Enable Rule Id: Mscrm.IsValidForHierarchyView
  - FunctionName: XrmCore.Rules.HierarchyView.IsValidForHierarchyView
  - Library: \$webresource:Main\_system\_library.js
- Enable Rule Id: Mscrm.IsValidForHierarchyPageInUC
  - FunctionName: XrmCore.Rules.HierarchyView.IsValidForHierarchyPageInUC
  - Library: \$webresource:Main\_system\_library.js
- Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
  - Library: \$webresource:Main\_system\_library.js
  - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Enable Rule Id: Mscrm.PrimaryIsNotActivityHomePageGrid
  - FunctionName: XrmCore.Rules.Enabled.PrimaryIsNotActivityHomePageGrid
  - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.CreateSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.ShowForNonRelationshipBoundGrids
    - AppliesTo: SelectedEntity
    - RelationshipType: NoRelationship
  - Display Rule: Mscrm.HideNewForChildEntities
    - AppliesTo: SelectedEntity
    - PropertyName: IsChildEntity
    - PropertyValue: false
  - Display Rule: Mscrm.HideAddressEntities
    - AppliesTo: SelectedEntity
    - EntityName: customeraddress
    - Default: false
    - InvertResult: true
  - Display Rule: Mscrm.SelectedEntityIsNotBPFEntity
    - AppliesTo: SelectedEntity
    - PropertyName: IsBPFEntity
    - PropertyValue: false
  - Display Rule: Mscrm.IsNotActivityPointer
    - AppliesTo: SelectedEntity
    - EntityName: activitypointer
    - InvertResult: true

Button: Mscrm.SubGrid.Idv\_inspectionrequest.OpenAssociatedGridViewStandard

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/OpenAssociatedGridView32.png
  - Modern Image:
- Command: Mscrm.OpenAssociatedGridViewOnLiteGridStandard
  - FunctionName: Mscrm.GridCommandActions.openAssociatedGridViewOnLiteGridStandard

- Library: /\_static/\_common/scripts/CommandBarActions.js
- Function Parameters:
  - CrmParameter: SelectedControl
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.ShowInSubGridStandard
    - Context: SubGridStandard
  - Display Rule: Mscrm.HideInLegacyRibbon
    - Type: Legacy
    - InvertResult: true
    - Address: /userdefined/edit.aspx
    - InvertResult: true
    - Address: /advancedfind/advfind.aspx
    - InvertResult: true
    - Address: /advancedfind/fetchData.aspx
    - InvertResult: true
    - Address: /tools/formeditor/formeditor.aspx
    - InvertResult: true
    - Address: /tools/visualizationdesigner/visualizationdesigner.aspx
    - InvertResult: true
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.AddNewStandard

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/newrecord32.png
  - Modern Image: New
- Command: Mscrm.AddNewRecordFromSubGridStandard
  - FunctionName: XrmCore.Commands.Open.addNewFromSubGridStandard
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeName
    - CrmParameter: PrimaryEntityTypeName
    - CrmParameter: FirstPrimaryItemId
    - CrmParameter: PrimaryControl
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.EntityFormIsEnabled

- State: Disabled
- InvertResult: true
- Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
  - Library: \$webresource:Main\_system\_library.js
  - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
  - Display Rule: Mscrm.ShowForOneToManyGrids
    - AppliesTo: SelectedEntity
    - RelationshipType: OneToMany
  - Display Rule: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.CreateSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.AppendSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideAddNewForChildEntities

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.AddExistingStandard

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/AddExistingStandard\_32.png
  - Modern Image: AddExisting
- Command: Mscrm.AddExistingRecordFromSubGridStandard
  - FunctionName: XrmCore.Commands.AddFromSubGrid.addExistingFromSubGridStandard
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypename
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.EntityFormIsEnabled
    - State: Disabled
    - InvertResult: true
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline
    - Library: \$webresource:Main\_system\_library.js
    - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline

- Enable Rule Id: Mscrm.IsRelationshipEnabledInMocaOffline
  - Library: \$webresource:Main\_system\_library.js
  - FunctionName: XrmCore.Rules.Online.IsRelationshipEnabledInMocaOffline
- Display Rules:
  - Display Rule: Mscrm.AddExisting
    - Default: false
    - InvertResult: true
  - Display Rule: Mscrm.ShowForOneToManyGrids
    - AppliesTo: SelectedEntity
    - RelationshipType: OneToMany
  - Display Rule: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.AppendSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: Append
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.CanWriteSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic

**Button: Mscrm.SubGrid.Idv\_inspectionrequest.AddExistingAssoc**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/AddExistingStandard\_32.png
  - Modern Image: AddExisting
- Command: Mscrm.AddExistingRecordFromSubGridAssociated
  - FunctionName: XrmCore.Commands.AddFromSubGrid.addExistingFromSubGridAssociated
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypename
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.AppendToPrimary
    - AppliesTo: PrimaryEntity
    - PrivilegeType: AppendTo
  - Enable Rule Id: Mscrm.EntityFormIsEnabled
    - State: Disabled
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.AddExisting

- Default: false
- InvertResult: true
- Display Rule: Mscrm.ShowForManyToManyGrids
  - AppliesTo: SelectedEntity
  - RelationshipType: ManyToMany
- Display Rule: Mscrm.AppendToPrimary
  - AppliesTo: PrimaryEntity
  - PrivilegeType: AppendTo
  - PrivilegeDepth: Basic
- Display Rule: Mscrm.AppendPrimary
  - AppliesTo: PrimaryEntity
  - PrivilegeType: Append
  - PrivilegeDepth: Basic
- Display Rule: Mscrm.AppendSelected
  - AppliesTo: SelectedEntity
  - PrivilegeType: Append
  - PrivilegeDepth: Basic
- Display Rule: Mscrm.AppendToSelected
  - AppliesTo: SelectedEntity
  - PrivilegeType: AppendTo
  - PrivilegeDepth: Basic

**Button: Mscrm.SubGrid.Idv\_inspectionrequest.Edit**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/edit32.png
  - Modern Image: Edit
- Command: Mscrm.EditSelectedRecord
  - FunctionName: XrmCore.Commands.BulkEdit.bulkEditRecords
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityType
- Enable Rules:
  - Enable Rule Id: Mscrm.CheckBulkEditSupportForEntity
    - FunctionName: XrmCore.InternalUtilities.DialogUtilities.isMobileCompanionApp
    - Library: \$webresource:Main\_system\_library.js
    - InvertResult: true
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.ShowOnNonModernAndModernIfAllowed



- Display Rules:
  - Display Rule: Mscrm.BulkEditPrivilege
    - PrivilegeName: BulkEdit
  - Display Rule: Mscrm.WriteSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HybridDialogBulkEditEnabled

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.Activate

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Activate\_32.png
  - Modern Image: Activate
- Command: Mscrm.HomepageGrid.Activate
  - FunctionName: XrmCore.Commands.Activate.activateRecords
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypename
- Enable Rules:
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
- Display Rules:
  - Display Rule: Mscrm.CanWriteSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.SelectedEntityHasStatecode
    - AppliesTo: SelectedEntity
    - PropertyName: HasStateCode
    - PropertyValue: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.Deactivate

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Deactivate\_32.png
  - Modern Image: DeActivate
- Command: Mscrm.HomepageGrid.Deactivate

- FunctionName: XrmCore.Commands.Deactivate.deactivateRecords
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - CrmParameter: SelectedControl
  - CrmParameter: SelectedControlSelectedItemReferences
  - CrmParameter: SelectedEntityType
- Enable Rules:
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
- Display Rules:
  - Display Rule: Mscrm.CanWriteSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.SelectedEntityHasStatecode
    - AppliesTo: SelectedEntity
    - PropertyName: HasStateCode
    - PropertyValue: true

#### Button: msdyn.ApplicationRibbon.Idv\_inspectionrequest.SubGrid.BookResource.Button

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: \$webresource:msdyn\_/fps/Icons/CommandBar/Schedule\_32.png
  - Modern Image:
- Command: msdyn.ApplicationRibbon.HomeGrid.BookResource.Command
  - FunctionName: isNaN
  - Library: \$webresource:msdyn\_/fps/LocalizationLibrary/Localization.Library.js
  - Function Parameters:
    - FunctionName: isNaN
    - Library: \$webresource:msdyn\_/fps/Utils/FpsUtils.js
    - Function Parameters:
      - FunctionName: FpsUtils.Form.OpenSBSAMode
      - Library: \$webresource:msdyn\_/fps/Utils/FpsUtils.js
      - Function Parameters:
        - CrmParameter: FirstSelectedItem
        - CrmParameter: SelectedEntityType
  - Enable Rules:
    - Enable Rule Id: msdyn.ApplicationRibbon.HomeGrid.BookResource.EnableRule
      - FunctionName: FpsUtils.Form.isBookButtonEnabled
      - Library: \$webresource:msdyn\_/fps/Utils/FpsUtils.js
      - Default: false

- AppliesTo: SelectedEntity
- Minimum: 1
- Maximum: 1

- Display Rules:

- Display Rule:

msdyn.ApplicationRibbon.HomeGrid.BookResource.DisplayRule.CommandClientTypeRule

- Type: Modern
- InvertResult: true

**Button: Mscrm.SubGrid.Idv\_inspectionrequest.Remove**

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/Workplace/Remove\_32.png
- Modern Image: Remove

- Command: Mscrm.RemoveSelectedRecord

- FunctionName: XrmCore.Commands.Disassociate.gridDisassociate
- Library: \$webresource:Main\_system\_library.js
- Function Parameters:
  - CrmParameter: SelectedEntityType
  - CrmParameter: SelectedControl
  - CrmParameter: FirstSelectedItem

- Enable Rules:

- Enable Rule Id: Mscrm.SelectionCountAtLeastOne
  - Minimum: 1
  - AppliesTo: SelectedEntity
- Enable Rule Id: Mscrm.AppendToPrimary
  - AppliesTo: PrimaryEntity
  - PrivilegeType: AppendTo
- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized

- Display Rules:

- Display Rule: Mscrm.ShowForManyToManyGrids
  - AppliesTo: SelectedEntity
  - RelationshipType: ManyToMany
- Display Rule: Mscrm.AppendToPrimary
  - AppliesTo: PrimaryEntity
  - PrivilegeType: AppendTo
  - PrivilegeDepth: Basic

**Button: Mscrm.SubGrid.Idv\_inspectionrequest.BulkDelete**

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /\_imgs/ribbon/BulkDelete\_32.png

- Modern Image: DeleteBulk
- Command: Mscrm.HomepageGrid.BulkDelete
  - FunctionName: Mscrm.GridRibbonActions.bulkDelete
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.GridFiltersEnabled
    - AppliesTo: SelectedEntity
    - PropertyName: GridFiltersEnabled
    - PropertyValue: true
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
  - Display Rule: Mscrm.BulkDelete
    - PrivilegeName: BulkDelete
  - Display Rule: Mscrm.DeletePrimaryEntityPermission
    - AppliesTo: PrimaryEntity
    - PrivilegeType: Delete
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

Button: Mscrm.SubGrid.Idv\_inspectionrequest.Detect.Selected

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/DuplicateDetection\_32.png
  - Modern Image:
- Command: Mscrm.HomepageGrid.DetectDupesSelected
  - FunctionName: Mscrm.GridRibbonActions.detectDuplicatesSelectedRecords
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlSelectedItemIds
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline

- InvertResult: true
- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.Detect.All

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/DetectAll\_32.png
  - Modern Image:
- Command: Mscrm.HomepageGrid.DetectDupesAll
  - FunctionName: Mscrm.GridRibbonActions.detectDuplicatesAllRecords
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.RefreshButton

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: Refresh
- Command: Mscrm.Modern.refreshCommand
  - FunctionName: XrmCore.Commands.Refresh.refreshCommand
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.IsEntityAvailableForUserInMocaOffline

- Library: \$webresource:Main\_system\_library.js
- FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Enable Rule Id: Mscrm.FormStateNotNew
  - State: Create
  - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.AddEmail

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Email\_32.png
  - Modern Image: EmailLink
- Command: Mscrm.AddEmailToSelectedRecord
  - FunctionName: Mscrm.GridRibbonActions.sendBulkEmail
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemIds
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.WriteActivityPermission
    - EntityName: activitypointer
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.SelectedEntityIsListedForSendDirectEmailOrEmailable
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.modern.AddEmail

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Email\_32.png
  - Modern Image: EmailLink

- Command: Mscrm.modern.AddEmailToSelectedRecord
  - FunctionName: Activities.BulkEmailDialog.openBulkEmailDialog
  - Library: \$webresource:Activities/SystemLibraries/InsertEmailTemplate.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemIds
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsBulkEmailInUciEnabled
    - FunctionName: Activities.BulkEmailDialog.IsSendBulkEmailInUciEnabled
    - Library: \$webresource:Activities/SystemLibraries/InsertEmailTemplate.js
- Display Rules:
  - Display Rule: Mscrm.WriteActivityPermission
    - EntityName: activitypointer
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.SelectedEntityIsListedForSendDirectEmailOrEailable
  - Display Rule: Mscrm.ShowOnlyOnModern
    - Type: Modern

**Button: Mscrm.SubGrid.Idv\_inspectionrequest.AdvMergeRecords**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/MergeRecords\_32.png
  - Modern Image:
- Command: Mscrm.HideAdvMergeRecords
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.HideInLegacyRibbon
    - Type: Legacy
    - InvertResult: true
    - Address: /userdefined/edit.aspx
    - InvertResult: true
    - Address: /advancedfind/advfind.aspx
    - InvertResult: true
    - Address: /advancedfind/fetchData.aspx

- InvertResult: true
- Address: /tools/formeditor/formeditor.aspx
- InvertResult: true
- Address: /tools/visualizationdesigner/visualizationdesigner.aspx
- InvertResult: true
- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.HideOnModern
  - Type: Modern
  - InvertResult: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.AssociateParentChildCase

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/AssociateChildCase\_32.png
  - Modern Image:
- Command: Mscrm.AssociateParentChildCase
  - FunctionName: CrmService.IncidentRibbon.GridCommandActions.associateChildCase
  - Library: \$webresource:Service/Incident/Ribbon/Incident\_ribbon\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastTwo
    - Minimum: 2
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Display Rule: Mscrm.WriteIncident
    - EntityName: incident
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.WorksWithMergeAndParentChild
    - AppliesTo: SelectedEntity
    - EntityName: incident
    - Default: false

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.MailMerge

- Icon:
  - Image 16x16: {image16x16}



- Image 32x32: /\_imgs/ribbon/mailmerge32.png
- Modern Image:
- Command: Mscrm.MailMergeSelected
  - FunctionName: Mscrm.GridRibbonActions.webMailMerge
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemIds
    - CrmParameter: SelectedEntityTypeCode
    - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsNotlos
    - FunctionName: Mscrm.Islos\_0
    - Library: \$Webresource:Ribbon\_main\_system\_library.js
    - InvertResult: true
- Display Rules:
  - Display Rule: Mscrm.MailMergeSelected
    - AppliesTo: SelectedEntity
    - PropertyName: MailMergeEnabled
    - PropertyValue: true
    - PrivilegeName: MailMerge
    - EntityName: mailmergetemplate
    - PrivilegeType: Read
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: activitypointer
    - PrivilegeType: Write
    - PrivilegeDepth: Basic
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

Button: Mscrm.SubGrid.Idv\_inspectionrequest.AddConnectionNew

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image: ConnectionToOther
  
- Command: Mscrm.AddConnectionGrid
  - FunctionName: Mscrm.GridRibbonActions.addConnection
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControlSelectedItemReferences
    - BoolParameter: false
  
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  
- Display Rules:
  - Display Rule: Mscrm.CreateConnection
    - PrivilegeName: CreateConnection
  - Display Rule: Mscrm.IsConnectionsEnabledSelected
    - Default: false
    - AppliesTo: SelectedEntity
    - PropertyName: IsConnectionsEnabled
    - PropertyValue: true
  - Display Rule: Mscrm.HideOnCommandBar

**Button: Mscrm.SubGrid.Idv\_inspectionrequest.AddConnectionToMe**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32:
  - Modern Image: ConnectionToMe
  
- Command: Mscrm.AddConnectionToMeGrid
  - FunctionName: Mscrm.GridRibbonActions.addConnection
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControlSelectedItemReferences
    - BoolParameter: true
  
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized

- Display Rules:
  - Display Rule: Mscrm.CreateConnection
    - PrivilegeName: CreateConnection
  - Display Rule: Mscrm.IsConnectionsEnabledSelected
    - Default: false
    - AppliesTo: SelectedEntity
    - PropertyName: IsConnectionsEnabled
    - PropertyValue: true

**Button: Mscrm.SubGrid.Idv\_inspectionrequest.AddToQueue**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/AddToQueue\_32.png
  - Modern Image: AddToQueue
- Command: Mscrm.AddSelectedToQueue
  - FunctionName: AppCommon.Commands.Queue.AddGridRecordsToQueue
  - Library: \$webresource:AppCommon/Commands/QueueCommands.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.AppendToSelected
    - AppliesTo: SelectedEntity
    - PrivilegeType: AppendTo
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.WorksWithQueueSelected
    - Default: false
    - AppliesTo: SelectedEntity
    - PropertyName: WorksWithQueue
    - PropertyValue: true

**Button: Mscrm.SubGrid.Idv\_inspectionrequest.Assign**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Assign\_32.png
  - Modern Image: Assign

- Command: Mscrm.AssignSelectedRecord
  - FunctionName: XrmCore.Commands.Assign.assignSelectedRecords
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypename
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.IsValidForHierarchyPageInUC
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.AssignSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Assign
    - PrivilegeDepth: Basic

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.Sharing

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Sharing\_32.png
  - Modern Image: Share
- Command: Mscrm.ShareSelectedRecord
  - FunctionName: XrmCore.Commands.Share.shareSelectedRecords
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypename
- Enable Rules:
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline

- InvertResult: true
- Enable Rule Id: Mscrm.SelectionCountAtLeastOne
  - Minimum: 1
  - AppliesTo: SelectedEntity
- Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Enable Rule Id: Mscrm.ShareValid
  - FunctionName: XrmCore.Commands.Share.isShareValid
  - Library: \$webresource:Main\_system\_library.js
- Enable Rule Id: Mscrm.IsValidForHierarchyView
  - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
  - Library: \$webresource:Main\_system\_library.js
- Enable Rule Id: Mscrm.ShowOnNonModernAndModernIfAllowed
- Display Rules:
  - Display Rule: Mscrm.ShareSelectedEntityPermission
    - AppliesTo: SelectedEntity
    - PrivilegeType: Share
    - PrivilegeDepth: Basic
  - Display Rule: Mscrm.HybridDialogShareEnabled

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.CopySelected

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/copyshortcut32.png
  - Modern Image:
- Command: Mscrm.CopyShortcutSelected
  - FunctionName: Mscrm.Utilities.sendSelectedRecordsUrl
  - Library: /\_common/global.ashx
  - Function Parameters:
    - BoolParameter: false
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.EnableInIEBrowser
    - FunctionName: Mscrm.IsIEBrowser\_0
    - Library: \$Webresource:Ribbon\_main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.SendSelected

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/SendShortcut\_32.png
  - Modern Image: EmailLink
- Command: Mscrm.SendShortcutSelected
  - FunctionName: XrmCore.Commands.EmailCopyLink.emailCopyLinkRecords
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - BoolParameter: true
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityType
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.IsValidForHierarchyPageInUC
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.FollowButton

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Entity32\_8003.png
  - Modern Image: RatingEmpty
- Command: Mscrm.SubGrid.FollowCommand
  - FunctionName: Follow.FollowCommands.followFromGrid
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1

- AppliesTo: SelectedEntity
- Enable Rule Id: Mscrm.NotOffline
  - State: Offline
  - InvertResult: true
- Enable Rule Id: msdyn.ActivityFeeds.IsEntityWallEnabledActive
  - Default: false
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - FunctionName: Follow.FollowCommands.dummy
  - Library: \$webresource:msdyn\_/Scripts/PlatformScriptLoader.js
  - FunctionName: Follow.FollowCommands.dummy
  - Library: \$webresource:msdyn\_/InstalledLocales.js
  - FunctionName: Follow.FollowCommands.dummy
  - Default: false
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - FunctionName: Follow.FollowEnabled.isEntityWallEnabled
- Enable Rule Id: msdyn.ActivityFeeds.IsMultiRecordFollowAllowed
  - Default: false
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - FunctionName: Follow.FollowEnabled.isMultiRecordFollowAllowed
- Display Rules:
  - Display Rule: msdyn.ActivityFeeds.ShowFollowButton
    - AppliesTo: SelectedEntity
    - EntityName: postfollow
    - Default: true
    - InvertResult: true
    - EntityName: postfollow
    - PrivilegeType: Create
    - PrivilegeDepth: Basic
    - EntityName: postfollow
    - PrivilegeType: Read
    - PrivilegeDepth: Basic

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.UnfollowButton

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/Entity32\_8003\_u.png
  - Modern Image: RatingFull
- Command: Mscrm.SubGrid.UnfollowCommand
  - FunctionName: Follow.FollowCommands.unfollowFromGrid
  - Library: \$webresource:msdyn\_/Follow.Command.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode

- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Enable Rule Id: msdyn.ActivityFeeds.IsEntityWallEnabledInActive
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowCommands.dummy
    - Library: \$webresource:msdyn\_/Scripts/PlatformScriptLoader.js
    - FunctionName: Follow.FollowCommands.dummy
    - Library: \$webresource:msdyn\_/InstalledLocales.js
    - FunctionName: Follow.FollowCommands.dummy
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowEnabled.isEntityWallEnabled
  - Enable Rule Id: msdyn.ActivityFeeds.IsMultiRecordFollowAllowed
    - Default: false
    - Library: \$webresource:msdyn\_/Follow.Command.js
    - FunctionName: Follow.FollowEnabled.isMultiRecordFollowAllowed
- Display Rules:
  - Display Rule: msdyn.ActivityFeeds.ShowUnfollowButton
    - AppliesTo: SelectedEntity
    - EntityName: postfollow
    - Default: true
    - InvertResult: true
    - EntityName: postfollow
    - PrivilegeType: Delete
    - PrivilegeDepth: Basic
    - EntityName: postfollow
    - PrivilegeType: Read
    - PrivilegeDepth: Basic

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.SaveToCurrent

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/savefilters32.png
  - Modern Image:
- Command: Mscrm.SaveToCurrentView
  - FunctionName: Mscrm.RibbonActions.gridFiltersSaveToCurrentView
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl



- Enable Rules:
  - Enable Rule Id: Mscrm.UserQuerySelected
    - FunctionName: Mscrm.RibbonActions.isUserQuerySelected
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.EnableSaveButton
    - FunctionName: Mscrm.GridCommandActions.canEnableSaveButton
    - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.GridFiltersEnabled
    - AppliesTo: SelectedEntity
    - PropertyName: GridFiltersEnabled
    - PropertyValue: true
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
  - Display Rule: Mscrm.HideOnCommandBar

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.SaveAsNew

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/savefiltersasview32.png
  - Modern Image:
- Command: Mscrm.SaveAsNewView
  - FunctionName: Mscrm.RibbonActions.gridFiltersSaveAsNewView
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
- Enable Rules:
  - Enable Rule Id: Mscrm.EnableSaveButton
    - FunctionName: Mscrm.GridCommandActions.canEnableSaveButton
    - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
  - Display Rule: Mscrm.GridFiltersEnabled
    - AppliesTo: SelectedEntity
    - PropertyName: GridFiltersEnabled
    - PropertyValue: true
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern

-- InvertResult: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.SaveAsDefaultGridView

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/setasdefaultview32.png
  - Modern Image:
- Command: Mscrm.SaveAsDefaultGridView
  - FunctionName: Mscrm.RibbonActions.saveAsDefaultGridView
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
- Enable Rules:
  - Enable Rule Id: Mscrm.SetDefaultGridViewButtonEnabled
    - FunctionName: Mscrm.RibbonActions.enableSetDefaultGridViewButton
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.EnableOnHomePageAspx
    - Address: /\_root/homepage.aspx
- Display Rules:
  - Display Rule: Mscrm.NotAdvancedFind
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
    - Address: /advancedfind/advfind.aspx
    - InvertResult: true
  - Display Rule: Mscrm.HideOnCommandBar
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.RunWorkflow

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/runworkflow32.png
  - Modern Image:
- Command: Mscrm.RunWorkflowSelected
  - FunctionName: Mscrm.GridRibbonActions.launchOnDemandWorkflow
  - Library: /\_static/\_common/scripts/RibbonActions.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
    - StringParameter:

- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.RunWorkflowSelected
    - FunctionName: Mscrm.GridRibbonActions.enableWorkflowOnGrid
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.HideForTabletExperience

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.RunScript

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/StartDialog\_32.png
  - Modern Image:
- Command: Mscrm.RunInteractiveWorkflowSelected
  - FunctionName: Mscrm.GridCommandActions.runScript
  - Library: /\_static/\_common/scripts/CommandBarActions.js
  - Function Parameters:
    - CrmParameter: SelectedControlSelectedItemReferences
    - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
  - Enable Rule Id: Mscrm.SelectionCountExactlyOne
    - Minimum: 1
    - Maximum: 1
    - AppliesTo: SelectedEntity
  - Enable Rule Id: Mscrm.RunWorkflowSelected
    - FunctionName: Mscrm.GridRibbonActions.enableWorkflowOnGrid
    - Library: /\_static/\_common/scripts/RibbonActions.js
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.IsValidForHierarchyView
    - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern

- InvertResult: true
- Display Rule: Mscrm.HideForTabletExperience

**Button: Mscrm.SubGrid.Idv\_inspectionrequest.ExportToExcelOnline**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.Online
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypename
    - IntParameter: 6
- Enable Rules:
  - Enable Rule Id: Mscrm.ExportToExcel.ValidForXlsxExport
    - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.EnableExportToExcelOnlineForModern
    - FunctionName: XrmCore.Rules.Enabled.enableExportToExcelOnlineForModern
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.EnableOnlyInBrowsersForModern
    - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
    - Library: \$webresource:Main\_system\_library.js
- Display Rules:
  - Display Rule: Mscrm.Live
    - Sku: Online
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideOnOutlookClient
    - Type: Outlook
    - InvertResult: true
  - Display Rule: Mscrm.NotAdvancedFind
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
    - Address: /advancedfind/advfind.aspx
    - InvertResult: true
  - Display Rule: Mscrm.HideOnPhoneForNonModern
  - Display Rule: Mscrm.HideForTabletExperience

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.StaticWorksheetAll**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.AllStaticXlsx
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypename
    - IntParameter: 5
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideForTabletExperience

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.StaticWorksheet

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.StaticXlsx
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypename
    - IntParameter: 4
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideForTabletExperience

#### Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.DynamicWorkesheet

- Icon:
  - Image 16x16: {image16x16}

- Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
- Modern Image: ExportToExcel
  
- Command: Mscrm.ExportToExcel.DynamicXlsx
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypename
    - IntParameter: 2
  
- Enable Rules:
  - Enable Rule Id: Mscrm.ExportToExcel.ValidForXlsxExport
    - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.EnableOnlyInBrowsersForModern
    - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
    - Library: \$webresource:Main\_system\_library.js
  
- Display Rules:
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideForTabletExperience

**Button: Mscrm.HomepageGrid.Idv\_inspectionrequest.DynamicPivotTable**

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
  
- Command: Mscrm.ExportToExcel.PivotXlsx
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypename
    - IntParameter: 3
  
- Enable Rules:
  - Enable Rule Id: Mscrm.ExportToExcel.ValidForXlsxExport
    - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.EnableOnlyInBrowsersForModern
    - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
    - Library: \$webresource:Main\_system\_library.js

- Display Rules:
  - Display Rule: Mscrm.IsExportToExcelFCBEnabled
    - FeatureControlBit: FCB.ExportToExcel
    - ExpectedValue: true
  - Display Rule: Mscrm.HideForTabletExperience

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.ExportSelectedToExcel

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/exporttoexcel32.png
  - Modern Image: ExportToExcel
- Command: Mscrm.ExportSelectedToExcel
  - FunctionName: XrmCore.Commands.Export.exportToExcel
  - Library: \$webresource:Main\_system\_library.js
  - Function Parameters:
    - CrmParameter: SelectedControl
    - CrmParameter: SelectedEntityTypename
    - IntParameter: 5
    - CrmParameter: SelectedControlSelectedItemIds
- Enable Rules:
  - Enable Rule Id: Mscrm.ExportToExcel
    - FunctionName: XrmCore.Rules.Export.EnableExportToExcel
    - Library: \$webresource:Main\_system\_library.js
  - Enable Rule Id: Mscrm.VisualizationPaneNotMaximized
  - Enable Rule Id: Mscrm.SelectionCountAtLeastOne
    - Minimum: 1
    - AppliesTo: SelectedEntity
- Display Rules:
  - Display Rule: Mscrm.ExportToExcelPrivilege
    - PrivilegeName: ExportToExcel
  - Display Rule: Mscrm.HideForTabletExperience
  - Display Rule: Mscrm.ShowExportSelectedToExcel
  - Display Rule: Mscrm.HideOnOutlookClient
    - Type: Outlook
    - InvertResult: true

#### Button: Mscrm.SubGrid.Idv\_inspectionrequest.FolderTracking

- Icon:
  - Image 16x16: {image16x16}
  - Image 32x32: /\_imgs/ribbon/CRM\_Activity\_Command\_FolderTracking\_16.png
  - Modern Image: FolderTrack
- Command: Mscrm.HomepageGrid.FolderTracking

- FunctionName: Mscrm.GridCommandActions.trackEmailsByFolder
- Library: /\_static/\_common/scripts/CommandBarActions.js
- Function Parameters:
  - CrmParameter: FirstPrimaryItemId
  - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
- Display Rules:
  - Display Rule: Mscrm.HideOnModern
    - Type: Modern
    - InvertResult: true
  - Display Rule: Mscrm.NotOffline
    - State: Offline
    - InvertResult: true
  - Display Rule: Mscrm.SelectedEntityIsActivity
    - AppliesTo: SelectedEntity
    - PropertyName: IsActivity
    - PropertyValue: true
  - Display Rule: Mscrm.NotAdvancedFind
    - Address: /advancedfind/fetchdata.aspx
    - InvertResult: true
    - Address: /advancedfind/advfind.aspx
    - InvertResult: true