

account Ribbon Buttons

Button: Mscrm.HomepageGrid.account.NewRecord

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/newrecord32.png
 - Modern Image: New
- Command: Mscrm.NewRecordFromGrid
 - JS Function: XrmCore.Commands.Open.openNewRecord in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedEntityType
 - CrmParameter: SelectedControl
- Enable Rules:
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsValidForHierarchyPageInUC
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
 - Enable Rule: Mscrm.PrimaryIsNotActivityHomePageGrid
 - FunctionName: XrmCore.Rules.Enabled.PrimaryIsNotActivityHomePageGrid
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.CreateSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.ShowForNonRelationshipBoundGrids
 - AppliesTo: SelectedEntity
 - RelationshipType: NoRelationship
 - Display Rule: Mscrm.HideNewForChildEntities
 - AppliesTo: SelectedEntity
 - PropertyName: IsChildEntity
 - PropertyValue: false
 - Display Rule: Mscrm.HideAddressEntities
 - AppliesTo: SelectedEntity
 - EntityName: customeraddress
 - Default: false
 - InvertResult: true
 - Display Rule: Mscrm.NotOnMarketingList

- Default: false
- EntityName: list
- InvertResult: true

Button: Mscrm.HomepageGrid.account.NewRecordForBPFEntity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/newrecord32.png
 - Modern Image: New
- Command: Mscrm.HomepageGrid.NewRecordForBPFEntity
 - JS Function: XrmCore.Commands.NewRecordForBPFEntity.openNewRecord in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeName
 - CrmParameter: SelectedControl
- Enable Rules:
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsValidForHierarchyPageInUC
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
 - Display Rule: Mscrm.IsPUV2EntityCustomizationEnabled
 - FeatureControlBit: FCB.ProcessUnificationV2EntityCustomization
 - ExpectedValue: true
 - Display Rule: Mscrm.IsBPFEntityCustomizationFeatureEnabled
 - Setting: IsBPFEntityCustomizationFeatureEnabled
 - Display Rule: Mscrm.SelectedEntityIsBPFEntity
 - AppliesTo: SelectedEntity
 - PropertyName: IsBPFEntity
 - PropertyValue: true
 - Display Rule: Mscrm.CreateSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Create
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.Edit

- Icon:
 - Image 16x16: {image16x16}

- Image 32x32: /_imgs/ribbon/edit32.png
- Modern Image: Edit

- Command: Mscrm.EditSelectedRecord
 - JS Function: XrmCore.Commands.BulkEdit.bulkEditRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType

- Enable Rules:
 - Enable Rule: Mscrm.CheckBulkEditSupportForEntity
 - FunctionName: XrmCore.InternalUtilities.DialogUtilities.isMobileCompanionApp
 - Library: \$webresource:Main_system_library.js
 - InvertResult: true
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.IsValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.ShowOnNonModernAndModernIfAllowed

- Display Rules:
 - Display Rule: Mscrm.BulkEditPrivilege
 - PrivilegeName: BulkEdit
 - Display Rule: Mscrm.WriteSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HybridDialogBulkEditEnabled

Button: Mscrm.HomepageGrid.account.Activate

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Activate_32.png
 - Modern Image: Activate

- Command: Mscrm.HomepageGrid.Activate
 - JS Function: XrmCore.Commands.Activate.activateRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType

- Enable Rules:
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Display Rules:
 - Display Rule: Mscrm.CanWriteSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.SelectedEntityHasStatecode
 - AppliesTo: SelectedEntity
 - PropertyName: HasStateCode
 - PropertyValue: true

Button: Mscrm.HomepageGrid.account.Deactivate

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Deactivate_32.png
 - Modern Image: DeActivate
- Command: Mscrm.HomepageGrid.Deactivate
 - JS Function: XrmCore.Commands.Deactivate.deactivateRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypename
- Enable Rules:
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Display Rules:
 - Display Rule: Mscrm.CanWriteSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.SelectedEntityHasStatecode
 - AppliesTo: SelectedEntity
 - PropertyName: HasStateCode
 - PropertyValue: true

Button: msdyn.ApplicationRibbon.account.HomeGrid.BookResource.Button

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: \$webresource:msdyn_/fps/Icons/CommandBar/Schedule_32.png
- Modern Image:
- Command: msdyn.ApplicationRibbon.HomeGrid.BookResource.Command
 - JS Function: isNaN in \$webresource:msdyn_/fps/LocalizationLibrary/Localization.Library.js
 - Function Parameters:
 - JS Function: isNaN in \$webresource:msdyn_/fps/Utils/FpsUtils.js
 - Function Parameters:
 - JS Function: FpsUtils.Form.OpenSBSAMode in \$webresource:msdyn_/fps/Utils/FpsUtils.js
 - Function Parameters:
 - CrmParameter: FirstSelectedItemId
 - CrmParameter: SelectedEntityTypename
- Enable Rules:
 - Enable Rule: msdyn.ApplicationRibbon.HomeGrid.BookResource.EnableRule
 - FunctionName: FpsUtils.Form.isBookButtonEnabled
 - Library: \$webresource:msdyn_/fps/Utils/FpsUtils.js
 - Default: false
 - AppliesTo: SelectedEntity
 - Minimum: 1
 - Maximum: 1
- Display Rules:
 - Display Rule:
 - msdyn.ApplicationRibbon.HomeGrid.BookResource.DisplayRule.CommandClientTypeRule
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.OpenActiveStage

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/EditForm_32.png
 - Modern Image: FormDesign
- Command: Mscrm.HomepageGrid.OpenActiveStage
 - JS Function: XrmCore.Commands.OpenActiveStage.openActiveStageFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity

- Display Rules:
 - Display Rule: Mscrm.IsPUV2EntityCustomizationEnabled
 - FeatureControlBit: FCB.ProcessUnificationV2EntityCustomization
 - ExpectedValue: true
 - Display Rule: Mscrm.IsBPFEntityCustomizationFeatureEnabled
 - Setting: IsBPFEntityCustomizationFeatureEnabled
 - Display Rule: Mscrm.SelectedEntityIsBPFEntity
 - AppliesTo: SelectedEntity
 - PropertyName: IsBPFEntity
 - PropertyValue: true

Button: Mscrm.HomepageGrid.account.MergeRecords

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/MergeRecords_32.png
 - Modern Image: MergeRecords
- Command: Mscrm.HomepageGrid.account.MergeRecords
 - JS Function: ClientUtility.ClientUtil.launchUCIMergeDialog in \$webresource:CRM/ClientUtility.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountOneOrTwo
 - Minimum: 1
 - Maximum: 2
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: ClientUtility.ClientUtil.ValidateSettingsForModernDevice
 - FunctionName: ClientUtility.ClientUtil.ValidateSettingsForModernDevice
 - Library: \$webresource:CRM/ClientUtility.js
 - Display Rule: Mscrm.HomepageGrid.account.MergeGroup
 - PrivilegeName: Merge
 - Display Rule: Mscrm.CanWriteAccount
 - EntityName: account
 - PrivilegeType: Write
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.Detect.Selected

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/DeleteSelected_32.png
 - Modern Image:
- Command: Mscrm.HomepageGrid.DetectDupesSelected
 - JS Function: Mscrm.GridRibbonActions.detectDuplicatesSelectedRecords in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: SelectedControlSelectedItemIds
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.Detect.All

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/DetectAll_32.png
 - Modern Image:
- Command: Mscrm.HomepageGrid.DetectDupesAll
 - JS Function: Mscrm.GridRibbonActions.detectDuplicatesAllRecords in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: GuidedHelpaccount.Grid

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: loadGuidedHelp
 - JS Function: checkForGuidedHelp in \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: IsGuidedHelpEnabled
 - FunctionName: enableGuidedHelp
 - Library: \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Default: true
 - InvertResult: false
- Display Rules:
 - Display Rule: GuidedHelpDisplayRule
 - Type: Modern
 - Type: Outlook
 - InvertResult: true
 - FeatureControlBit: FCB.GuidedHelp
 - ExpectedValue: true
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: LPLibraryaccount.Grid

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: launchLPLibrary
 - JS Function: launchLPLibrary in \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: IsGuidedHelpEnabled
 - FunctionName: enableGuidedHelp
 - Library: \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Default: true

- InvertResult: false
- Enable Rule: LPLibraryEnabled
 - FunctionName: enableLearningPathDesigner
 - Library: \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Default: true
 - InvertResult: false
- Enable Rule: IsNotISH
 - FunctionName: isNotISH
 - Library: \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Default: true
 - InvertResult: false
- Display Rules:
 - Display Rule: GuidedHelpDisplayRule
 - Type: Modern
 - Type: Outlook
 - InvertResult: true
 - FeatureControlBit: FCB.GuidedHelp
 - ExpectedValue: true
 - Display Rule: LPPrivilegeRule
 - PrivilegeName: LearningPath
 - PrivilegeDepth: Global
 - Default: false
 - InvertResult: false
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.RefreshModernButton

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: Refresh
- Command: Mscrm.Modern.refreshCommand
 - JS Function: XrmCore.Commands.Refresh.refreshCommand in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
- Enable Rules:
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
 - Enable Rule: Mscrm.FormStateNotNew

- State: Create
- InvertResult: true

- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern

Button: Mscrm.HomepageGrid.account.NavigateToHomepageGrid

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: TableGroup
- Command: Mscrm.NavigateToHomepageGrid
 - JS Function: XrmCore.Commands.NavigateToGrid.navigateToHomepageGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
- Enable Rules:
 - Enable Rule: Mscrm.ShowOnDashboardPageUCI
 - Type: Modern
 - FunctionName: XrmCore.Rules.Dashboard.isDashboardPage
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.IsNavigateToInUCIEnabled
 - FeatureControlBit: FCB.NavigateToGridFromSubgrid
 - ExpectedValue: true

Button: Mscrm.HomepageGrid.account.ActionButtonForMSTeams

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: MSTeamsIcon
- Command: Mscrm.HomePageGrid.MSTeamsViewCollaborateCommand
 - JS Function: OfficeProductivity.RibbonCommands.showMSTeamsViewCollaborateDialog in \$webresource:msdyn_/OfficeProductivity.js
 - Function Parameters:
 - CrmParameter: PrimaryControl
- Enable Rules:

- Enable Rule: OfficeProductivity.RibbonRules.showMSTeamsViewCollaborateCommand
 - FunctionName: OfficeProductivity.RibbonRules.showMSTeamsViewCollaborateCommand
 - Library: \$webresource:msdyn_/OfficeProductivity.js
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.IsMSTeamsIntegrationEnabled
 - FeatureControlBit: FCB.MSTeamsIntegration
 - ExpectedValue: true

Button: msdyn.HomepageGrid.account.LaunchPlaybook.Button

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: \$webresource:Playbook/msdyn_/Images/SVG/PlaybookInstanceIcon.svg
- Command: Playbook.HomepageGrid.Launch
 - JS Function: PlaybookService.GridCommandBarActions.LaunchPlaybook in \$webresource:Playbook/CommandBarActions/Playbook_CommandBarActions_library.js
 - Function Parameters:
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: PrimaryControl
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.IsPlaybookTemplateAvailableFromGrid
 - FunctionName: PlaybookService.GridCommandBarActions.IsDisplayPlayBook
 - Library: \$webresource:Playbook/CommandBarActions/Playbook_CommandBarActions_library.js
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.CanLaunchPlaybook
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: msdyn_playbookinstance
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: msdyn_playbooktemplate
 - PrivilegeType: Read

- PrivilegeDepth: Basic
- EntityName: msdyn_playbookactivity
- PrivilegeType: Read
- PrivilegeDepth: Basic
- EntityName: msdyn_callablecontext
- PrivilegeType: Read
- PrivilegeDepth: Basic
- Display Rule: Mscrm.IsPlaybookFeatureEnabled
 - FeatureControlBit: FCB.Playbook
 - ExpectedValue: true

Button: Mscrm.HomepageGrid.account.ViewOrgChart

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: Drilldown
- Command: LinkedInExtensions.ViewOrgChartForGrid
 - JS Function: LinkedInExtensions.Account.Instance.ViewOrgChartFromGrid in \$webresource:LinkedInExtensions/Account/LinkedInExtensions_Account.js
 - Function Parameters:
 - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.HideOnMobile
 - FunctionName: XrmCore.InternalUtilities.DialogUtilities.isMobileCompanionApp
 - Library: \$webresource:Main_system_library.js
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Display Rule: Mscrm.IsOrgChartFeatureEnabled
 - FeatureControlBit: FCB.OrgChart
 - ExpectedValue: true
 - Display Rule: Mscrm.CanReadContact
 - EntityName: contact
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button:

FieldServiceFieldService.HomepageGrid.account.MainTab.HomeLocationGroup.B_buttonGeoCodeM

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: \$webresource:msdyn_/Icons/CommandBar/Location_32.png
- Modern Image:

- Command:

FieldServiceFieldService.HomepageGrid.account.MainTab.HomeLocationGroup.B_buttonGeoCodeM.Command

- JS Function: isNaN in \$webresource:msdyn_/SDK/SOAP/Sdk_Soap_min.js
 - Function Parameters:
- JS Function: isNaN in \$webresource:msdyn_/Utils/sdk.jquery.js
 - Function Parameters:
- JS Function: isNaN in

\$webresource:msdyn_/Action/FieldServiceSystemAction/Sdk_msdyn_FieldServiceSystemAction_min.js

- Function Parameters:
- JS Function: isNaN in \$webresource:msdyn_/Utils/FieldOneSkyUtils.js
 - Function Parameters:
- JS Function: GeoCodePopUp.Library.OpenDialog in \$webresource:msdyn_/GeoCodeUtils/GeoCodePopUp.Library.js
 - Function Parameters:
 - StringParameter: Account
 - CrmParameter: SelectedControlSelectedItemIds

- Enable Rules:

- Enable Rule: Mscrm.CheckBulkEditSupportForEntity
 - FunctionName: XrmCore.InternalUtilities.DialogUtilities.isMobileCompanionApp
 - Library: \$webresource:Main_system_library.js
 - InvertResult: true
- Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:

- Display Rule: Mscrm.WriteSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
- Display Rule:

FieldServiceFieldService.HomepageGrid.account.MainTab.HomeLocationGroup.B_buttonGeoCodeM.Command.DisplayRule.DeviceTypeRule

- Type: InteractionCentric
- InvertResult: true

- Display Rule:

FieldServiceFieldService.HomepageGrid.account.MainTab.HomeLocationGroup.B_buttonGeoCodeM.Command.DisplayRule.CrmClientTypeRule

- Type: Web
- Display Rule:
 - FieldServiceFieldService.HomepageGrid.account.MainTab.HomeLocationGroup.B_buttonGeoCodeM.Command.DisplayRule.CommandClientTypeRule
 - Type: Modern
 - InvertResult: true
- Display Rule:
 - FieldServiceFieldService.HomepageGrid.account.MainTab.HomeLocationGroup.B_buttonGeoCodeM.Command.DisplayRule.EntityPrivilegeRule
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - AppliesTo: SelectedEntity
 - EntityName: msdyn_fieldservicesetting

Button: Mscrm.HomepageGrid.account.SendDirectEmail

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Email_32.png
 - Modern Image: EmailLink
- Command: Mscrm.AddEmailToSelectedRecord
 - JS Function: Mscrm.GridRibbonActions.sendBulkEmail in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.WriteActivityPermission
 - EntityName: activitypointer
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.SelectedEntityIsListedForSendDirectEmailOrEmailable
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.modern.SendDirectEmail

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Email_32.png
 - Modern Image: EmailLink
- Command: Mscrm.modern.AddEmailToSelectedRecord
 - JS Function: Activities.BulkEmailDialog.openBulkEmailDialog in \$webresource:Activities/SystemLibraries/InsertEmailTemplate.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsBulkEmailInUciEnabled
 - FunctionName: Activities.BulkEmailDialog.IsSendBulkEmailInUciEnabled
 - Library: \$webresource:Activities/SystemLibraries/InsertEmailTemplate.js
- Display Rules:
 - Display Rule: Mscrm.WriteActivityPermission
 - EntityName: activitypointer
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.SelectedEntityIsListedForSendDirectEmailOrEmailable
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern

Button: Mscrm.HomepageGrid.account.AddToList

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:Marketing/_images/ribbon/AddToMarketingList_32.png
 - Modern Image: BulletListAdd
- Command: Mscrm.AddSelectedToMarketingList
 - JS Function: Marketing.CommandActions.Instance.addToList in \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:

- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Enable Rule: Mscrm.NotAListForm
 - FunctionName: Marketing.List.Commands.isListForm
 - Library: \$webresource:Marketing/List/List_main_system_library.js
 - Default: true
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.AddSelectedToMarketingList
 - AppliesTo: SelectedEntity
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - EntityName: list
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.Assign

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Assign_32.png
 - Modern Image: Assign
- Command: Mscrm.AssignSelectedRecord
 - JS Function: XrmCore.Commands.Assign.assignSelectedRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js

- Enable Rule: Mscrm.IsValidForHierarchyPageInUC
 - FunctionName: XrmCore.Rules.HierarchyView.IsValidForHierarchyPageInUC
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.AssignSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Assign
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.Sharing

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Sharing_32.png
 - Modern Image: Share
- Command: Mscrm.ShareSelectedRecord
 - JS Function: XrmCore.Commands.Share.shareSelectedRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.ShareValid
 - FunctionName: XrmCore.Commands.Share.isShareValid
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.IsValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.ShowOnNonModernAndModernIfAllowed
- Display Rules:
 - Display Rule: Mscrm.ShareSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Share
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HybridDialogShareEnabled

Button: Mscrm.HomepageGrid.account.ViewHierarchy

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Hierarchy_32.png
 - Modern Image: ViewHierarchy
- Command: Mscrm.ViewHierarchyForSelectedRecord
 - JS Function: XrmCore.Commands.Hierarchy.ViewHierarchyFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.IsRecordHierarchyEnabled
 - FunctionName: XrmCore.Rules.Hierarchy.IsRecordHierarchyEnabled
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
- Display Rules:

Button: Mscrm.HomepageGrid.account.Copy.Selected

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/copyshortcut32.png
 - Modern Image:
- Command: Mscrm.CopyShortcutSelected
 - JS Function: Mscrm.Utilities.sendSelectedRecordsUrl in /_common/global.ashx
 - Function Parameters:
 - BoolParameter: false
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.EnableInIEBrowser
 - FunctionName: Mscrm.IsIEBrowser_0
 - Library: \$Webresource:Ribbon_main_system_library.js

- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.Copy.View

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/CopyView_32.png
 - Modern Image:
- Command: Mscrm.CopyShortcutView
 - JS Function: XrmCore.Commands.EmailCopyLink.sendCurrentViewUrl in \$webresource:Main_system_library.js
 - Function Parameters:
 - BoolParameter: false
 - CrmParameter: SelectedControl
- Enable Rules:
- Display Rules:

Button: Mscrm.HomepageGrid.account.Send.Selected

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/SendShortcut_32.png
 - Modern Image: EmailLink
- Command: Mscrm.SendShortcutSelected
 - JS Function: XrmCore.Commands.EmailCopyLink.emailCopyLinkRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - BoolParameter: true
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypename
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsValidForHierarchyPageInUC
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC

-- Library: \$webresource:Main_system_library.js

- Display Rules:

Button: Mscrm.HomepageGrid.account.Send.View

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/SendView_32.png
- Modern Image: EmailLink

- Command: Mscrm.SendShortcutView

- JS Function: XrmCore.Commands.EmailCopyLink.sendCurrentViewUrl in
\$webresource:Main_system_library.js

-- Function Parameters:

- BoolParameter: true
- CrmParameter: SelectedControl

- Enable Rules:

- Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js

- Display Rules:

Button: Mscrm.HomepageGrid.account.AddConnectionNew

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image: ConnectionToOther

- Command: Mscrm.AddConnectionGrid

- JS Function: Mscrm.GridRibbonActions.addConnection in
/_static/_common/scripts/RibbonActions.js

-- Function Parameters:

- CrmParameter: SelectedControlSelectedItemReferences
- BoolParameter: false

- Enable Rules:

- Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:

- Display Rule: Mscrm.CreateConnection

- PrivilegeName: CreateConnection
- Display Rule: Mscrm.IsConnectionsEnabledSelected
 - Default: false
 - AppliesTo: SelectedEntity
 - PropertyName: IsConnectionsEnabled
 - PropertyValue: true
- Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddConnectionToMe

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: ConnectionToMe
- Command: Mscrm.AddConnectionToMeGrid
 - JS Function: Mscrm.GridRibbonActions.addConnection in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControlSelectedItemReferences
 - BoolParameter: true
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.CreateConnection
 - PrivilegeName: CreateConnection
 - Display Rule: Mscrm.IsConnectionsEnabledSelected
 - Default: false
 - AppliesTo: SelectedEntity
 - PropertyName: IsConnectionsEnabled
 - PropertyValue: true

Button: Mscrm.HomepageGrid.account.AddToQueue

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AddToQueue_32.png
 - Modern Image: AddToQueue
- Command: Mscrm.AddSelectedToQueue
 - JS Function: AppCommon.Commands.Queue.AddGridRecordsToQueue in
\$webresource:AppCommon/Commands/QueueCommands.js

- Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AppendToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.WorksWithQueueSelected
 - Default: false
 - AppliesTo: SelectedEntity
 - PropertyName: WorksWithQueue
 - PropertyValue: true

Button: Mscrm.HomepageGrid.account.FollowButton

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Entity32_8003.png
 - Modern Image: RatingEmpty
- Command: Mscrm.HomepageGrid.FollowCommand
 - JS Function: Follow.FollowCommands.followFromGrid in
\$webresource:msdyn_/Follow.Command.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: msdyn.ActivityFeeds.IsEntityWallEnabledActive
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowCommands.dummy

- Library: \$webresource:msdyn_/Scripts/PlatformScriptLoader.js
- FunctionName: Follow.FollowCommands.dummy
- Library: \$webresource:msdyn_/InstalledLocales.js
- FunctionName: Follow.FollowCommands.dummy
- Default: false
- Library: \$webresource:msdyn_/Follow.Command.js
- FunctionName: Follow.FollowEnabled.isEntityWallEnabled
- Enable Rule: msdyn.ActivityFeeds.Yammer.ShouldEnableFollow
 - Default: true
 - FunctionName: Follow.FollowEnableYammerCheck.shouldEnableFollow
 - Library: \$webresource:msdyn_/Follow.Command.js
- Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
- Enable Rule: msdyn.ActivityFeeds.IsMultiRecordFollowAllowed
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowEnabled.isMultiRecordFollowAllowed
- Display Rules:
 - Display Rule: msdyn.ActivityFeeds.ShowFollowButton
 - AppliesTo: SelectedEntity
 - EntityName: postfollow
 - Default: true
 - InvertResult: true
 - EntityName: postfollow
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: postfollow
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.UnfollowButton

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Entity32_8003_u.png
 - Modern Image: RatingFull
- Command: Mscrm.HomepageGrid.UnfollowCommand
 - JS Function: Follow.FollowCommands.unfollowFromGrid in \$webresource:msdyn_/Follow.Command.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:

- Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Enable Rule: msdyn.ActivityFeeds.IsEntityWallEnabledInActive
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/Scripts/PlatformScriptLoader.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/InstalledLocales.js
 - FunctionName: Follow.FollowCommands.dummy
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowEnabled.isEntityWallEnabled
- Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
- Enable Rule: msdyn.ActivityFeeds.IsMultiRecordFollowAllowed
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowEnabled.isMultiRecordFollowAllowed
- Display Rules:
 - Display Rule: msdyn.ActivityFeeds.ShowUnfollowButton
 - AppliesTo: SelectedEntity
 - EntityName: postfollow
 - Default: true
 - InvertResult: true
 - EntityName: postfollow
 - PrivilegeType: Delete
 - PrivilegeDepth: Basic
 - EntityName: postfollow
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.RunWorkflow

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/runworkflow32.png
 - Modern Image:
- Command: Mscrm.RunWorkflowSelected
 - JS Function: Mscrm.GridRibbonActions.launchOnDemandWorkflow in /_static/_common/scripts/RibbonActions.js

- Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
 - StringParameter:
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.RunWorkflowSelected
 - FunctionName: Mscrm.GridRibbonActions.enableWorkflowOnGrid
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.RunScript

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/startdialog_32.png
 - Modern Image:
- Command: Mscrm.RunInteractiveWorkflowSelected
 - JS Function: Mscrm.GridCommandActions.runScript in
/_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.RunWorkflowSelected
 - FunctionName: Mscrm.GridRibbonActions.enableWorkflowOnGrid
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsValidForHierarchyView

- FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
- Library: \$webresource:Main_system_library.js

- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.HideForTabletExperience

Button: **AlBuilder.account.Flyout.Menu.MenuSection.Controls.CreateModel.Dummy**

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: \$webresource:msdyn_AlBuilder.svg
- Command: AlBuilder.Command.CreateModel
 - JS Function: AlBuilder.Commands.CreateModel in \$webresource:msdyn_AlBuilder.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.AnySelection
 - AppliesTo: SelectedEntity
- Display Rules:

Button: **AlBuilder.account.Flyout.Menu.MenuSection.Controls.SeeModels.Dummy**

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: \$webresource:msdyn_AlBuilder.svg
- Command: AlBuilder.Command.SeeModels
 - JS Function: AlBuilder.Commands.SeeModels in \$webresource:msdyn_AlBuilder.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.AnySelection
 - AppliesTo: SelectedEntity
- Display Rules:

Button: **Mscrm.HomepageGrid.account.ExportToExcelOnline**

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exporttoexcel32.png

- Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.Online
 - JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityType
 - IntParameter: 6
- Enable Rules:
 - Enable Rule: Mscrm.ExportToExcel.ValidForXlsxExport
 - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.EnableExportToExcelOnlineForModern
 - FunctionName: XrmCore.Rules.Enabled.enableExportToExcelOnlineForModern
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.EnableOnlyInBrowsersForModern
 - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.Live
 - Sku: Online
 - Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
 - Display Rule: Mscrm.HideOnOutlookClient
 - Type: Outlook
 - InvertResult: true
 - Display Rule: Mscrm.NotAdvancedFind
 - Address: /advancedfind/fetchdata.aspx
 - InvertResult: true
 - Address: /advancedfind/advfind.aspx
 - InvertResult: true
 - Display Rule: Mscrm.HideOnPhoneForNonModern
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.StaticWorksheetAll

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exporttoexcel32.png
 - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.AllStaticXlsx
 - JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js

- Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
 - IntParameter: 5

- Enable Rules:

- Display Rules:

- Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
- Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.StaticWorksheet

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/exporttoexcel32.png
- Modern Image: ExportToExcel

- Command: Mscrm.ExportToExcel.StaticXlsx

- JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js

- Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
 - IntParameter: 4

- Enable Rules:

- Display Rules:

- Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
- Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.DynamicWorkesheet

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/exporttoexcel32.png
- Modern Image: ExportToExcel

- Command: Mscrm.ExportToExcel.DynamicXlsx

- JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js

- Function Parameters:
 - CrmParameter: SelectedControl

- CrmParameter: SelectedEntityTypeName
- IntParameter: 2

- Enable Rules:

- Enable Rule: Mscrm.ExportToExcel.ValidForXlsxExport
 - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
 - Library: \$webresource:Main_system_library.js
- Enable Rule: Mscrm.EnableOnlyInBrowsersForModern
 - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
 - Library: \$webresource:Main_system_library.js

- Display Rules:

- Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
- Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.DynamicPivotTable

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/exporttoexcel32.png
- Modern Image: ExportToExcel

- Command: Mscrm.ExportToExcel.PivotXlsx

- JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
 - IntParameter: 3

- Enable Rules:

- Enable Rule: Mscrm.ExportToExcel.ValidForXlsxExport
 - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
 - Library: \$webresource:Main_system_library.js
- Enable Rule: Mscrm.EnableOnlyInBrowsersForModern
 - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
 - Library: \$webresource:Main_system_library.js

- Display Rules:

- Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
- Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.ExportSelectedToExcel

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exporttoexcel32.png
 - Modern Image: ExportToExcel
- Command: Mscrm.ExportSelectedToExcel
 - JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityType
 - IntParameter: 5
 - CrmParameter: SelectedControlSelectedItemIds
- Enable Rules:
 - Enable Rule: Mscrm.ExportToExcel
 - FunctionName: XrmCore.Rules.Export.EnableExportToExcel
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Display Rules:
 - Display Rule: Mscrm.ExportToExcelPrivilege
 - PrivilegeName: ExportToExcel
 - Display Rule: Mscrm.HideForTabletExperience
 - Display Rule: Mscrm.ShowExportSelectedToExcel
 - Display Rule: Mscrm.HideOnOutlookClient
 - Type: Outlook
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.ImportDataFromCSV

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: ExportToExcel
- Command: Mscrm.ImportDataFromCSV
 - JS Function: XrmCore.Commands.Import.importFromCSV in \$Webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.EnableImportForWeb

- FunctionName: XrmCore.Rules.Enabled.enableImportForWeb
- Library: \$webresource:Main_system_library.js

- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.SelectedEntityIsNotBPFEntity
 - AppliesTo: SelectedEntity
 - PropertyName: IsBPFEntity
 - PropertyValue: false

Button: Mscrm.HomepageGrid.account.ImportDataFromXML

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: ExportToExcel
- Command: Mscrm.ImportDataFromXML
 - JS Function: importFromXML in
\$webresource:AppCommon/ImportExport/ImportExport_main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.EnableImportForWeb
 - FunctionName: XrmCore.Rules.Enabled.enableImportForWeb
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.SelectedEntityIsNotBPFEntity
 - AppliesTo: SelectedEntity
 - PropertyName: IsBPFEntity
 - PropertyValue: false

Button: Mscrm.HomepageGrid.account.ImportData

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/importdata32.png
 - Modern Image:
- Command: Mscrm.ImportData
 - JS Function: Mscrm.ImportData_0 in \$Webresource:Ribbon_main_system_library.js
 - Function Parameters:

- Enable Rules:
 - Enable Rule: Mscrm.IsNotlos
 - FunctionName: Mscrm.Islos_0
 - Library: \$Webresource:Ribbon_main_system_library.js
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideForTabletExperience
 - Display Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Display Rule: Mscrm.ImportData
 - EntityName: import
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: import
 - PrivilegeType: Delete
 - PrivilegeDepth: Basic
 - EntityName: import
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: import
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - EntityName: importmap
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: importmap
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: importmap
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnSettingsCommandBarPage
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.SelectedEntityIsNotBPFEntity
 - AppliesTo: SelectedEntity
 - PropertyName: IsBPFEntity
 - PropertyValue: false

Button: Mscrm.HomepageGrid.account.ExportTemplate

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/ExportTemplate_32.png

- Modern Image:
- Command: Mscrm.ExportDataTemplate
 - JS Function: Mscrm.ExportDataTemplate_0 in \$Webresource:Ribbon_main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypename
- Enable Rules:
 - Enable Rule: Mscrm.CanExportDataTemplate
 - FunctionName: Mscrm.GridRibbonActions.isValidForExportDataTemplate
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.HideForTabletExperience
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.AdvancedFind

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/advancedfind32.png
 - Modern Image:
- Command: Mscrm.OpenGridAdvancedFind
 - JS Function: Mscrm.RibbonActions.openAdvancedFind in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.HideForTabletExperience
 - Display Rule: Mscrm.OutlookClient
 - Type: Outlook

Button: Mscrm.HomepageGrid.account.Meqf

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/search_normal.gif
 - Modern Image:

- Command: Mscrm.OpenMultipleEntityQuickFindSearch
 - JS Function: Mscrm.RibbonActions.openMultipleEntityQuickFindSearch in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.OutlookClient
 - Type: Outlook
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.Help

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Help_32.png
 - Modern Image:
- Command: Mscrm.OutlookHelp
- Enable Rules:
 - Enable Rule: Mscrm.ShowOnlyInOutlookExplorerOrInspector
 - FunctionName: Mscrm.RibbonActions.isOutlookExplorerOrInspector
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.OutlookClient
 - Type: Outlook
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.SaveAsDefaultGridView

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/setasdefaultview32.png
 - Modern Image:
- Command: Mscrm.SaveAsDefaultGridView
 - JS Function: Mscrm.RibbonActions.saveAsDefaultGridView in

/_static/_common/scripts/RibbonActions.js

-- Function Parameters:

- Enable Rules:
 - Enable Rule: Mscrm.SetDefaultGridViewButtonEnabled
 - FunctionName: Mscrm.RibbonActions.enableSetDefaultGridViewButton
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.EnableOnHomePageAspx
 - Address: /_root/homepage.aspx
- Display Rules:
 - Display Rule: Mscrm.NotAdvancedFind
 - Address: /advancedfind/fetchdata.aspx
 - InvertResult: true
 - Address: /advancedfind/advfind.aspx
 - InvertResult: true
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.CustomizePreviewPane

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/CustomPreviewPane_32.png
 - Modern Image:
- Command: Mscrm.CustomizePreviewPane
- Enable Rules:
 - Enable Rule: Mscrm.ShowOnlyInOutlookExplorerOrInspector
 - FunctionName: Mscrm.RibbonActions.isOutlookExplorerOrInspector
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.OutlookClient
 - Type: Outlook
 - Display Rule: Mscrm.OutlookClientNotVersion11
 - Version: 2003
 - InvertResult: true
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.SaveToCurrent

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/savefilters32.png
- Modern Image:

- Command: Mscrm.SaveToCurrentView
 - JS Function: Mscrm.RibbonActions.gridFiltersSaveToCurrentView in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl

- Enable Rules:
 - Enable Rule: Mscrm.UserQuerySelected
 - FunctionName: Mscrm.RibbonActions.isUserQuerySelected
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.EnableSaveButton
 - FunctionName: Mscrm.GridCommandActions.canEnableSaveButton
 - Library: /_static/_common/scripts/CommandBarActions.js
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:
 - Display Rule: Mscrm.GridFiltersEnabled
 - AppliesTo: SelectedEntity
 - PropertyName: GridFiltersEnabled
 - PropertyValue: true
 - Address: /advancedfind/fetchdata.aspx
 - InvertResult: true
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.SaveAsNew

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/savefiltersasview32.png
 - Modern Image:

- Command: Mscrm.SaveAsNewView
 - JS Function: Mscrm.RibbonActions.gridFiltersSaveAsNewView in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl

- Enable Rules:
 - Enable Rule: Mscrm.EnableSaveButton
 - FunctionName: Mscrm.GridCommandActions.canEnableSaveButton
 - Library: /_static/_common/scripts/CommandBarActions.js
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:

- Display Rule: Mscrm.GridFiltersEnabled
 - AppliesTo: SelectedEntity
 - PropertyName: GridFiltersEnabled
 - PropertyValue: true
 - Address: /advancedfind/fetchdata.aspx
 - InvertResult: true
- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.NewView

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/NewView_32.png
 - Modern Image:
- Command: Mscrm.NewPersonalView
 - JS Function: Mscrm.RibbonActions.createPersonalView in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.userquery.Create
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: userquery
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.RefreshButton

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Refresh_32.png
 - Modern Image:
- Command: Mscrm.RefreshGrid
 - JS Function: Mscrm.RibbonActions.refreshGrid in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl

- Enable Rules:
 - Enable Rule: Mscrm.ShowOnlyInOutlookExplorerOrInspector
 - FunctionName: Mscrm.RibbonActions.isOutlookExplorerOrInspector
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:

Button: Mscrm.HomepageGrid.account.Chart.New

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/newchart32.png
 - Modern Image:
- Command: Mscrm.VisualizationTab.NewChart
 - JS Function: Mscrm.RibbonActions.createNewVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.VisualizationPaneRuntimeMode
 - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.IsFetchxmlQuery
 - FunctionName: Mscrm.RibbonActions.isFetchxmlQuery
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.userqueryvisualization.Create
 - EntityName: userqueryvisualization
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.userqueryvisualization.Read
 - EntityName: userqueryvisualization
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.Chart.Edit

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/editchart32.png

- Modern Image:
- Command: Mscrm.VisualizationTab.EditChart
 - JS Function: Mscrm.RibbonActions.editVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.VisualizationPaneRuntimeMode
 - FunctionName: Mscrm.RibbonActions.isVisualizationPanelInRuntimeMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.IsChartSelected
 - FunctionName: Mscrm.RibbonActions.isChartSelected
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.UserVisualizationSelected
 - FunctionName: Mscrm.RibbonActions.isUserQueryVisualizationSelected
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.IsParentChartLoaded
 - FunctionName: Mscrm.RibbonActions.isDrilldownMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - InvertResult: true
 - Enable Rule: Mscrm.IsFetchxmlQuery
 - FunctionName: Mscrm.RibbonActions.isFetchxmlQuery
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.IsDefaultVisualizationModule
 - FunctionName: Mscrm.RibbonActions.isDefaultVisualizationModule
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.userqueryvisualization.Write
 - EntityName: userqueryvisualization
 - PrivilegeType: Write
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.Chart.Expand

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/expandchart32.png
 - Modern Image:
- Command: Mscrm.VisualizationTab.ExpandChart
 - JS Function: Mscrm.RibbonActions.expandVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:

- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.WebClient
 - Type: Web

Button: Mscrm.HomepageGrid.account.Chart.SaveCopy

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/saveaschart32.png
 - Modern Image:
- Command: Mscrm.VisualizationTab.CopyChart
 - JS Function: Mscrm.RibbonActions.copyVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.EnableSaveAsChart
 - FunctionName: Mscrm.RibbonActions.isSaveAsChartEnabled
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.userqueryvisualization.Create
 - EntityName: userqueryvisualization
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.userqueryvisualization.Read
 - EntityName: userqueryvisualization
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.Chart.Import

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/importchart32.png

- Modern Image:
- Command: Mscrm.VisualizationTab.ImportChart
 - JS Function: Mscrm.RibbonActions.importVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.VisualizationPaneRuntimeMode
 - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.userqueryvisualization.Create
 - EntityName: userqueryvisualization
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.userqueryvisualization.Read
 - EntityName: userqueryvisualization
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.Chart.Export

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exportchart32.png
 - Modern Image:
- Command: Mscrm.VisualizationTab.ExportChart
 - JS Function: Mscrm.RibbonActions.exportVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.VisualizationPaneRuntimeMode
 - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.IsChartSelected
 - FunctionName: Mscrm.RibbonActions.isChartSelected
 - Library: /_static/_common/scripts/RibbonActions.js

- Enable Rule: Mscrm.IsParentChartLoaded
 - FunctionName: Mscrm.RibbonActions.isDrilldownMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - InvertResult: true
- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideForTabletExperience
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.Chart.Delete

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/deletechart32.png
 - Modern Image:
- Command: Mscrm.DeleteChart
 - JS Function: Mscrm.RibbonActions.deleteVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
- Enable Rules:
 - Enable Rule: Mscrm.IsDeleteVisualizationEnabled
 - FunctionName: Mscrm.RibbonActions.isDeleteVisualizationEnabled
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.VisualizationPaneRuntimeMode
 - FunctionName: Mscrm.RibbonActions.isVisualizationPanelInRuntimeMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.EnableOnHomePageAspxOrOutlook
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.userqueryvisualization.Delete
 - EntityName: userqueryvisualization
 - PrivilegeType: Delete
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.Chart.RefreshButton

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/Refresh_32.png
- Modern Image:

- Command: Mscrm.VisualizationTab.RefreshChart
 - JS Function: Mscrm.RibbonActions.refreshVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:

- Enable Rules:
 - Enable Rule: Mscrm.VisualizationPaneRuntimeMode
 - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.IsChartSelected
 - FunctionName: Mscrm.RibbonActions.isChartSelected
 - Library: /_static/_common/scripts/RibbonActions.js

- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.Chart.Assign

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Assign_32.png
 - Modern Image:

- Command: Mscrm.VisualizationTab.AssignVisualization
 - JS Function: Mscrm.RibbonActions.assignVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:

- Enable Rules:
 - Enable Rule: Mscrm.EnableAssignShareChartButton
 - FunctionName: Mscrm.RibbonActions.enableAssignShareChartButton
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.IsParentChartLoaded
 - FunctionName: Mscrm.RibbonActions.isDrilldownMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - InvertResult: true
 - Enable Rule: Mscrm.VisualizationPaneRuntimeMode
 - FunctionName: Mscrm.RibbonActions.isVisualizationPaneInRuntimeMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true

- Display Rules:

- Display Rule: Mscrm.userqueryvisualization.Assign
 - EntityName: userqueryvisualization
 - PrivilegeType: Assign
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.Chart.Share

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Sharing_32.png
 - Modern Image:
- Command: Mscrm.VisualizationTab.ShareVisualization
 - JS Function: Mscrm.RibbonActions.shareVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.EnableAssignShareChartButton
 - FunctionName: Mscrm.RibbonActions.enableAssignShareChartButton
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.IsParentChartLoaded
 - FunctionName: Mscrm.RibbonActions.isDrilldownMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - InvertResult: true
 - Enable Rule: Mscrm.VisualizationPaneRuntimeOrEditMode
 - FunctionName: Mscrm.RibbonActions.isVisualizationPanelInRuntimeOrEditMode
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.userqueryvisualization.Share
 - EntityName: userqueryvisualization
 - PrivilegeType: Share
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.AddFile

- Icon:
 - Image 16x16: {image16x16}

- Image 32x32: /_imgs/ribbon/Attachment_32.png
- Modern Image:

- Command: Mscrm.AddFileToSelectedRecord
 - JS Function: Mscrm.RibbonActions.addFileToRecord in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: FirstSelectedItemId

- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsNotlos
 - FunctionName: Mscrm.Islos_0
 - Library: \$Webresource:Ribbon_main_system_library.js
 - InvertResult: true

- Display Rules:
 - Display Rule: Mscrm.AppendToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.CreateAndAppendNote
 - EntityName: annotation
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: annotation
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - EntityName: annotation
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: annotation
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.SelectedEntityHasNotes
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddNote

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/noteyellowadd32.png
 - Modern Image:

- Command: Mscrm.AddNoteToSelectedRecord
 - JS Function: Mscrm.RibbonActions.addNoteToRecord in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: FirstSelectedItemId
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AppendToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.CreateAndAppendNote
 - EntityName: annotation
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: annotation
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - EntityName: annotation
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: annotation
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.SelectedEntityHasNotes
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddTask

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4212.png
 - Modern Image:
- Command: Mscrm.AddTaskToSelectedRecord
 - JS Function: XrmCore.Commands.Add.AddActivityFromGrid in
\$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: task

- StringParameter:
- CrmParameter: SelectedControlSelectedItemReferences

- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AddActivityToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: SelectedEntity
 - PropertyName: HasActivities
 - PropertyValue: true
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddEmail

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Email_32.png
 - Modern Image:
- Command: Mscrm.SendEmailToSelectedRecord
 - JS Function: XrmCore.Commands.Add.AddActivityFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: email
 - StringParameter:
 - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:
 - Display Rule: Mscrm.AddActivityToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: SelectedEntity
 - PropertyName: HasActivities
 - PropertyValue: true
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddPhone

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4210.png
 - Modern Image:
- Command: Mscrm.AddPhoneToSelectedRecord
 - JS Function: XrmCore.Commands.Add.AddActivityFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: phonecall
 - StringParameter:
 - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AddActivityToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append

- PrivilegeDepth: Basic
- AppliesTo: SelectedEntity
- PropertyName: HasActivities
- PropertyValue: true
- Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddLetter

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4207.png
 - Modern Image:
- Command: Mscrm.AddLetterToSelectedRecord
 - JS Function: XrmCore.Commands.Add.AddActivityFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: letter
 - StringParameter:
 - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AddActivityToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: SelectedEntity
 - PropertyName: HasActivities
 - PropertyValue: true
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddFax

- Icon:
 - Image 16x16: {image16x16}

- Image 32x32: /_imgs/ribbon/entity32_4204.png
- Modern Image:

- Command: Mscrm.AddFaxToSelectedRecord
 - JS Function: XrmCore.Commands.Add.AddActivityFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: fax
 - StringParameter:
 - CrmParameter: SelectedControlSelectedItemReferences

- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:
 - Display Rule: Mscrm.AddActivityToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: SelectedEntity
 - PropertyName: HasActivities
 - PropertyValue: true
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddAppointment

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4201.png
 - Modern Image:

- Command: Mscrm.AddAppointmentToSelectedRecord
 - JS Function: XrmCore.Commands.Add.AddActivityFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: appointment
 - StringParameter:
 - CrmParameter: SelectedControlSelectedItemReferences

- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AddActivityToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: SelectedEntity
 - PropertyName: HasActivities
 - PropertyValue: true
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddRecurringAppointment

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/RecurringAppointmentInstance_32.png
 - Modern Image:
- Command: Mscrm.AddRecurringAppointmentToSelectedRecord
 - JS Function: XrmCore.Commands.Add.AddActivityFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: recurringappointmentmaster
 - StringParameter:
 - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AddActivityToSelected

- AppliesTo: SelectedEntity
- PrivilegeType: AppendTo
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Append
- PrivilegeDepth: Basic
- AppliesTo: SelectedEntity
- PropertyName: HasActivities
- PropertyValue: true
- Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.AddServiceActivity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AddServiceActivity_32.png
 - Modern Image:
- Command: Mscrm.AddServiceActivityToSelectedRecord
 - JS Function: XrmCore.Commands.Add.AddActivityFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - IntParameter: 4214
 - StringParameter:
 - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AddActivityToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: SelectedEntity

- PropertyName: HasActivities
- PropertyValue: true
- Display Rule: Mscrm.CreateServiceAppointment
 - EntityName: service
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: service
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.MailMerge

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/mailmerge32.png
 - Modern Image:
- Command: Mscrm.MailMergeSelected
 - JS Function: Mscrm.GridRibbonActions.webMailMerge in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsNotlos
 - FunctionName: Mscrm.Islos_0
 - Library: \$Webresource:Ribbon_main_system_library.js
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.MailMergeSelected
 - AppliesTo: SelectedEntity
 - PropertyName: MailMergeEnabled
 - PropertyValue: true
 - PrivilegeName: MailMerge
 - EntityName: mailmergetemplate
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create

- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Write
- PrivilegeDepth: Basic
- AppliesTo: SelectedEntity
- PrivilegeType: AppendTo
- PrivilegeDepth: Basic
- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.AddCampaignResponse

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4401.png
 - Modern Image:
- Command: Mscrm.AddCampaignResponseToSelectedRecord
 - JS Function: XrmCore.Commands.Add.AddActivityFromGrid in \$webresource:Main_system_library.js
 - Function Parameters:
 - IntParameter: 4401
 - StringParameter:
 - CrmParameter: SelectedControlSelectedItemReferences
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AddActivityToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: SelectedEntity
 - PropertyName: HasActivities
 - PropertyValue: true

- Display Rule: Mscrm.CreateCampaignResponse
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.SelectedEntityHasCampaignResponse
- Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.account.QuickCampaign.Selected

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/SelectedRecords_32.png
 - Modern Image: MultiSelect
- Command: Mscrm.HomepageGrid.ACL.QuickCampaign.Selected
 - JS Function: Marketing.CommandActions.Instance.quickCampaignSelectedItems in \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Display Rules:
 - Display Rule: Mscrm.QuickCampaignAllowed
 - PrivilegeName: AllowQuickCampaign

Button: Mscrm.HomepageGrid.account.QuickCampaign.AllCurrentPage

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AddToMarketingList_32.png
 - Modern Image: Letter
- Command: Mscrm.HomepageGrid.ACL.QuickCampaign.AllCurrentPage
 - JS Function: Marketing.CommandActions.Instance.quickCampaignCurrentPage in \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlAllItemIds
 - CrmParameter: SelectedEntityTypeCode

- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountAtLeastZero
 - Minimum: 0
 - AppliesTo: SelectedEntity

- Display Rules:
 - Display Rule: Mscrm.QuickCampaignAllowed
 - PrivilegeName: AllowQuickCampaign

Button: Mscrm.HomepageGrid.account.QuickCampaign.AllAllPages

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AllRecordsAllPages_32.png
 - Modern Image: BrowseCards
- Command: Mscrm.HomepageGrid.ACL.QuickCampaign.AllAllPages
 - JS Function: Marketing.CommandActions.Instance.quickCampaignAllPages in \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountAtLeastZero
 - Minimum: 0
 - AppliesTo: SelectedEntity
- Display Rules:
 - Display Rule: Mscrm.QuickCampaignAllowed
 - PrivilegeName: AllowQuickCampaign

Button: Mscrm.HomepageGrid.account.Relationship.Opportunity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:Sales/_imgs/ribbon/CreateRelatedOpportunity_32.png
 - Modern Image:
- Command: Mscrm.HomepageGrid.account.Relationship.Opportunity

- JS Function: Mscrm.GridRibbonActions.addCustomerOpportunityRole in /_static/_common/scripts/RibbonActions.js

- Function Parameters:

- CrmParameter: SelectedControl

- CrmParameter: SelectedControlSelectedItemReferences

- CrmParameter: SelectedEntityTypeCode

- Enable Rules:

- Enable Rule: Mscrm.SelectionCountExactlyOne

- Minimum: 1

- Maximum: 1

- AppliesTo: SelectedEntity

- Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:

- Display Rule: Mscrm.HomepageGrid.account.Relationship

- EntityName: relationshiprole

- PrivilegeType: Read

- PrivilegeDepth: Basic

- EntityName: account

- PrivilegeType: AppendTo

- PrivilegeDepth: Basic

- Display Rule: Mscrm.HomepageGrid.account.Relationship.Opportunity

- EntityName: relationshiprole

- PrivilegeType: Read

- PrivilegeDepth: Basic

- EntityName: customeropportunityrole

- PrivilegeType: Create

- PrivilegeDepth: Basic

- EntityName: customeropportunityrole

- PrivilegeType: Append

- PrivilegeDepth: Basic

- EntityName: opportunity

- PrivilegeType: AppendTo

- PrivilegeDepth: Basic

- EntityName: account

- PrivilegeType: AppendTo

- PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.Relationship.Customer

- Icon:

- Image 16x16: {image16x16}

- Image 32x32:

\$webresource:Sales/_imgs/ribbon/CreateRelatedCustomerRelationship_32.png

- Modern Image:

- Command: Mscrm.HomepageGrid.account.Relationship.Customer

- JS Function: Mscrm.GridRibbonActions.addCustomerRelationship in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.HomepageGrid.account.Relationship
 - EntityName: relationshiprole
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: account
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HomepageGrid.account.Relationship.Customer
 - EntityName: relationshiprole
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: customerrelationship
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: customerrelationship
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - EntityName: contact
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: account
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.account.DesignView

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/DesignView_32.png
 - Modern Image:
- Command: Mscrm.DesignView
 - JS Function: Mscrm.GridCommandActions.designView in

/_static/_common/scripts/CommandBarActions.js

-- Function Parameters:

-- CrmParameter: SelectedControl

- Enable Rules:

- Enable Rule: Mscrm.IsSystemViewLoaded

-- FunctionName: Mscrm.RibbonActions.isSystemViewLoaded

-- Library: /_static/_common/scripts/RibbonActions.js

- Enable Rule: Mscrm.NotOffline

-- State: Offline

-- InvertResult: true

- Display Rules:

- Display Rule: Mscrm.savedquery.Update

-- PrivilegeType: Write

-- PrivilegeDepth: Global

-- EntityName: savedquery

- Display Rule: Mscrm.WriteCustomization

-- PrivilegeName: WriteCustomization

- Display Rule: Mscrm.OpenCustomizations

-- PrivilegeType: Read

-- PrivilegeDepth: Global

-- EntityName: solution

-- PrivilegeType: Read

-- PrivilegeDepth: Global

-- EntityName: publisher

- Display Rule: Mscrm.IsCustomizable

-- AppliesTo: SelectedEntity

-- PropertyName: IsCustomizable

-- PropertyValue: true

- Display Rule: Mscrm.HideOnModern

-- Type: Modern

-- InvertResult: true

Button: Mscrm.HomepageGrid.account.SystemView

- Icon:

- Image 16x16: {image16x16}

- Image 32x32: /_imgs/ribbon/SystemViews_32.png

- Modern Image:

- Command: Mscrm.CreateView

- JS Function: Mscrm.GridCommandActions.createSystemView in

/_static/_common/scripts/CommandBarActions.js

-- Function Parameters:

-- CrmParameter: SelectedEntityTypeCode

- Enable Rules:

- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.savedquery.Create
 - PrivilegeType: Create
 - PrivilegeDepth: Global
 - EntityName: savedquery
 - Display Rule: Mscrm.WriteCustomization
 - PrivilegeName: WriteCustomization
 - Display Rule: Mscrm.OpenCustomizations
 - PrivilegeType: Read
 - PrivilegeDepth: Global
 - EntityName: solution
 - PrivilegeType: Read
 - PrivilegeDepth: Global
 - EntityName: publisher
 - Display Rule: Mscrm.IsCustomizable
 - AppliesTo: SelectedEntity
 - PropertyName: IsCustomizable
 - PropertyValue: true
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.CustomizeEntity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/CustomEntity_32.png
 - Modern Image:
- Command: Mscrm.CustomizeEntity
 - JS Function: Mscrm.RibbonActions.openEntityEditor in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.WriteCustomization
 - PrivilegeName: WriteCustomization
 - Display Rule: Mscrm.OpenCustomizations
 - PrivilegeType: Read
 - PrivilegeDepth: Global

- EntityName: solution
- PrivilegeType: Read
- PrivilegeDepth: Global
- EntityName: publisher
- Display Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
- Display Rule: Mscrm.HideForTabletExperience
- Display Rule: Mscrm.ShowOnGridAndLegacy

Button: Mscrm.HomepageGrid.account.ManageView

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/FormEditorRibbon/Properties_32.png
 - Modern Image:
- Command: Mscrm.ManageViews
 - JS Function: Mscrm.GridCommandActions.manageViews in /_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.savedquery.Read
 - PrivilegeType: Read
 - PrivilegeDepth: Global
 - EntityName: savedquery
 - Display Rule: Mscrm.OpenCustomizations
 - PrivilegeType: Read
 - PrivilegeDepth: Global
 - EntityName: solution
 - PrivilegeType: Read
 - PrivilegeDepth: Global
 - EntityName: publisher
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.SaveFiltersToCurrentSystemView

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/savefilters32.png
 - Modern Image:
- Command: Mscrm.SaveFilterForSystemQuery
 - JS Function: Mscrm.RibbonActions.gridFiltersSaveToCurrentView in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
- Enable Rules:
 - Enable Rule: Mscrm.SystemQuerySelected
 - FunctionName: Mscrm.RibbonActions.isSystemQuerySelected
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.EnableSaveButton
 - FunctionName: Mscrm.GridCommandActions.canEnableSaveButton
 - Library: /_static/_common/scripts/CommandBarActions.js
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.GridFiltersEnabled
 - AppliesTo: SelectedEntity
 - PropertyName: GridFiltersEnabled
 - PropertyValue: true
 - Address: /advancedfind/fetchdata.aspx
 - InvertResult: true
 - Display Rule: Mscrm.savedquery.Update
 - PrivilegeType: Write
 - PrivilegeDepth: Global
 - EntityName: savedquery
 - Display Rule: Mscrm.WriteCustomization
 - PrivilegeName: WriteCustomization
 - Display Rule: Mscrm.IsCustomizable
 - AppliesTo: SelectedEntity
 - PropertyName: IsCustomizable
 - PropertyValue: true

Button: Mscrm.HomepageGrid.account.PublishEntity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/PublishEntity_32.png
 - Modern Image:

- Command: Mscrm.PublishEntity
 - JS Function: Mscrm.FormEditor.PublishEntity in /_common/global.ashx
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.WriteCustomization
 - PrivilegeName: WriteCustomization
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.account.PublishAll

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/PublishAll_32.png
 - Modern Image:
- Command: Mscrm.PublishAll
 - JS Function: Mscrm.FormEditor.PublishAll in /_common/global.ashx
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.WriteCustomization
 - PrivilegeName: WriteCustomization
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: MailApp.Form.SetRegarding.account.Button

- Icon:
 - Image 16x16: {image16x16}

- Image 32x32:
- Modern Image: LinkArticle

- Command: MailApp.Form.SetRegardingCommand
 - JS Function: MailApp.ContextualSetRegarding in \$webresource:new_MailAppScriptResource
 - Function Parameters:
 - CrmParameter: PrimaryControl

- Enable Rules:
 - Enable Rule: MailApp.Rules.HasTrackAction
 - Default: false
 - FunctionName: HasMailContextAction
 - Library: \$webresource:new_MailAppScriptResource
 - Enable Rule: MailApp.Rules.IsTrackAllowed
 - Default: false
 - FunctionName: IsTrackAllowed
 - Library: \$webresource:new_MailAppScriptResource
 - Enable Rule: MailApp.Rules.IsRecordSaved
 - Default: false
 - FunctionName: IsRecordSaved
 - Library: \$webresource:new_MailAppScriptResource
 - Enable Rule: MailApp.Rules.IsNotSetRegardingCurrentRecord
 - Default: false
 - FunctionName: IsSetRegardingCurrentRecord
 - Library: \$webresource:new_MailAppScriptResource
 - InvertResult: true

- Display Rules:
 - Display Rule: MailApp.Rules.HasActivities
 - PropertyName: HasActivities
 - PropertyValue: true
 - AppliesTo: PrimaryEntity
 - Default: false

Button: Mscrm.Form.account.Save

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Save_32.png
 - Modern Image: Save

- Command: Mscrm.SavePrimary
 - JS Function: XrmCore.Commands.Save.saveForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: PrimaryControl

- Enable Rules:

- Enable Rule: Mscrm.AvailableOnForm
 - AppliesTo: PrimaryEntity
 - Default: false
 - Context: Form
- Enable Rule: Mscrm.CanSavePrimary
- Enable Rule: Mscrm.ReadPrimaryPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Read
- Enable Rule: Mscrm.IsAutoSaveDisable
- Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
 - Display Rule: Mscrm.CanSavePrimaryEntityType
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: MailApp.Form.OpenRecordOnWeb.account.Button

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: Dynamics365
- Command: MailApp.Form.OpenRecordOnWebCommand
 - JS Function: MailApp.OpenRecordOnWeb in \$webresource:new_MailAppScriptResource
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityType
- Enable Rules:
 - Enable Rule: MailApp.Rules.IsRecordSaved
 - Default: false
 - FunctionName: IsRecordSaved
 - Library: \$webresource:new_MailAppScriptResource
 - Enable Rule: MailApp.Rules.IsMailApp
 - Default: false
 - FunctionName: HasMailContext
 - Library: \$webresource:new_MailAppScriptResource
- Display Rules:
 - Display Rule: FCB.MailAppOpenRecordInBrowser.IsEnabled
 - FeatureControlBit: FCB.MailAppOpenRecordInBrowser
 - ExpectedValue: true
 - Display Rule: IsModernClientType
 - Type: Modern

Button: Mscrm.Form.account.SaveAsComplete

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/SaveAsCompleted_32.png
 - Modern Image: SaveAsComplete
- Command: Mscrm.SavePrimaryActivityAsComplete
 - JS Function: XrmCore.Commands.Save.saveAsCompleted in \$webresource:Main_system_library.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.AvailableOnForm
 - AppliesTo: PrimaryEntity
 - Default: false
 - Context: Form
 - Enable Rule: Mscrm.CanSavePrimary
 - Enable Rule: Mscrm.ReadPrimaryPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Read
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
 - Display Rule: Mscrm.PrimaryIsActivity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsActivity
 - PropertyValue: true
 - Display Rule: Mscrm.CanSavePrimaryEntityType
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: Mscrm.Form.account.SaveAndClose

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/SaveAndClose_32.png
 - Modern Image: SaveAndClose
- Command: Mscrm.SaveAndClosePrimary
 - JS Function: XrmCore.Commands.Save.saveAndCloseForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: PrimaryControl

- Enable Rules:
 - Enable Rule: Mscrm.IsAutoSaveDisable
 - Enable Rule: Mscrm.AvailableOnForm
 - AppliesTo: PrimaryEntity
 - Default: false
 - Context: Form
 - Enable Rule: Mscrm.CanSavePrimary
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
 - Display Rule: Mscrm.CanSaveAndClosePrimaryEntityType

Button: Mscrm.Form.account.SaveAndNew

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/saveandnew32.png
 - Modern Image:
- Command: Mscrm.SaveAndNewPrimary
 - JS Function: Mscrm.RibbonActions.saveAndNewForm in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: PrimaryControl
- Enable Rules:
 - Enable Rule: Mscrm.AvailableOnForm
 - AppliesTo: PrimaryEntity
 - Default: false
 - Context: Form
 - Enable Rule: Mscrm.CanSavePrimary
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.CreatePrimaryEntityPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.NewRecord

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/newrecord32.png
- Modern Image: New

- Command: Mscrm.NewRecordFromForm
 - JS Function: XrmCore.Commands.Open.openNewRecord in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypename

- Enable Rules:
 - Enable Rule: Mscrm.AvailableOnForm
 - AppliesTo: PrimaryEntity
 - Default: false
 - Context: Form
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline

- Display Rules:
 - Display Rule: Mscrm.PrimaryIsNotActivity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsActivity
 - PropertyValue: false
 - Display Rule: Mscrm.HideInLegacyRibbon
 - Type: Legacy
 - InvertResult: true
 - Address: /userdefined/edit.aspx
 - InvertResult: true
 - Address: /advancedfind/advfind.aspx
 - InvertResult: true
 - Address: /advancedfind/fetchData.aspx
 - InvertResult: true
 - Address: /tools/formeditor/formeditor.aspx
 - InvertResult: true
 - Address: /tools/visualizationdesigner/visualizationdesigner.aspx
 - InvertResult: true
 - Display Rule: Mscrm.CreatePrimaryEntityPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.PrimaryEntityIsNotBPFEntity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsBPFEntity
 - PropertyValue: false

Button: Mscrm.Form.account.NewRecordForBPFEntity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/newrecord32.png
 - Modern Image: New

- Command: Mscrm.Form.NewRecordForBPFEntity
 - JS Function: XrmCore.Commands.NewRecordForBPFEntity.openNewRecord in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeName

- Enable Rules:
 - Enable Rule: Mscrm.AvailableOnForm
 - AppliesTo: PrimaryEntity
 - Default: false
 - Context: Form
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline

- Display Rules:
 - Display Rule: Mscrm.IsPUV2EntityCustomizationEnabled
 - FeatureControlBit: FCB.ProcessUnificationV2EntityCustomization
 - ExpectedValue: true
 - Display Rule: Mscrm.IsBPFEntityCustomizationFeatureEnabled
 - Setting: IsBPFEntityCustomizationFeatureEnabled
 - Display Rule: Mscrm.PrimaryEntityIsBPFEntity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsBPFEntity
 - PropertyValue: true

Button: Mscrm.Form.account.Activate

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Activate_32.png
 - Modern Image: Activate

- Command: Mscrm.Form.Activate
 - JS Function: Mscrm.CommandBarActions.changeState in /_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - StringParameter: activate
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityTypeName

- Enable Rules:
 - Enable Rule: Mscrm.CanWritePrimary

- AppliesTo: PrimaryEntity
- PrivilegeType: Write
- Display Rules:
 - Display Rule: Mscrm.CanWritePrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.PrimaryIsInactive
 - State: Disabled
 - Display Rule: Mscrm.PrimaryEntityHasStatecode
 - AppliesTo: PrimaryEntity
 - PropertyName: HasStateCode
 - PropertyValue: true
 - Display Rule: Mscrm.PrimaryIsNotActivity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsActivity
 - PropertyValue: false

Button: Mscrm.Form.account.ViewOrgChart

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: Drilldown
- Command: LinkedInExtensions.ViewOrgChart
 - JS Function: LinkedInExtensions.Account.Instance.ViewOrgChart in \$webresource:LinkedInExtensions/Account/LinkedInExtensions_Account.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.HideOnMobile
 - FunctionName: XrmCore.InternalUtilities.DialogUtilities.isMobileCompanionApp
 - Library: \$webresource:Main_system_library.js
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Display Rule: Mscrm.IsOrgChartFeatureEnabled
 - FeatureControlBit: FCB.OrgChart

- ExpectedValue: true
- Display Rule: Mscrm.CanReadContact
 - EntityName: contact
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: Mscrm.Form.account.AddConnectionNew

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: ConnectionToOther
- Command: Mscrm.AddConnectionForm
 - JS Function: XrmCore.Commands.Add.addConnectionFromForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityTypeCode
 - CrmParameter: PrimaryControl
 - BoolParameter: false
- Enable Rules:
 - Enable Rule: Mscrm.FormStateExistingOrReadOnlyOrDisabled
- Display Rules:
 - Display Rule: Mscrm.CreateConnection
 - PrivilegeName: CreateConnection
 - Display Rule: Mscrm.IsConnectionsEnabledPrimary
 - Default: false
 - AppliesTo: PrimaryEntity
 - PropertyName: IsConnectionsEnabled
 - PropertyValue: true

Button: Mscrm.Form.account.AddConnectionToMe

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: ConnectionToMe
- Command: Mscrm.AddConnectionToMeForm
 - JS Function: Mscrm.RibbonActions.addConnectionFromForm in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityTypeCode
 - CrmParameter: PrimaryControl

-- BoolParameter: true

- Enable Rules:
 - Enable Rule: Mscrm.FormStateExistingOrReadOnlyOrDisabled
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.CreateConnection
 - PrivilegeName: CreateConnection
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.IsConnectionsEnabledPrimary
 - Default: false
 - AppliesTo: PrimaryEntity
 - PropertyName: IsConnectionsEnabled
 - PropertyValue: true

Button: Mscrm.Form.account.AddToList

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:Marketing/_images/ribbon/AddToMarketingList_32.png
 - Modern Image: BulletListAdd
- Command: Mscrm.AddPrimaryToMarketingList
 - JS Function: Marketing.CommandActions.Instance.addCurrentItemToList in \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.AddPrimaryToMarketingList
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Append
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
 - Display Rule: Mscrm.AddPrimaryToMarketingList
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - EntityName: list
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic

Button: Idv.account.UpdateCrInfo.Button

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:ldv_refreshicon32
 - Modern Image: \$webresource:ldv_refreshiconsvg
- Command: Idv.account.UpdateCrInfo.Command
 - JS Function: UpdateCrInfoAction in \$webresource:ldv_accountribbon
 - Function Parameters:
 - CrmParameter: PrimaryControl
- Enable Rules:
 - Enable Rule: Idv.account.UpdateCrInfo.EnableRule
 - State: Existing
 - Default: true
 - InvertResult: false
 - PrivilegeType: Write
 - AppliesTo: PrimaryEntity
 - Default: true
 - InvertResult: false
 - Enable Rule: Idv.account.EnableDisableUpdateCRInfo.EnableRule
 - FunctionName: EnableDisableUpdateCRInfo
 - Library: \$webresource:ldv_accountribbon
- Display Rules:

Button: Mscrm.Form.account.Assign

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Assign_32.png
 - Modern Image: Assign
- Command: Mscrm.AssignPrimaryRecord
 - JS Function: XrmCore.Commands.Assign.assignObject in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypename
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.AssignPrimaryPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Assign
 - Enable Rule: Mscrm.NotOffline

- State: Offline
- InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.AssignPrimaryPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Assign
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.NotClosedActivity

Button: Idv.account.UpdateNationalAddressInfo.Button

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:Idv_refreshicon32
 - Modern Image: \$webresource:Idv_refreshiconsvg
- Command: Idv.account.UpdateNationalAddressInfo.Command
 - JS Function: UpdateNationalAddress in \$webresource:Idv_accountribbon
 - Function Parameters:
 - CrmParameter: PrimaryControl
- Enable Rules:
 - Enable Rule: Idv.account.UpdateCrInfo.EnableRule
 - State: Existing
 - Default: true
 - InvertResult: false
 - PrivilegeType: Write
 - AppliesTo: PrimaryEntity
 - Default: true
 - InvertResult: false
- Display Rules:
 - Display Rule: Idv.account.UpdateCrInfo.DisplayRule
 - State: Existing
 - Default: true
 - InvertResult: false

Button: Idv.account.UpdateVAT.Button

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:Idv_refreshicon32
 - Modern Image: \$webresource:Idv_refreshiconsvg
- Command: Idv.account.UpdateVAT.Command
 - JS Function: UpdateVAT in \$webresource:Idv_accountribbon
 - Function Parameters:

-- CrmParameter: PrimaryControl

- Enable Rules:

- Enable Rule: Idv.account.EnableDisableUpdateVAT.EnableRule
 - FunctionName: EnableDisableUpdateVAT
 - Library: \$webresource:Idv_accountribbon

- Display Rules:

Button: Mscrm.Form.account.SendSelected

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/SendShortcut_32.png
- Modern Image: EmailLink

- Command: Mscrm.SendShortcutPrimary

- JS Function: XrmCore.Commands.EmailCopyLink.emailCopyLinkPrimaryRecord in \$webresource:Main_system_library.js
 - Function Parameters:
 - BoolParameter: true
 - CrmParameter: PrimaryControl

- Enable Rules:

- Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true

- Display Rules:

Button: msdyn.ApplicationRibbon.account.Form.BookResource.Button

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: \$webresource:msdyn_/fps/Icons/CommandBar/Schedule_32.png
- Modern Image:

- Command: msdyn.ApplicationRibbon.Form.BookResource.Command

- JS Function: isNaN in \$webresource:msdyn_/fps/Utils/FpsUtils.js
 - Function Parameters:
- JS Function: FpsUtils.Form.OpenSBSAMode in \$webresource:msdyn_/fps/Utils/FpsUtils.js
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityType
- JS Function: isNaN in \$webresource:msdyn_/fps/LocalizationLibrary/Localization.Library.js
 - Function Parameters:

- Enable Rules:

- Enable Rule: msdyn.ApplicationRibbon.Form.BookResource.EnableRule
 - State: Existing
 - FunctionName: FpsUtils.Form.isBookButtonEnabled
 - Library: \$webresource:msdyn_/fps/Utils/FpsUtils.js
 - Default: false
- Display Rules:
 - Display Rule: msdyn.ApplicationRibbon.Form.BookResource.DisplayRule.CommandClientTypeRule
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.Delete

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/Workplace/remove_32.png
 - Modern Image: Remove
- Command: Mscrm.DeletePrimaryRecord
 - JS Function: XrmCore.Commands.Delete.deletePrimaryRecord in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityTypeName
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.CanDeletePrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Delete
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
 - Display Rule: Mscrm.DeletePrimaryEntityPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Delete
 - PrivilegeDepth: Basic

Button: Mscrm.Form.account.FormDesign

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/EditForm_32.png

- Modern Image:
- Command: Mscrm.FormDesign.OpenFromForm
 - JS Function: Mscrm.CommandBarActions.OpenFormEditor in /_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
 - StringParameter: main
- Enable Rules:
 - Enable Rule: Mscrm.FormDesignValid
 - FunctionName: Mscrm.RibbonActions.isFormDesignValid
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.WriteCustomization
 - PrivilegeName: WriteCustomization
 - Display Rule: Mscrm.IsCustomizable
 - AppliesTo: SelectedEntity
 - PropertyName: IsCustomizable
 - PropertyValue: true
 - Display Rule: Mscrm.HideForTabletExperience
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.OpenActiveStage

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/EditForm_32.png
 - Modern Image: FormDesign
- Command: Mscrm.Form.OpenActiveStage
 - JS Function: XrmCore.Commands.OpenActiveStage.openActiveStageFromForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityTypeName
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.IsPUV2EntityCustomizationEnabled
 - FeatureControlBit: FCB.ProcessUnificationV2EntityCustomization

- ExpectedValue: true
- Display Rule: Mscrm.IsBPFEntityCustomizationFeatureEnabled
 - Setting: IsBPFEntityCustomizationFeatureEnabled
- Display Rule: Mscrm.PrimaryEntityIsBPFEntity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsBPFEntity
 - PropertyValue: true

Button: GuidedHelp.account.Form

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: loadGuidedHelp
 - JS Function: checkForGuidedHelp in \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: IsGuidedHelpEnabled
 - FunctionName: enableGuidedHelp
 - Library: \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Default: true
 - InvertResult: false
- Display Rules:
 - Display Rule: GuidedHelpDisplayRule
 - Type: Modern
 - Type: Outlook
 - InvertResult: true
 - FeatureControlBit: FCB.GuidedHelp
 - ExpectedValue: true
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: LPLibrary.account.Form

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: launchLPLibrary
 - JS Function: launchLPLibrary in \$webresource:msdyn_LoadGuidedHelpMoCA.js

-- Function Parameters:

- Enable Rules:

- Enable Rule: IsGuidedHelpEnabled
 - FunctionName: enableGuidedHelp
 - Library: \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Default: true
 - InvertResult: false
- Enable Rule: LPLibraryEnabled
 - FunctionName: enableLearningPathDesigner
 - Library: \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Default: true
 - InvertResult: false
- Enable Rule: IsNotISH
 - FunctionName: isNotISH
 - Library: \$webresource:msdyn_LoadGuidedHelpMoCA.js
 - Default: true
 - InvertResult: false

- Display Rules:

- Display Rule: GuidedHelpDisplayRule
 - Type: Modern
 - Type: Outlook
 - InvertResult: true
 - FeatureControlBit: FCB.GuidedHelp
 - ExpectedValue: true
- Display Rule: LPPrivilegeRule
 - PrivilegeName: LearningPath
 - PrivilegeDepth: Global
 - Default: false
 - InvertResult: false
- Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.RefreshModernButton

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image: Refresh

- Command: Mscrm.Modern.refreshCommand

- JS Function: XrmCore.Commands.Refresh.refreshCommand in \$webresource:Main_system_library.js
 - Function Parameters:

-- CrmParameter: SelectedControl

- Enable Rules:

- Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true

- Display Rules:

- Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern

Button: Mscrm.Form.account.FollowButtonForYammer

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image: YammerIcon

- Command: Mscrm.Form.YammerCommand

- JS Function: Yammer.Commands.yammer in
\$webresource:msdyn_/YammerIntegration/Yammer_main_system_library.js
 - Function Parameters:
 - CrmParameter: PrimaryControl

- Enable Rules:

- Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Enable Rule: Yammer.ShowYammer
 - FunctionName: Yammer.Rules.showYammer
 - Library: \$webresource:msdyn_/YammerIntegration/Yammer_main_system_library.js
 - Default: false

- Display Rules:

- Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.Form.account.ActionButtonForMSTeams

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image: MSTeamsIcon

- Command: Mscrm.Form.MSTeamsCollaborateCommand

- JS Function: OfficeProductivity.RibbonCommands.showMSTeamsCollaborateDialog in

\$webresource:msdyn_/OfficeProductivity.js

- Function Parameters:
 - CrmParameter: PrimaryControl
 - CrmParameter: PrimaryEntityTypeCode

- Enable Rules:

- Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Enable Rule: OfficeProductivity.RibbonRules.showMSTeamsCollaborateCommand
 - FunctionName: OfficeProductivity.RibbonRules.showMSTeamsCollaborateCommand
 - Library: \$webresource:msdyn_/OfficeProductivity.js
- Enable Rule: OfficeProductivity.RibbonRules.hideCollaborateCommandForContextualEmail
 - FunctionName: OfficeProductivity.RibbonRules.hideCollaborateCommandForContextualEmail
 - Library: \$webresource:msdyn_/OfficeProductivity.js

- Display Rules:

- Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
- Display Rule: Mscrm.IsMSTeamsIntegrationEnabled
 - FeatureControlBit: FCB.MSTeamsIntegration
 - ExpectedValue: true

Button: Mscrm.Form.account.PDFButtonId

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image: PdfIconFile

- Command: Mscrm.Form.PDFCommand

- JS Function: AppCommon.CommandActions.LaunchPDFDialog in

\$webresource:AppCommon/CommandActions/AppCommon_CommandActions.js

- Function Parameters:
 - CrmParameter: CommandProperties
 - CrmParameter: PrimaryEntityTypeCode
 - CrmParameter: PrimaryControl
 - CrmParameter: FirstPrimaryItemId

- Enable Rules:

- Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Enable Rule: Mscrm.AppCommon.IsPdfEnabledForEntity
 - FunctionName: AppCommon.RibbonRules.isPdfCommandEnabled
 - Library: \$webresource:AppCommon/CommandActions/AppCommon_CommandActions.js

- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.ShowOnlyInBrowsersForModern
 - Display Rule: Mscrm.Pdf2020Wave2UpdatesEnabled
 - FeatureControlBit: FCB.PDF2020Wave2Updates
 - ExpectedValue: true
 - Display Rule: Mscrm.October2020UpdateEnabled
 - FeatureControlBit: FCB.October2020Update
 - ExpectedValue: true

Button: Mscrm.Form.account.Close

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/ActivitiyClose_32.png
 - Modern Image: Close
- Command: Mscrm.Form.CloseActivity
 - JS Function: XrmCore.Commands.ChangeState.changeState in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: deactivate
 - CrmParameter: PrimaryEntityTypeCode
 - StringParameter: 5
- Enable Rules:
 - Enable Rule: Mscrm.CanWritePrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Write
- Display Rules:
 - Display Rule: Mscrm.CanWritePrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.PrimaryIsActive
 - State: Existing
 - Display Rule: Mscrm.PrimaryEntityHasStatecode
 - AppliesTo: PrimaryEntity
 - PropertyName: HasStateCode
 - PropertyValue: true
 - Display Rule: Mscrm.PrimaryIsActivity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsActivity
 - PropertyValue: true

Button: msdyn.Form.account.LaunchPlaybook.Button

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: \$webresource:Playbook/msdyn_/Images/SVG/PlaybookInstanceIcon.svg
- Command: Playbook.Form.Launch
 - JS Function: PlaybookService.CommandBarActions.LaunchPlaybook in
\$webresource:Playbook/CommandBarActions/Playbook_CommandBarActions_library.js
 - Function Parameters:
 - CrmParameter: PrimaryControl
- Enable Rules:
 - Enable Rule: Mscrm.IsPlaybookTemplateAvailable
 - FunctionName: PlaybookService.CommandBarActions.isDisplayPlayBook
 - Library:
\$webresource:Playbook/CommandBarActions/Playbook_CommandBarActions_library.js
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.CanLaunchPlaybook
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: msdyn_playbookinstance
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: msdyn_playbooktemplate
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: msdyn_playbookactivity
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: msdyn_callablecontext
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.PrimaryIsActive
 - State: Existing
 - Display Rule: Mscrm.IsPlaybookFeatureEnabled
 - FeatureControlBit: FCB.Playbook
 - ExpectedValue: true

Button: Mscrm.Form.account.SwitchProcess

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/convert_32.png

- Modern Image: SwitchProcess
- Command: Mscrm.SwitchProcess
 - JS Function: Mscrm.WorkflowWebResource.SwitchProcess in \$Webresource:Main_system_library.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.CanSwitchProcess
 - FunctionName: Mscrm.WorkflowWebResource.CanSwitchProcess
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
 - Enable Rule: Mscrm.IsBPFCCommandsAvaialableOffline
 - FunctionName: Mscrm.WorkflowWebResource.IsBPFCCommandsAvaialableOffline
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.CanWritePrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.IsBusinessProcessEnabled
 - AppliesTo: PrimaryEntity
 - PropertyName: IsBusinessProcessEnabled
 - PropertyValue: true

Button: Mscrm.Form.account.EditSalesProcess

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/edit32.png
 - Modern Image:
- Command: Mscrm.EditSalesProcess
 - JS Function: Mscrm.CommandBarActions.editSalesProcess in /_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.CanEditProcess
 - FunctionName: Mscrm.WorkflowWebResource.CanEditProcess
 - Library: \$webresource:Main_system_library.js

- Display Rules:
 - Display Rule: Mscrm.IsBusinessProcessEnabled
 - AppliesTo: PrimaryEntity
 - PropertyName: IsBusinessProcessEnabled
 - PropertyValue: true
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.HideForTabletExperience
 - Display Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Display Rule: Mscrm.CanActivateBusinessProcessFlows
 - PrivilegeName: ActivateBusinessProcessFlow

Button: Mscrm.Form.account.Abandon

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/convert_32.png
 - Modern Image: Abandon
- Command: Mscrm.Abandon
 - JS Function: Mscrm.WorkflowWebResource.AbandonProcess in \$Webresource:Main_system_library.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.IsBusinessProcessPresent
 - FunctionName: Mscrm.WorkflowWebResource.IsBusinessProcessPresent
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.ShowAbandon
 - FunctionName: Mscrm.WorkflowWebResource.ShowAbandon
 - Library: \$webresource:Main_system_library.js
 - Default: true
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
 - Enable Rule: Mscrm.IsBPFCCommandsAvaialableOffline
 - FunctionName: Mscrm.WorkflowWebResource.IsBPFCCommandsAvaialableOffline
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.CanWritePrimary
 - AppliesTo: PrimaryEntity

- PrivilegeType: Write
- PrivilegeDepth: Basic
- Display Rule: Mscrm.IsBusinessProcessEnabled
 - AppliesTo: PrimaryEntity
 - PropertyName: IsBusinessProcessEnabled
 - PropertyValue: true

Button: Mscrm.Form.account.Reactivate

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/convert_32.png
 - Modern Image: Reactivate
- Command: Mscrm.Reactivate
 - JS Function: Mscrm.WorkflowWebResource.ReactivateProcess in \$Webresource:Main_system_library.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.IsBusinessProcessPresent
 - FunctionName: Mscrm.WorkflowWebResource.IsBusinessProcessPresent
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.ShowReactivate
 - FunctionName: Mscrm.WorkflowWebResource.ShowReactivate
 - Library: \$webresource:Main_system_library.js
 - Default: true
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
 - Enable Rule: Mscrm.IsBPFCCommandsAvaialableOffline
 - FunctionName: Mscrm.WorkflowWebResource.IsBPFCCommandsAvaialableOffline
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.CanWritePrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.IsBusinessProcessEnabled
 - AppliesTo: PrimaryEntity
 - PropertyName: IsBusinessProcessEnabled
 - PropertyValue: true

Button: Mscrm.Form.account.FinishStage

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/convert_32.png
 - Modern Image: FinishStage
- Command: Mscrm.FinishStage
 - JS Function: Mscrm.WorkflowWebResource.FinishProcess in \$Webresource:Main_system_library.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.IsBusinessProcessPresent
 - FunctionName: Mscrm.WorkflowWebResource.IsBusinessProcessPresent
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.ShowFinish
 - FunctionName: Mscrm.WorkflowWebResource.ShowFinish
 - Library: \$webresource:Main_system_library.js
 - Default: true
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
 - Enable Rule: Mscrm.IsBPFCCommandsAvaialableOffline
 - FunctionName: Mscrm.WorkflowWebResource.IsBPFCCommandsAvaialableOffline
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.CanWritePrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.IsBusinessProcessEnabled
 - AppliesTo: PrimaryEntity
 - PropertyName: IsBusinessProcessEnabled
 - PropertyValue: true

Button: Mscrm.Form.account.MainTab.Actions.Controls.CustomAction.Hidden.10.5

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.Form.EmailAsPDF.GeneratePDFAndSendEmail
 - JS Function: Sales.CommandBarActions.Instance.emailAsPDFCommandHandler in

\$webresource:Sales/CommandBarActions/SalesCommandBarActions.js

- Function Parameters:
 - CrmParameter: CommandProperties
 - CrmParameter: PrimaryEntityTypeCode
 - CrmParameter: PrimaryControl
 - CrmParameter: FirstPrimaryItemId

- Enable Rules:

- Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js

- Display Rules:

Button: Mscrm.Form.account.MainTab.Actions.Controls.CustomAction.Hidden.9.5

- Icon:

- Image 16x16: {image16x16}
- Image 32x32:
- Modern Image:

- Command: Mscrm.Form.CreatePDF.GeneratePDF

- JS Function: Sales.CommandBarActions.Instance.createPDFCommandHandler in

\$webresource:Sales/CommandBarActions/SalesCommandBarActions.js

- Function Parameters:
 - CrmParameter: CommandProperties
 - CrmParameter: PrimaryEntityTypeCode
 - CrmParameter: PrimaryControl
 - CrmParameter: FirstPrimaryItemId

- Enable Rules:

- Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js

- Display Rules:

Button: Mscrm.Form.account.SuggestProduct

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/SuggestProduct_32.png
- Modern Image:

- Command: Mscrm.SuggestProduct

Button: Mscrm.Form.account.Convert.Opportunity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/ConvertOpportunity_32.png
 - Modern Image: Opportunity

- Command: Mscrm.Form.ConvertToOpportunity
 - JS Function: isNaN in \$webresource:Marketing/ClientCommon/Marketing_ClientCommon.js
 - Function Parameters:
 - JS Function: isNaN in \$webresource:Sales/ClientCommon/Sales_ClientCommon.js
 - Function Parameters:
 - JS Function: isNaN in \$webresource:Sales/CommandBarActions/SalesCommandBarActions.js
 - Function Parameters:
 - JS Function: isNaN in \$webresource:CRM/ClientUtility.js
 - Function Parameters:
 - JS Function: isNaN in \$webresource:MarketingSales/Localization/ResourceStringProvider.js
 - Function Parameters:
 - JS Function: MarketingSales.CommandBarActions.Instance.convertToOpportunityActivity in \$webresource:MarketingSales/CommandBarActions/MarketingSalesCommandBarActions.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode

- Enable Rules:
 - Enable Rule: Mscrm.ConvertActivity
 - State: Create
 - InvertResult: true
 - State: Disabled
 - InvertResult: true
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
 - Enable Rule: Mscrm.IsOpportunityAvailableInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline

- Display Rules:
 - Display Rule: Mscrm.ConvertActivity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsActivity
 - PropertyValue: true
 - EntityName: activitypointer
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.PrimaryIsNotCampaign
 - AppliesTo: PrimaryEntity

- EntityName: campaignactivity
- InvertResult: true
- AppliesTo: PrimaryEntity
- EntityName: campaignresponse
- InvertResult: true
- Display Rule: Mscrm.HasOpportunityCreatePrivilege
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: opportunity

Button: Mscrm.Form.account.Convert.Case

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/ConvertCase_32.png
 - Modern Image: Case
- Command: Mscrm.Form.ConvertToCase
 - JS Function: CrmService.Activity.Instance.convertToCase in \$webresource:Service/Activities/activity.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.ConvertActivity
 - State: Create
 - InvertResult: true
 - State: Disabled
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.ConvertActivity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsActivity
 - PropertyValue: true
 - EntityName: activitypointer
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.ShowOnInteractionCentricHideOnModern

Button: Mscrm.Form.account.PromoteToResponse

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/Workplace/ConvertActivity_32.png

- Modern Image:
- Command: Mscrm.PromoteToResponse
 - JS Function: Mscrm.CommandBarActions.promoteToResponse in /_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.EnablePromoteToResponse
 - FunctionName: Marketing.CommandActions.Instance.canPromoteActivityToResponse
 - Library: \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
- Display Rules:
 - Display Rule: Mscrm.PrimaryIsActivity
 - AppliesTo: PrimaryEntity
 - PropertyName: IsActivity
 - PropertyValue: true
 - Display Rule: Mscrm.CanCreateActivity
 - PrivilegeName: CreateActivity
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: FieldServiceFieldService.Form.account.MainTab.LocationGroup.B_buttonGeoCode

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:msdyn_/Icons/CommandBar/Location_32.png
 - Modern Image:
- Command:

FieldServiceFieldService.Form.account.MainTab.LocationGroup.B_buttonGeoCode.Command

 - JS Function: GeoCodePopUp.Library.OpenDialog in \$webresource:msdyn_/GeoCodeUtils/GeoCodePopUp.Library.js
 - Function Parameters:
 - StringParameter: Account
- Enable Rules:
- Display Rules:
 - Display Rule:

FieldServiceFieldService.Form.account.MainTab.LocationGroup.B_buttonGeoCode.Command.DisplayRule.EntityPrivilegeRule

 - PrivilegeDepth: Basic
 - AppliesTo: SelectedEntity
 - PrivilegeType: Write
 - PrivilegeType: Read

- PrivilegeDepth: Basic
- AppliesTo: SelectedEntity
- EntityName: msdyn_fielddservicesetting
- Display Rule:
 - FieldServiceFieldService.Form.account.MainTab.LocationGroup.B_buttonGeoCode.Command.DisplayRule.FormStateRule
 - State: ReadOnly
 - InvertResult: true
 - Display Rule:
 - FieldServiceFieldService.Form.account.MainTab.LocationGroup.B_buttonGeoCode.Command.DisplayRule.DeviceTypeRule
 - Type: InteractionCentric
 - InvertResult: true
 - Display Rule:
 - FieldServiceFieldService.Form.account.MainTab.LocationGroup.B_buttonGeoCode.Command.DisplayRule.CrmClientTypeRule
 - Type: Web
 - Display Rule:
 - FieldServiceFieldService.Form.account.MainTab.LocationGroup.B_buttonGeoCode.Command.DisplayRule.CommandClientTypeRule
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.AddToQueue

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AddToQueue_32.png
 - Modern Image: AddToQueue
- Command: Mscrm.AddPrimaryToQueue
 - JS Function: AppCommon.Commands.Queue.AddRecordToQueue in \$webresource:AppCommon/Commands/QueueCommands.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
- Display Rules:
 - Display Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo

- PrivilegeDepth: Basic
- Display Rule: Mscrm.WorksWithQueuePrimary
 - Default: false
 - AppliesTo: PrimaryEntity
 - PropertyName: WorksWithQueue
 - PropertyValue: true

Button: Mscrm.Form.account.QueueItemDetail

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/Workplace/QueueItemDetails_32.png
 - Modern Image: QueueItemDetail
- Command: Mscrm.QueueItemDetail
 - JS Function: AppCommon.Commands.Queue.entityQueueItemDetail in \$webresource:AppCommon/Commands/QueueCommands.js
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.AppendToQueue
 - EntityName: queue
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.WorksWithQueuePrimary
 - Default: false
 - AppliesTo: PrimaryEntity
 - PropertyName: WorksWithQueue
 - PropertyValue: true

Button: Mscrm.Form.account.ViewHierarchy

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Hierarchy_32.png
 - Modern Image: ViewHierarchy
- Command: Mscrm.ViewHierarchyForPrimaryRecord

- JS Function: XrmCore.Commands.Hierarchy.ViewHierarchy in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
 - CrmParameter: PrimaryControl
- Enable Rules:
 - Enable Rule: Mscrm.IsFormHierarchyEnabled
 - FunctionName: XrmCore.Rules.Hierarchy.IsFormHierarchyEnabled
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Display Rules:

Button: Mscrm.Form.account.Permissions.SharingNonRefresh

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Sharing_32.png
 - Modern Image: Share
- Command: Mscrm.SharePrimaryRecord
 - JS Function: XrmCore.Commands.Common.onActionMenuClick in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: share
 - CrmParameter: PrimaryEntityTypeName
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.SharePrimaryPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Share
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.ShowOnNonModernAndModernIfAllowed
- Display Rules:
 - Display Rule: Mscrm.SharePrimaryPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Share
 - PrivilegeDepth: Basic
 - EntityName: bulkoperation

- InvertResult: true
- Display Rule: Mscrm.HybridDialogShareEnabled

Button: Mscrm.Form.account.Permissions.GrantNonRefresh

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/GrantPermissions_32.png
 - Modern Image:
- Command: Mscrm.ShareSecuredFieldsPrimaryRecord
 - JS Function: onActionMenuClick in /_static/_forms/form.js
 - Function Parameters:
 - StringParameter: grant
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.ShareSecuredFieldsPrimaryPermission
 - FunctionName: Mscrm.RibbonActions.hasSecuredFields
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.ShareSecuredFieldsPrimaryPermission
 - EntityName: principalobjectattributeaccess
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.Permissions.Sharing

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Sharing_32.png
 - Modern Image: Share
- Command: Mscrm.SharePrimaryRecordRefresh
 - JS Function: XrmCore.Commands.Common.onActionMenuClick in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: share

-- CrmParameter: PrimaryEntityTypeName

- Enable Rules:

- Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Enable Rule: Mscrm.SharePrimaryPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Share
- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Enable Rule: Mscrm.ShowOnNonModernAndModernIfAllowed

- Display Rules:

- Display Rule: Mscrm.SharePrimaryPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Share
 - PrivilegeDepth: Basic
 - EntityName: bulkoperation
 - InvertResult: true
- Display Rule: Mscrm.HybridDialogShareEnabled
- Display Rule: Mscrm.HideInLegacyRibbon
 - Type: Legacy
 - InvertResult: true
 - Address: /userdefined/edit.aspx
 - InvertResult: true
 - Address: /advancedfind/advfind.aspx
 - InvertResult: true
 - Address: /advancedfind/fetchData.aspx
 - InvertResult: true
 - Address: /tools/formeditor/formeditor.aspx
 - InvertResult: true
 - Address: /tools/visualizationdesigner/visualizationdesigner.aspx
 - InvertResult: true
- Display Rule: Mscrm.OutlookRenderTypeWeb
 - Type: Web

Button: Mscrm.Form.account.Permissions.Grant

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/GrantPermissions_32.png
- Modern Image:

- Command: Mscrm.ShareSecuredFieldsPrimaryRecord

- JS Function: onActionMenuClick in /_static/_forms/form.js
 - Function Parameters:

- StringParameter: grant
- CrmParameter: PrimaryEntityTypeCode

- Enable Rules:

- Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Enable Rule: Mscrm.ShareSecuredFieldsPrimaryPermission
 - FunctionName: Mscrm.RibbonActions.hasSecuredFields
 - Library: /_static/_common/scripts/RibbonActions.js

- Display Rules:

- Display Rule: Mscrm.ShareSecuredFieldsPrimaryPermission
 - EntityName: principalobjectattributeaccess
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.CopySelected

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/copyshortcut32.png
- Modern Image:

- Command: Mscrm.CopyShortcutPrimary

- JS Function: Mscrm.RibbonActions.sendFormShortcut in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - BoolParameter: false
 - CrmParameter: PrimaryControl

- Enable Rules:

- Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Enable Rule: Mscrm.EnableInIEBrowser
 - FunctionName: Mscrm.IsIEBrowser_0
 - Library: \$Webresource:Ribbon_main_system_library.js

- Display Rules:

- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.HideOnModern

- Type: Modern
- InvertResult: true

Button: Mscrm.Form.account.FollowButton

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Entity32_8003.png
 - Modern Image: RatingEmpty
- Command: Mscrm.Form.FollowCommand
 - JS Function: Follow.FollowCommands.followFromForm in \$webresource:msdyn_/Follow.Command.js
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityTypeName
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: msdyn.ActivityFeeds.NotNewEnableRule
 - State: Create
 - InvertResult: true
 - Enable Rule: msdyn.ActivityFeeds.IsFollowButtonEnabled
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/Scripts/PlatformScriptLoader.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/InstalledLocales.js
 - FunctionName: Follow.FollowCommands.dummy
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowEnabled.isFollowButtonEnabled
 - Enable Rule: msdyn.ActivityFeeds.Yammer.ShouldEnableFollow
 - Default: true
 - FunctionName: Follow.FollowEnableYammerCheck.shouldEnableFollow
 - Library: \$webresource:msdyn_/Follow.Command.js
- Display Rules:
 - Display Rule: msdyn.ActivityFeeds.ShowFollowButton
 - AppliesTo: SelectedEntity
 - EntityName: postfollow
 - Default: true
 - InvertResult: true
 - EntityName: postfollow

- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: postfollow
- PrivilegeType: Read
- PrivilegeDepth: Basic

Button: Mscrm.Form.account.UnfollowButton

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Entity32_8003_u.png
 - Modern Image: RatingFull
- Command: Mscrm.Form.UnfollowCommand
 - JS Function: Follow.FollowCommands.unfollowFromForm in \$webresource:msdyn_/Follow.Command.js
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityTypeName
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: msdyn.ActivityFeeds.NotNewEnableRule
 - State: Create
 - InvertResult: true
 - Enable Rule: msdyn.ActivityFeeds.IsUnFollowButtonEnabled
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/Scripts/PlatformScriptLoader.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/InstalledLocales.js
 - FunctionName: Follow.FollowCommands.dummy
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowEnabled.isFollowButtonEnabled
- Display Rules:
 - Display Rule: msdyn.ActivityFeeds.ShowUnfollowButton
 - AppliesTo: SelectedEntity
 - EntityName: postfollow
 - Default: true
 - InvertResult: true
 - EntityName: postfollow
 - PrivilegeType: Delete

- PrivilegeDepth: Basic
- EntityName: postfollow
- PrivilegeType: Read
- PrivilegeDepth: Basic

Button: Mscrm.Form.account.RunWorkflow

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/runworkflow32.png
 - Modern Image:
- Command: Mscrm.RunWorkflowPrimary
 - JS Function: Mscrm.CommandBarActions.launchOnDemandWorkflowForm in /_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
 - StringParameter:
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.RunWorkflowPrimary
 - FunctionName: Mscrm.RibbonActions.enableWorkflowOnForm
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.Form.account.RunScript

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/startdialog_32.png
 - Modern Image:
- Command: Mscrm.RunInteractiveWorkflowPrimary
 - JS Function: Mscrm.CommandBarActions.runScript in /_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
 - CrmParameter: PrimaryEntityTypeName
- Enable Rules:

- Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Enable Rule: Mscrm.RunWorkflowPrimary
 - FunctionName: Mscrm.RibbonActions.enableWorkflowOnForm
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.Form.account.AddFile

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Attachment_32.png
 - Modern Image:
- Command: Mscrm.AddFileToPrimaryRecord
 - JS Function: Mscrm.RibbonActions.addFileToRecord in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
 - CrmParameter: FirstPrimaryItemId
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.IsNotlos
 - FunctionName: Mscrm.Islos_0
 - Library: \$Webresource:Ribbon_main_system_library.js
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.CreateAndAppendNote
 - EntityName: annotation
 - PrivilegeType: Create

- PrivilegeDepth: Basic
- EntityName: annotation
- PrivilegeType: Append
- PrivilegeDepth: Basic
- EntityName: annotation
- PrivilegeType: Read
- PrivilegeDepth: Basic
- EntityName: annotation
- PrivilegeType: Write
- PrivilegeDepth: Basic
- Display Rule: Mscrm.PrimaryEntityHasNotes
 - AppliesTo: PrimaryEntity
 - PropertyName: HasNotes
 - PropertyValue: true
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.AddNote

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/noteyellowadd32.png
 - Modern Image:
- Command: Mscrm.AddNoteToPrimaryRecord
 - JS Function: Mscrm.RibbonActions.addNoteToRecord in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: PrimaryEntityTypeCode
 - CrmParameter: FirstPrimaryItemId
- Enable Rules:
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.CreateAndAppendNote
 - EntityName: annotation

- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: annotation
- PrivilegeType: Append
- PrivilegeDepth: Basic
- EntityName: annotation
- PrivilegeType: Read
- PrivilegeDepth: Basic
- EntityName: annotation
- PrivilegeType: Write
- PrivilegeDepth: Basic
- Display Rule: Mscrm.PrimaryEntityHasNotes
 - AppliesTo: PrimaryEntity
 - PropertyName: HasNotes
 - PropertyValue: true

Button: Mscrm.Form.account.AddTask

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4212.png
 - Modern Image:
- Command: Mscrm.AddTaskToPrimaryRecord
 - JS Function: XrmCore.Commands.Add.AddActivityOnForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: task
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AddActivityToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: PrimaryEntity

- PropertyName: HasActivities
- PropertyValue: true

Button: Mscrm.Form.account.AddEmail

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Email_32.png
 - Modern Image:
- Command: Mscrm.SendEmailPrimaryRecord
 - JS Function: XrmCore.Commands.Add.AddActivityOnForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: email
- Enable Rules:
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AddActivityToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: PrimaryEntity
 - PropertyName: HasActivities
 - PropertyValue: true
 - Display Rule: Mscrm.WriteActivityPermission
 - EntityName: activitypointer
 - PrivilegeType: Write
 - PrivilegeDepth: Basic

Button: Mscrm.Form.account.AddPhone

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4210.png
 - Modern Image:

- Command: Mscrm.AddPhoneToPrimaryRecord
 - JS Function: XrmCore.Commands.Add.AddActivityOnForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: phonecall
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AddActivityToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: PrimaryEntity
 - PropertyName: HasActivities
 - PropertyValue: true

Button: Mscrm.Form.account.AddLetter

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4207.png
 - Modern Image:
- Command: Mscrm.AddLetterToPrimaryRecord
 - JS Function: XrmCore.Commands.Add.AddActivityOnForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: letter
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly

- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AddActivityToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: PrimaryEntity
 - PropertyName: HasActivities
 - PropertyValue: true

Button: Mscrm.Form.account.AddFax

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4204.png
 - Modern Image:
- Command: Mscrm.AddFaxToPrimaryRecord
 - JS Function: XrmCore.Commands.Add.AddActivityOnForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: fax
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AddActivityToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: PrimaryEntity

- PropertyName: HasActivities
- PropertyValue: true

Button: Mscrm.Form.account.AddAppointment

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4201.png
 - Modern Image:
- Command: Mscrm.AddAppointmentToPrimaryRecord
 - JS Function: XrmCore.Commands.Add.AddActivityOnForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: appointment
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AddActivityToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: PrimaryEntity
 - PropertyName: HasActivities
 - PropertyValue: true

Button: Mscrm.Form.account.AddRecurringAppointment

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/RecurringAppointmentInstance_32.png
 - Modern Image:
- Command: Mscrm.AddRecurringAppointmentToPrimaryRecord
 - JS Function: XrmCore.Commands.Add.AddActivityOnForm in \$webresource:Main_system_library.js

- Function Parameters:
- StringParameter: recurringappointmentmaster

- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AddActivityToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: PrimaryEntity
 - PropertyName: HasActivities
 - PropertyValue: true

Button: Mscrm.Form.account.AddServiceActivity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AddServiceActivity_32.png
 - Modern Image:
- Command: Mscrm.AddServiceActivityToPrimaryRecord
 - JS Function: XrmCore.Commands.Add.AddActivityToForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: serviceappointment
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AddActivityToPrimary
 - AppliesTo: PrimaryEntity

- PrivilegeType: AppendTo
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Append
- PrivilegeDepth: Basic
- AppliesTo: PrimaryEntity
- PropertyName: HasActivities
- PropertyValue: true
- Display Rule: Mscrm.CreateServiceAppointment
 - EntityName: service
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: service
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic

Button: Mscrm.Form.account.MailMerge

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/mailmerge32.png
 - Modern Image:
- Command: Mscrm.MailMergePrimary
 - JS Function: onActionMenuClick in /_static/_forms/form.js
 - Function Parameters:
 - StringParameter: webmailmerge
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
 - Enable Rule: Mscrm.IsNotlos
 - FunctionName: Mscrm.Islos_0
 - Library: \$Webresource:Ribbon_main_system_library.js
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.MailMergePrimary
 - AppliesTo: PrimaryEntity
 - PropertyName: MailMergeEnabled
 - PropertyValue: true
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic

-- PrivilegeName: MailMerge

Button: Mscrm.Form.account.AddCampaignResponse

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/entity32_4401.png
 - Modern Image:
- Command: Mscrm.AddCampaignResponseToPrimaryRecord
 - JS Function: XrmCore.Commands.Add.AddActivityToForm in \$webresource:Main_system_library.js
 - Function Parameters:
 - StringParameter: campaignresponse
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.FormStateExistingOrReadOnly
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.AddActivityToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - AppliesTo: PrimaryEntity
 - PropertyName: HasActivities
 - PropertyValue: true
 - Display Rule: Mscrm.CreateCampaignResponse
 - EntityName: activitypointer
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.PrimaryEntityHasCampaignResponse

Button: Mscrm.Form.account.Relationship.Opportunity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:Sales/_imgs/ribbon/Opportunity_32.png
 - Modern Image:

- Command: Mscrm.Form.account.Relationship.Opportunity
 - JS Function: Mscrm.RibbonActions.addRelatedToNonForm in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - IntParameter: 4503
 - IntParameter: 1
- Enable Rules:
 - Enable Rule: Mscrm.FormStateExisting
 - State: Existing
- Display Rules:
 - Display Rule: Mscrm.HomepageGrid.account.Relationship.Opportunity
 - EntityName: relationshiprole
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: customeropportunityrole
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: customeropportunityrole
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - EntityName: opportunity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: account
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.Relationship.Customer

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:Sales/_imgs/ribbon/Relationship_32.png
 - Modern Image:
- Command: Mscrm.Form.account.Relationship.Customer
 - JS Function: Mscrm.RibbonActions.addRelatedToNonForm in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - IntParameter: 4502
 - IntParameter: 1
- Enable Rules:

- Enable Rule: Mscrm.FormStateExisting
 - State: Existing
- Display Rules:
 - Display Rule: Mscrm.HomepageGrid.account.Relationship.Customer
 - EntityName: relationshiprole
 - PrivilegeType: Read
 - PrivilegeDepth: Basic
 - EntityName: customerrelationship
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: customerrelationship
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - EntityName: contact
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - EntityName: account
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.CustomizeEntity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/CustomizeEntity_32.png
 - Modern Image:
- Command: Mscrm.CustomizeEntity
 - JS Function: Mscrm.RibbonActions.openEntityEditor in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.WriteCustomization
 - PrivilegeName: WriteCustomization
 - Display Rule: Mscrm.OpenCustomizations
 - PrivilegeType: Read
 - PrivilegeDepth: Global
 - EntityName: solution
 - PrivilegeType: Read

- PrivilegeDepth: Global
- EntityName: publisher
- Display Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
- Display Rule: Mscrm.HideForTabletExperience
- Display Rule: Mscrm.ShowOnGridAndLegacy

Button: Mscrm.Form.account.PublishEntity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/PublishEntity_32.png
 - Modern Image:
- Command: Mscrm.PublishEntity
 - JS Function: Mscrm.FormEditor.PublishEntity in /_common/global.ashx
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.WriteCustomization
 - PrivilegeName: WriteCustomization
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.Form.account.PublishAll

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/PublishAll_32.png
 - Modern Image:
- Command: Mscrm.PublishAll
 - JS Function: Mscrm.FormEditor.PublishAll in /_common/global.ashx
 - Function Parameters:

- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.WriteCustomization
 - PrivilegeName: WriteCustomization
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Save.Save

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Save_32.png
 - Modern Image:
- Command: Mscrm.VisualizationTab.SaveChart
 - JS Function: Mscrm.RibbonActions.saveVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.EnableSaveChart
 - FunctionName: Mscrm.RibbonActions.isSaveChartEnabled
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.userqueryvisualization.CreateOrWrite

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Save.SaveAndClose

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/SaveAndCloseChart_32.png
 - Modern Image:
- Command: Mscrm.VisualizationTab.SaveAndCloseChart
 - JS Function: Mscrm.RibbonActions.saveAndCloseVisualization in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.EnableSaveChart
 - FunctionName: Mscrm.RibbonActions.isSaveChartEnabled

-- Library: /_static/_common/scripts/RibbonActions.js

- Display Rules:

- Display Rule: Mscrm.userqueryvisualization.CreateOrWrite
- Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Save.Copy

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/saveaschart32.png
- Modern Image:

- Command: Mscrm.VisualizationTab.CopyChart

- JS Function: Mscrm.RibbonActions.copyVisualization in /_static/_common/scripts/RibbonActions.js
- Function Parameters:

- Enable Rules:

- Enable Rule: Mscrm.EnableSaveAsChart
 - FunctionName: Mscrm.RibbonActions.isSaveAsChartEnabled
 - Library: /_static/_common/scripts/RibbonActions.js
- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true

- Display Rules:

- Display Rule: Mscrm.userqueryvisualization.Create
 - EntityName: userqueryvisualization
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
- Display Rule: Mscrm.userqueryvisualization.Read
 - EntityName: userqueryvisualization
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.ExpandChart

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/expandchart32.png
- Modern Image:

- Command: Mscrm.VisualizationTab.ExpandChart

- JS Function: Mscrm.RibbonActions.expandVisualization in

/_static/_common/scripts/RibbonActions.js

-- Function Parameters:

- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.WebClient
 - Type: Web

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Column.Column

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.Column
 - JS Function: Mscrm.RibbonActions.applyChartType in

/_static/_common/scripts/RibbonActions.js

-- Function Parameters:
-- StringParameter: Column

- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Column.StackedColumn

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedColumn
 - JS Function: Mscrm.RibbonActions.applyChartType in

/_static/_common/scripts/RibbonActions.js

-- Function Parameters:
-- StringParameter: StackedColumn

- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Column.StackedColumn100

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedColumn100
 - JS Function: Mscrm.RibbonActions.applyChartType in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: StackedColumn100
- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Bar.Bar

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.Bar
 - JS Function: Mscrm.RibbonActions.applyChartType in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: Bar

- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Bar.StackedBar

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedBar
 - JS Function: Mscrm.RibbonActions.applyChartType in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: StackedBar
- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Bar.StackedBar100

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedBar100
 - JS Function: Mscrm.RibbonActions.applyChartType in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: StackedBar100

- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Area.Area

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.Area
 - JS Function: Mscrm.RibbonActions.applyChartType in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: Area
- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Area.StackedArea

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedArea
 - JS Function: Mscrm.RibbonActions.applyChartType in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: StackedArea

- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Area.StackedArea100

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.Charts.StackedArea100
 - JS Function: Mscrm.RibbonActions.applyChartType in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: StackedArea100
- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Line

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/linechart32.png
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.LineChart
 - JS Function: Mscrm.RibbonActions.applyChartType in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: Line

- Enable Rules:
 - Enable Rule: Mscrm.Enable.IsVisualizationCustomizableRule
 - FunctionName: Mscrm.RibbonActions.canCustomizeVisualization
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.Visualization.CanApplyLineChart
 - FunctionName: Mscrm.RibbonActions.canApplyChartType
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Pie

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/piechart32.png
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.PieChart
 - JS Function: Mscrm.RibbonActions.applyChartType in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: Pie
- Enable Rules:
 - Enable Rule: Mscrm.Enable.IsVisualizationCustomizableRule
 - FunctionName: Mscrm.RibbonActions.canCustomizeVisualization
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.Visualization.CanApplyPieChart
 - FunctionName: Mscrm.RibbonActions.canApplyChartType
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Charts.Other

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/funnelchart32.png
 - Modern Image:

- Command: Mscrm.VisualizationDesignerTab.FunnelChart
 - JS Function: Mscrm.RibbonActions.applyChartType in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - StringParameter: Funnel
- Enable Rules:
 - Enable Rule: Mscrm.Enable.IsVisualizationCustomizableRule
 - FunctionName: Mscrm.RibbonActions.canCustomizeVisualization
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.Visualization.CanApplyFunnelChart
 - FunctionName: Mscrm.RibbonActions.canApplyChartType
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Top3

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.Top3
 - JS Function: Mscrm.RibbonActions.applyTopBottom in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - BoolParameter: true
 - IntParameter: 3
- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Top5

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:

- Command: Mscrm.VisualizationDesignerTab.TopBottom.Top5
 - JS Function: Mscrm.RibbonActions.applyTopBottom in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - BoolParameter: true
 - IntParameter: 5

- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js

- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.TopX

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:

- Command: Mscrm.VisualizationDesignerTab.TopBottom.TopX
 - JS Function: Mscrm.RibbonActions.applyTopBottomCustom in
/_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - BoolParameter: true

- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js

- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Bottom3

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.Bottom3
 - JS Function: Mscrm.RibbonActions.applyTopBottom in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - BoolParameter: false
 - IntParameter: 3
- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Bottom5

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.Bottom5
 - JS Function: Mscrm.RibbonActions.applyTopBottom in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - BoolParameter: false
 - IntParameter: 5
- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.BottomX

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:

- Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.BottomX
 - JS Function: Mscrm.RibbonActions.applyTopBottomCustom in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - BoolParameter: false
- Enable Rules:
 - Enable Rule: Mscrm.Enabled
 - FunctionName: XrmCore.Rules.Enabled.alwaysEnabled
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.TopBottom.Clear

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image:
- Command: Mscrm.VisualizationDesignerTab.TopBottom.Clear
 - JS Function: Mscrm.RibbonActions.clearTopBottom in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.Enable.IsVisualizationCustomizableRule
 - FunctionName: Mscrm.RibbonActions.canCustomizeVisualization
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.TopBottomEnabled
 - FunctionName: Mscrm.RibbonActions.isTopBottomEnabled
 - Library: /_static/_common/scripts/RibbonActions.js
- Display Rules:
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.HomepageGrid.AllEntities.VisualizationTab.Close.Close

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Close_32.png
 - Modern Image:
- Command: Mscrm.VisualizationTab.CloseDesigner
 - JS Function: Mscrm.RibbonActions.closeDesigner in

/_static/_common/scripts/RibbonActions.js

-- Function Parameters:

- Enable Rules:

- Enable Rule: Mscrm.VisualizationPaneDesignerMode

-- FunctionName: Mscrm.RibbonActions.isVisualizationPaneInDesignerMode

-- Library: /_static/_common/scripts/RibbonActions.js

- Display Rules:

Button: MailApp.SubGrid.SetRegarding.account.Button

- Icon:

- Image 16x16: {image16x16}

- Image 32x32:

- Modern Image: LinkArticle

- Command: MailApp.SubGrid.SetRegardingCommand

Button: Mscrm.SubGrid.account.NewRecord

- Icon:

- Image 16x16: {image16x16}

- Image 32x32: /_imgs/ribbon/newrecord32.png

- Modern Image: New

- Command: Mscrm.NewRecordFromGrid

- JS Function: XrmCore.Commands.Open.openNewRecord in

\$webresource:Main_system_library.js

-- Function Parameters:

-- CrmParameter: SelectedEntityType

-- CrmParameter: SelectedControl

- Enable Rules:

- Enable Rule: Mscrm.IsValidForHierarchyView

-- FunctionName: XrmCore.Rules.HierarchyView.IsValidForHierarchyView

-- Library: \$webresource:Main_system_library.js

- Enable Rule: Mscrm.IsValidForHierarchyPageInUC

-- FunctionName: XrmCore.Rules.HierarchyView.IsValidForHierarchyPageInUC

-- Library: \$webresource:Main_system_library.js

- Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline

-- Library: \$webresource:Main_system_library.js

-- FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline

- Enable Rule: Mscrm.PrimaryIsNotActivityHomePageGrid

-- FunctionName: XrmCore.Rules.Enabled.PrimaryIsNotActivityHomePageGrid

-- Library: \$webresource:Main_system_library.js

- Display Rules:

- Display Rule: Mscrm.CreateSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.ShowForNonRelationshipBoundGrids
 - AppliesTo: SelectedEntity
 - RelationshipType: NoRelationship
- Display Rule: Mscrm.HideNewForChildEntities
 - AppliesTo: SelectedEntity
 - PropertyName: IsChildEntity
 - PropertyValue: false
- Display Rule: Mscrm.HideAddressEntities
 - AppliesTo: SelectedEntity
 - EntityName: customeraddress
 - Default: false
 - InvertResult: true
- Display Rule: Mscrm.NotOnMarketingList
 - Default: false
 - EntityName: list
 - InvertResult: true

Button: Mscrm.SubGrid.account.AddListMember

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: BulletListAdd
- Command: Mscrm.AddMembers
 - JS Function: Marketing.List.CommandActions.addMembers in
\$webresource:Marketing/List/List_main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityType
 - CrmParameter: FirstPrimaryItemId
- Enable Rules:
 - Enable Rule: Mscrm.IsListStatic
 - FunctionName: Marketing.List.Commands.isListStatic
 - Library: \$webresource:Marketing/List/List_main_system_library.js
 - Enable Rule: Mscrm.IsListUnLocked
 - FunctionName: Marketing.List.Commands.isListLocked
 - Library: \$webresource:Marketing/List/List_main_system_library.js
 - Enable Rule: Mscrm.SubGrid.EnableRule.SubgridEntityMatchesTarget
 - FunctionName: Marketing.CommandActions.Instance.showButtonForListEntityOnly
 - Library: \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Default: false
 - Enable Rule: Mscrm.AppendToPrimary

- AppliesTo: PrimaryEntity
- PrivilegeType: AppendTo
- Enable Rule: Mscrm.EntityFormIsEnabled
 - State: Disabled
 - InvertResult: true
- Enable Rule: Mscrm.IsUci
 - FunctionName: Xrm.Internal.isUci
 - Library: \$webresource:Marketing/ClientCommon/Marketing_ClientCommon.js
 - Default: true
 - InvertResult: false
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.AddExisting
 - Default: false
 - InvertResult: true
 - Display Rule: Mscrm.ShowForManyToManyGrids
 - AppliesTo: SelectedEntity
 - RelationshipType: ManyToMany
 - Display Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.AppendSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: Append
 - PrivilegeDepth: Basic

Button: Mscrm.SubGrid.account.OpenAssociatedGridViewStandard

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/OpenAssociatedGridView32.png
 - Modern Image:
- Command: Mscrm.OpenAssociatedGridViewOnLiteGridStandard
 - JS Function: Mscrm.GridCommandActions.openAssociatedGridViewOnLiteGridStandard in /_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.ShowInSubGridStandard
 - Context: SubGridStandard
 - Display Rule: Mscrm.HideInLegacyRibbon

- Type: Legacy
- InvertResult: true
- Address: /userdefined/edit.aspx
- InvertResult: true
- Address: /advancedfind/advfind.aspx
- InvertResult: true
- Address: /advancedfind/fetchData.aspx
- InvertResult: true
- Address: /tools/formeditor/formeditor.aspx
- InvertResult: true
- Address: /tools/visualizationdesigner/visualizationdesigner.aspx
- InvertResult: true
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.AddNewStandard

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/newrecord32.png
 - Modern Image: New
- Command: Mscrm.AddNewRecordFromSubGridStandard
 - JS Function: XrmCore.Commands.Open.addNewFromSubGridStandard in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeName
 - CrmParameter: PrimaryEntityTypeName
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryControl
 - CrmParameter: SelectedControl
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.EntityFormIsEnabled
 - State: Disabled
 - InvertResult: true
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
- Display Rules:
 - Display Rule: Mscrm.ShowForOneToManyGrids
 - AppliesTo: SelectedEntity
 - RelationshipType: OneToMany

- Display Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.CreateSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.AppendSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.HideAddNewForChildEntities

Button: Mscrm.SubGrid.account.AddExistingStandard

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AddExistingStandard_32.png
 - Modern Image: AddExisting
- Command: Mscrm.AddExistingRecordFromSubGridStandard
 - JS Function: XrmCore.Commands.AddFromSubGrid.addExistingFromSubGridStandard in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypename
 - CrmParameter: SelectedControl
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.EntityFormIsEnabled
 - State: Disabled
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.AddExisting
 - Default: false
 - InvertResult: true
 - Display Rule:
 - Mscrm.ShowForOneToManyForAllAndNonRelationshipBoundForMarketingListGrids
 - Display Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.AppendSelected
 - AppliesTo: SelectedEntity

- PrivilegeType: Append
- PrivilegeDepth: Basic
- Display Rule: Mscrm.CanWriteSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic

Button: Mscrm.SubGrid.account.AddExistingAssoc

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AddExistingStandard_32.png
 - Modern Image: AddExisting
- Command: Mscrm.AddExistingRecordFromSubGridAssociated
 - JS Function: XrmCore.Commands.AddFromSubGrid.addExistingFromSubGridAssociated in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeName
 - CrmParameter: SelectedControl
- Enable Rules:
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.EntityFormIsEnabled
 - State: Disabled
 - InvertResult: true
 - Enable Rule: Mscrm.isNotDynamicList
 - FunctionName: Marketing.List.Commands.isNotDynamicList
 - Library: \$webresource:Marketing/List/List_main_system_library.js
 - Enable Rule: Mscrm.IsListUnLocked
 - FunctionName: Marketing.List.Commands.isListLocked
 - Library: \$webresource:Marketing/List/List_main_system_library.js
 - Enable Rule: Mscrm.SubGrid.EnableRule.SubgridEntityMatchesTargetWebClientOnly
 - FunctionName: Marketing.CommandActions.Instance.showButtonForListEntityOnlyWebClient
 - Library: \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Default: false
- Display Rules:
 - Display Rule: Mscrm.AddExisting
 - Default: false
 - InvertResult: true
 - Display Rule: Mscrm.ShowOnManyToManyExceptCAForm
 - AppliesTo: SelectedEntity
 - RelationshipType: ManyToMany
 - Default: false

- EntityName: campaignactivity
- InvertResult: true
- Display Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.AppendSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
- Display Rule: Mscrm.HideOnUciList

Button: Mscrm.SubGrid.account.Edit

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/edit32.png
 - Modern Image: Edit
- Command: Mscrm.EditSelectedRecord
 - JS Function: XrmCore.Commands.BulkEdit.bulkEditRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.CheckBulkEditSupportForEntity
 - FunctionName: XrmCore.InternalUtilities.DialogUtilities.isMobileCompanionApp
 - Library: \$webresource:Main_system_library.js
 - InvertResult: true
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.IsValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.ShowOnNonModernAndModernIfAllowed
- Display Rules:
 - Display Rule: Mscrm.BulkEditPrivilege
 - PrivilegeName: BulkEdit
 - Display Rule: Mscrm.WriteSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HybridDialogBulkEditEnabled

Button: Mscrm.SubGrid.account.Activate

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Activate_32.png
 - Modern Image: Activate
- Command: Mscrm.HomepageGrid.Activate
 - JS Function: XrmCore.Commands.Activate.activateRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Display Rules:
 - Display Rule: Mscrm.CanWriteSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.SelectedEntityHasStatecode
 - AppliesTo: SelectedEntity
 - PropertyName: HasStateCode
 - PropertyValue: true

Button: Mscrm.SubGrid.account.Deactivate

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Deactivate_32.png
 - Modern Image: DeActivate
- Command: Mscrm.HomepageGrid.Deactivate
 - JS Function: XrmCore.Commands.Deactivate.deactivateRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.SelectionCountAtLeastOne

- Minimum: 1
- AppliesTo: SelectedEntity

- Display Rules:
 - Display Rule: Mscrm.CanWriteSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.SelectedEntityHasStatecode
 - AppliesTo: SelectedEntity
 - PropertyName: HasStateCode
 - PropertyValue: true

Button: msdyn.ApplicationRibbon.account.SubGrid.BookResource.Button

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:msdyn_/fps/Icons/CommandBar/Schedule_32.png
 - Modern Image:
- Command: msdyn.ApplicationRibbon.HomeGrid.BookResource.Command
 - JS Function: isNaN in \$webresource:msdyn_/fps/LocalizationLibrary/Localization.Library.js
 - Function Parameters:
 - JS Function: isNaN in \$webresource:msdyn_/fps/Utils/FpsUtils.js
 - Function Parameters:
 - JS Function: FpsUtils.Form.OpenSBSAMode in \$webresource:msdyn_/fps/Utils/FpsUtils.js
 - Function Parameters:
 - CrmParameter: FirstSelectedItemId
 - CrmParameter: SelectedEntityTypename
- Enable Rules:
 - Enable Rule: msdyn.ApplicationRibbon.HomeGrid.BookResource.EnableRule
 - FunctionName: FpsUtils.Form.isBookButtonEnabled
 - Library: \$webresource:msdyn_/fps/Utils/FpsUtils.js
 - Default: false
 - AppliesTo: SelectedEntity
 - Minimum: 1
 - Maximum: 1
- Display Rules:
 - Display Rule:
 - msdyn.ApplicationRibbon.HomeGrid.BookResource.DisplayRule.CommandClientTypeRule
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.Remove

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/Workplace/Remove_32.png
- Modern Image: Remove

- Command: Mscrm.RemoveSelectedRecord
 - JS Function: Marketing.List.CommandActions.gridDisassociateListMember in \$webresource:Marketing/List/List_main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypename
 - CrmParameter: SelectedControl
 - CrmParameter: FirstSelectedItemid

- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:
 - Display Rule: Mscrm.ShowForManyToManyGrids
 - AppliesTo: SelectedEntity
 - RelationshipType: ManyToMany
 - Display Rule: Mscrm.AppendToPrimary
 - AppliesTo: PrimaryEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnUciList
 - Display Rule: Mscrm.HideOnQCEntityForm
 - Display Rule: Mscrm.HideOnCAEntityForm

Button: Mscrm.SubGrid.account.BulkDelete

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/BulkDelete_32.png
 - Modern Image: DeleteBulk

- Command: Mscrm.HomepageGrid.BulkDelete
 - JS Function: Mscrm.GridRibbonActions.bulkDelete in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl

- Enable Rules:
 - Enable Rule: Mscrm.NotOffline

- State: Offline
- InvertResult: true
- Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.GridFiltersEnabled
 - AppliesTo: SelectedEntity
 - PropertyName: GridFiltersEnabled
 - PropertyValue: true
 - Address: /advancedfind/fetchdata.aspx
 - InvertResult: true
 - Display Rule: Mscrm.BulkDelete
 - PrivilegeName: BulkDelete
 - Display Rule: Mscrm.DeletePrimaryEntityPermission
 - AppliesTo: PrimaryEntity
 - PrivilegeType: Delete
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.MergeRecords

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/MergeRecords_32.png
 - Modern Image: MergeRecords
- Command: Mscrm.HomepageGrid.account.MergeRecords
 - JS Function: ClientUtility.ClientUtil.launchUCIMergeDialog in \$webresource:CRM/ClientUtility.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountOneOrTwo
 - Minimum: 1
 - Maximum: 2
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: ClientUtility.ClientUtil.ValidateSettingsForModernDevice

- FunctionName: ClientUtility.ClientUtil.ValidateSettingsForModernDevice
- Library: \$webresource:CRM/ClientUtility.js
- Display Rule: Mscrm.HomepageGrid.account.MergeGroup
 - PrivilegeName: Merge
- Display Rule: Mscrm.CanWriteAccount
 - EntityName: account
 - PrivilegeType: Write
 - PrivilegeDepth: Basic

Button: Mscrm.SubGrid.account.Detect.Selected

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/DuplicateDetection_32.png
 - Modern Image:
- Command: Mscrm.HomepageGrid.DetectDupesSelected
 - JS Function: Mscrm.GridRibbonActions.detectDuplicatesSelectedRecords in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: SelectedControlSelectedItemIds
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.Detect.All

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/DetectAll_32.png
 - Modern Image:
- Command: Mscrm.HomepageGrid.DetectDupesAll
 - JS Function: Mscrm.GridRibbonActions.detectDuplicatesAllRecords in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: SelectedControlAllItemCount

- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.RefreshButton

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: Refresh
- Command: Mscrm.Modern.refreshCommand
 - JS Function: XrmCore.Commands.Refresh.refreshCommand in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
- Enable Rules:
 - Enable Rule: Mscrm.IsEntityAvailableForUserInMocaOffline
 - Library: \$webresource:Main_system_library.js
 - FunctionName: XrmCore.Rules.Online.IsEntityAvailableForUserInMocaOffline
 - Enable Rule: Mscrm.FormStateNotNew
 - State: Create
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern

Button: Mscrm.SubGrid.account.CreateOpportunityForMembers

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:Marketing/_images/SFA/CreateOpportunityForMembers_32.png
 - Modern Image: OpportunitiesList
- Command: Mscrm.CreateOpportunityForMembers
 - JS Function: Marketing.List.CommandActions.createOpportunityForMembers in \$webresource:Marketing/List/List_main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl

- CrmParameter: SelectedControlSelectedItemReferences
- CrmParameter: SelectedEntityTypeCode

- Enable Rules:

- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.AccountOrContactMemberType
 - FunctionName: Marketing.List.CommandActions.isAccountOrContactMemberType
 - Library: \$webresource:Marketing/List/List_main_system_library.js

- Display Rules:

- Display Rule: Mscrm.CreateOpportunity
 - EntityName: opportunity
 - PrivilegeType: Create
 - PrivilegeDepth: Basic

Button: Mscrm.SubGrid.account.AddEmail

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/Email_32.png
- Modern Image: EmailLink

- Command: Mscrm.AddEmailToSelectedRecord

- JS Function: Mscrm.GridRibbonActions.sendBulkEmail in
/_static/_common/scripts/RibbonActions.js

-- Function Parameters:

- CrmParameter: SelectedControl
- CrmParameter: SelectedControlSelectedItemIds
- CrmParameter: SelectedEntityTypeCode
- CrmParameter: SelectedControlAllItemCount

- Enable Rules:

- Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:

- Display Rule: Mscrm.WriteActivityPermission
 - EntityName: activitypointer
 - PrivilegeType: Write
 - PrivilegeDepth: Basic

- Display Rule: Mscrm.SelectedEntityIsListedForSendDirectEmailOrEmailable
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.modern.AddEmail

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Email_32.png
 - Modern Image: EmailLink
- Command: Mscrm.modern.AddEmailToSelectedRecord
 - JS Function: Activities.BulkEmailDialog.openBulkEmailDialog in \$webresource:Activities/SystemLibraries/InsertEmailTemplate.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsBulkEmailInUciEnabled
 - FunctionName: Activities.BulkEmailDialog.IsSendBulkEmailInUciEnabled
 - Library: \$webresource:Activities/SystemLibraries/InsertEmailTemplate.js
- Display Rules:
 - Display Rule: Mscrm.WriteActivityPermission
 - EntityName: activitypointer
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.SelectedEntityIsListedForSendDirectEmailOrEmailable
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern

Button: Mscrm.SubGrid.account.AddToList

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: \$webresource:Marketing/_images/ribbon/AddToMarketingList_32.png
 - Modern Image:
- Command: Mscrm.AddSelectedToMarketingList
 - JS Function: Marketing.CommandActions.Instance.addToList in

\$webresource:Marketing/CommandActions/Marketing_CommandActions.js

- Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.NotAListForm
 - FunctionName: Marketing.List.Commands.isListForm
 - Library: \$webresource:Marketing/List/List_main_system_library.js
 - Default: true
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.AddSelectedToMarketingList
 - AppliesTo: SelectedEntity
 - PrivilegeType: Append
 - PrivilegeDepth: Basic
 - EntityName: list
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic

Button: Mscrm.SubGrid.account.CopyListMember

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: AddMembers
- Command: Mscrm.CopyListMembers
 - JS Function: Marketing.List.CommandActions.copyListMembers in \$webresource:Marketing/List/List_main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline

- InvertResult: true
- Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.IsListForm
 - FunctionName: Marketing.List.Commands.isListForm
 - Library: \$webresource:Marketing/List/List_main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern

Button: Mscrm.SubGrid.account.RemoveListMember

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/Workplace/Remove_32.png
 - Modern Image: Remove
- Command: Mscrm.RemoveMembers
 - JS Function: Marketing.List.CommandActions.removeMembers in \$webresource:Marketing/List/List_main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypename
 - CrmParameter: FirstPrimaryItemId
- Enable Rules:
 - Enable Rule: Mscrm.IsListForm
 - FunctionName: Marketing.List.Commands.isListForm
 - Library: \$webresource:Marketing/List/List_main_system_library.js
 - Enable Rule: Mscrm.IsUci
 - FunctionName: Xrm.Internal.isUci
 - Library: \$webresource:Marketing/ClientCommon/Marketing_ClientCommon.js
 - Default: true
 - InvertResult: false
 - Enable Rule: Mscrm.IsListUnLocked
 - FunctionName: Marketing.List.Commands.isListLocked
 - Library: \$webresource:Marketing/List/List_main_system_library.js
 - Enable Rule: Mscrm.IsListStatic
 - FunctionName: Marketing.List.Commands.isListStatic
 - Library: \$webresource:Marketing/List/List_main_system_library.js
 - Enable Rule: Mscrm.EntityFormIsEnabled
 - State: Disabled
 - InvertResult: true
 - Enable Rule: Mscrm.AppendToPrimary

- AppliesTo: PrimaryEntity
- PrivilegeType: AppendTo
- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.HideOnQCEntityForm
 - Display Rule: Mscrm.HideOnCAEntityForm

Button: Mscrm.SubGrid.account.AdvMergeRecords

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/MergeRecords_32.png
 - Modern Image:
- Command: Mscrm.HideAdvMergeRecords
- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.HideInLegacyRibbon
 - Type: Legacy
 - InvertResult: true
 - Address: /userdefined/edit.aspx
 - InvertResult: true
 - Address: /advancedfind/advfind.aspx
 - InvertResult: true
 - Address: /advancedfind/fetchData.aspx
 - InvertResult: true
 - Address: /tools/formeditor/formeditor.aspx
 - InvertResult: true
 - Address: /tools/visualizationdesigner/visualizationdesigner.aspx
 - InvertResult: true
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.QuickCampaign.Selected

- Icon:
 - Image 16x16: {image16x16}

- Image 32x32: /_imgs/ribbon/SelectedRecords_32.png
- Modern Image: MultiSelect

- Command: Mscrm.HomepageGrid.ACL.QuickCampaign.Selected
 - JS Function: Marketing.CommandActions.Instance.quickCampaignSelectedItems in \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypeCode

- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity

- Display Rules:
 - Display Rule: Mscrm.QuickCampaignAllowed
 - PrivilegeName: AllowQuickCampaign

Button: Mscrm.SubGrid.account.QuickCampaign.AllCurrentPage

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AllRecords_32.png
 - Modern Image: Letter

- Command: Mscrm.HomepageGrid.ACL.QuickCampaign.AllCurrentPage
 - JS Function: Marketing.CommandActions.Instance.quickCampaignCurrentPage in \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlAllItemIds
 - CrmParameter: SelectedEntityTypeCode

- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountAtLeastZero
 - Minimum: 0
 - AppliesTo: SelectedEntity

- Display Rules:
 - Display Rule: Mscrm.QuickCampaignAllowed

-- PrivilegeName: AllowQuickCampaign

Button: Mscrm.SubGrid.account.QuickCampaign.AllAllPages

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AllRecordsAllPages_32.png
 - Modern Image: BrowseCards
- Command: Mscrm.HomepageGrid.ACL.QuickCampaign.AllAllPages
 - JS Function: Marketing.CommandActions.Instance.quickCampaignAllPages in \$webresource:Marketing/CommandActions/Marketing_CommandActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountAtLeastZero
 - Minimum: 0
 - AppliesTo: SelectedEntity
- Display Rules:
 - Display Rule: Mscrm.QuickCampaignAllowed
 - PrivilegeName: AllowQuickCampaign

Button: Mscrm.SubGrid.account.AssociateParentChildCase

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AssociateChildCase_32.png
 - Modern Image:
- Command: Mscrm.AssociateParentChildCase
 - JS Function: CrmService.IncidentRibbon.GridCommandActions.associateChildCase in \$webresource:Service/Incident/Ribbon/Incident_ribbon_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastTwo
 - Minimum: 2
 - AppliesTo: SelectedEntity

- Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Display Rule: Mscrm.WriteIncident
 - EntityName: incident
 - PrivilegeType: Write
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.WorksWithMergeAndParentChild
 - AppliesTo: SelectedEntity
 - EntityName: incident
 - Default: false

Button: Mscrm.SubGrid.account.MailMerge

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/mailmerge32.png
 - Modern Image:
- Command: Mscrm.MailMergeSelected
 - JS Function: Mscrm.GridRibbonActions.webMailMerge in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemIds
 - CrmParameter: SelectedEntityTypeCode
 - CrmParameter: SelectedControlAllItemCount
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsNotlos
 - FunctionName: Mscrm.Islos_0
 - Library: \$Webresource:Ribbon_main_system_library.js
 - InvertResult: true
- Display Rules:
 - Display Rule: Mscrm.MailMergeSelected
 - AppliesTo: SelectedEntity
 - PropertyName: MailMergeEnabled
 - PropertyValue: true
 - PrivilegeName: MailMerge
 - EntityName: mailmergetemplate

- PrivilegeType: Read
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Create
- PrivilegeDepth: Basic
- EntityName: activitypointer
- PrivilegeType: Write
- PrivilegeDepth: Basic
- AppliesTo: SelectedEntity
- PrivilegeType: AppendTo
- PrivilegeDepth: Basic
- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.AddConnectionNew

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: ConnectionToOther
- Command: Mscrm.AddConnectionGrid
 - JS Function: Mscrm.GridRibbonActions.addConnection in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControlSelectedItemReferences
 - BoolParameter: false
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.CreateConnection
 - PrivilegeName: CreateConnection
 - Display Rule: Mscrm.IsConnectionsEnabledSelected
 - Default: false
 - AppliesTo: SelectedEntity
 - PropertyName: IsConnectionsEnabled
 - PropertyValue: true
 - Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.SubGrid.account.AddConnectionToMe

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32:
 - Modern Image: ConnectionToMe
- Command: Mscrm.AddConnectionToMeGrid
 - JS Function: Mscrm.GridRibbonActions.addConnection in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControlSelectedItemReferences
 - BoolParameter: true
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.CreateConnection
 - PrivilegeName: CreateConnection
 - Display Rule: Mscrm.IsConnectionsEnabledSelected
 - Default: false
 - AppliesTo: SelectedEntity
 - PropertyName: IsConnectionsEnabled
 - PropertyValue: true

Button: Mscrm.SubGrid.account.AddToQueue

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/AddToQueue_32.png
 - Modern Image: AddToQueue
- Command: Mscrm.AddSelectedToQueue
 - JS Function: AppCommon.Commands.Queue.AddGridRecordsToQueue in \$webresource:AppCommon/Commands/QueueCommands.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity

- Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Display Rules:
 - Display Rule: Mscrm.AppendToSelected
 - AppliesTo: SelectedEntity
 - PrivilegeType: AppendTo
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.WorksWithQueueSelected
 - Default: false
 - AppliesTo: SelectedEntity
 - PropertyName: WorksWithQueue
 - PropertyValue: true

Button: Mscrm.SubGrid.account.Assign

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Assign_32.png
 - Modern Image: Assign
- Command: Mscrm.AssignSelectedRecord
 - JS Function: XrmCore.Commands.Assign.assignSelectedRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsValidForHierarchyPageInUC
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.AssignSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Assign
 - PrivilegeDepth: Basic

Button: Mscrm.SubGrid.account.Sharing

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Sharing_32.png
 - Modern Image: Share
- Command: Mscrm.ShareSelectedRecord
 - JS Function: XrmCore.Commands.Share.shareSelectedRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityType
- Enable Rules:
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.ShareValid
 - FunctionName: XrmCore.Commands.Share.isShareValid
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.ShowOnNonModernAndModernIfAllowed
- Display Rules:
 - Display Rule: Mscrm.ShareSelectedEntityPermission
 - AppliesTo: SelectedEntity
 - PrivilegeType: Share
 - PrivilegeDepth: Basic
 - Display Rule: Mscrm.HybridDialogShareEnabled

Button: Mscrm.SubGrid.account.CopySelected

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/copyshortcut32.png
 - Modern Image:
- Command: Mscrm.CopyShortcutSelected
 - JS Function: Mscrm.Utilities.sendSelectedRecordsUrl in /_common/global.ashx

- Function Parameters:
 - BoolParameter: false
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.EnableInIEBrowser
 - FunctionName: Mscrm.IsIEBrowser_0
 - Library: \$Webresource:Ribbon_main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.SendSelected

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/SendShortcut_32.png
 - Modern Image: EmailLink
- Command: Mscrm.SendShortcutSelected
 - JS Function: XrmCore.Commands.EmailCopyLink.emailCopyLinkRecords in \$webresource:Main_system_library.js
 - Function Parameters:
 - BoolParameter: true
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeName
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.IsValidForHierarchyPageInUC
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyPageInUC
 - Library: \$webresource:Main_system_library.js
- Display Rules:

Button: Mscrm.SubGrid.account.RemoveSelectedRecordsFromEntity

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/Workplace/Remove_32.png
 - Modern Image: Remove
- Command: Mscrm.RemoveSelectedRecordsFromEntity
 - JS Function: Marketing.Campaign.Instance.diassociateCampaignFromSubGrid in \$webresource:Marketing/Campaign/Campaign_main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedEntityTypeName
 - CrmParameter: SelectedControl
 - CrmParameter: FirstSelectedItemId
- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Display Rules:
 - Display Rule: Mscrm.ShowOnlyOnModern
 - Type: Modern
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.HideOnListEntityForm
 - Default: false
 - EntityName: list
 - InvertResult: true
 - Display Rule: Mscrm.HideOnQCEntityForm
 - Display Rule: Mscrm.HideOnCAEntityForm

Button: Mscrm.SubGrid.account.FollowButton

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Entity32_8003.png
 - Modern Image: RatingEmpty
- Command: Mscrm.SubGrid.FollowCommand
 - JS Function: Follow.FollowCommands.followFromGrid in \$webresource:msdyn_/Follow.Command.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode

- Enable Rules:
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
 - Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Enable Rule: msdyn.ActivityFeeds.IsEntityWallEnabledActive
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/Scripts/PlatformScriptLoader.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/InstalledLocales.js
 - FunctionName: Follow.FollowCommands.dummy
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowEnabled.isEntityWallEnabled
 - Enable Rule: msdyn.ActivityFeeds.IsMultiRecordFollowAllowed
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowEnabled.isMultiRecordFollowAllowed
- Display Rules:
 - Display Rule: msdyn.ActivityFeeds.ShowFollowButton
 - AppliesTo: SelectedEntity
 - EntityName: postfollow
 - Default: true
 - InvertResult: true
 - EntityName: postfollow
 - PrivilegeType: Create
 - PrivilegeDepth: Basic
 - EntityName: postfollow
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: Mscrm.SubGrid.account.UnfollowButton

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/Entity32_8003_u.png
 - Modern Image: RatingFull
- Command: Mscrm.SubGrid.UnfollowCommand
 - JS Function: Follow.FollowCommands.unfollowFromGrid in \$webresource:msdyn_/Follow.Command.js
 - Function Parameters:
 - CrmParameter: SelectedControl

- CrmParameter: SelectedControlSelectedItemReferences
- CrmParameter: SelectedEntityTypeCode

- Enable Rules:

- Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
- Enable Rule: msdyn.ActivityFeeds.IsEntityWallEnabledInActive
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/Scripts/PlatformScriptLoader.js
 - FunctionName: Follow.FollowCommands.dummy
 - Library: \$webresource:msdyn_/InstalledLocales.js
 - FunctionName: Follow.FollowCommands.dummy
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowEnabled.isEntityWallEnabled
- Enable Rule: msdyn.ActivityFeeds.IsMultiRecordFollowAllowed
 - Default: false
 - Library: \$webresource:msdyn_/Follow.Command.js
 - FunctionName: Follow.FollowEnabled.isMultiRecordFollowAllowed

- Display Rules:

- Display Rule: msdyn.ActivityFeeds.ShowUnfollowButton
 - AppliesTo: SelectedEntity
 - EntityName: postfollow
 - Default: true
 - InvertResult: true
 - EntityName: postfollow
 - PrivilegeType: Delete
 - PrivilegeDepth: Basic
 - EntityName: postfollow
 - PrivilegeType: Read
 - PrivilegeDepth: Basic

Button: Mscrm.SubGrid.account.SaveToCurrent

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/savefilters32.png
- Modern Image:

- Command: Mscrm.SaveToCurrentView

- JS Function: Mscrm.RibbonActions.gridFiltersSaveToCurrentView in

/_static/_common/scripts/RibbonActions.js

-- Function Parameters:

-- CrmParameter: SelectedControl

- Enable Rules:

- Enable Rule: Mscrm.UserQuerySelected

-- FunctionName: Mscrm.RibbonActions.isUserQuerySelected

-- Library: /_static/_common/scripts/RibbonActions.js

- Enable Rule: Mscrm.EnableSaveButton

-- FunctionName: Mscrm.GridCommandActions.canEnableSaveButton

-- Library: /_static/_common/scripts/CommandBarActions.js

- Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:

- Display Rule: Mscrm.GridFiltersEnabled

-- AppliesTo: SelectedEntity

-- PropertyName: GridFiltersEnabled

-- PropertyValue: true

-- Address: /advancedfind/fetchdata.aspx

-- InvertResult: true

- Display Rule: Mscrm.HideOnCommandBar

Button: Mscrm.SubGrid.account.SaveAsNew

- Icon:

- Image 16x16: {image16x16}

- Image 32x32: /_imgs/ribbon/savefiltersasview32.png

- Modern Image:

- Command: Mscrm.SaveAsNewView

- JS Function: Mscrm.RibbonActions.gridFiltersSaveAsNewView in

/_static/_common/scripts/RibbonActions.js

-- Function Parameters:

-- CrmParameter: SelectedControl

- Enable Rules:

- Enable Rule: Mscrm.EnableSaveButton

-- FunctionName: Mscrm.GridCommandActions.canEnableSaveButton

-- Library: /_static/_common/scripts/CommandBarActions.js

- Enable Rule: Mscrm.VisualizationPaneNotMaximized

- Display Rules:

- Display Rule: Mscrm.GridFiltersEnabled

-- AppliesTo: SelectedEntity

-- PropertyName: GridFiltersEnabled

-- PropertyValue: true

-- Address: /advancedfind/fetchdata.aspx

-- InvertResult: true

- Display Rule: Mscrm.HideOnCommandBar
- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.SaveAsDefaultGridView

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/setasdefaultview32.png
 - Modern Image:
- Command: Mscrm.SaveAsDefaultGridView
 - JS Function: Mscrm.RibbonActions.saveAsDefaultGridView in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
- Enable Rules:
 - Enable Rule: Mscrm.SetDefaultGridViewButtonEnabled
 - FunctionName: Mscrm.RibbonActions.enableSetDefaultGridViewButton
 - Library: /_static/_common/scripts/RibbonActions.js
 - Enable Rule: Mscrm.EnableOnHomePageAspx
 - Address: /_root/homepage.aspx
- Display Rules:
 - Display Rule: Mscrm.NotAdvancedFind
 - Address: /advancedfind/fetchdata.aspx
 - InvertResult: true
 - Address: /advancedfind/advfind.aspx
 - InvertResult: true
 - Display Rule: Mscrm.HideOnCommandBar
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true

Button: Mscrm.SubGrid.account.RunWorkflow

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/runworkflow32.png
 - Modern Image:
- Command: Mscrm.RunWorkflowSelected
 - JS Function: Mscrm.GridRibbonActions.launchOnDemandWorkflow in /_static/_common/scripts/RibbonActions.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedControlSelectedItemReferences

- CrmParameter: SelectedEntityTypeCode
- StringParameter:

- Enable Rules:

- Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.RunWorkflowSelected
 - FunctionName: Mscrm.GridRibbonActions.enableWorkflowOnGrid
 - Library: /_static/_common/scripts/RibbonActions.js
- Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js

- Display Rules:

- Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
- Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.SubGrid.account.RunScript

- Icon:

- Image 16x16: {image16x16}
- Image 32x32: /_imgs/ribbon/StartDialog_32.png
- Modern Image:

- Command: Mscrm.RunInteractiveWorkflowSelected

- JS Function: Mscrm.GridCommandActions.runScript in
/_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - CrmParameter: SelectedControlSelectedItemReferences
 - CrmParameter: SelectedEntityTypeCode

- Enable Rules:

- Enable Rule: Mscrm.SelectionCountExactlyOne
 - Minimum: 1
 - Maximum: 1
 - AppliesTo: SelectedEntity
- Enable Rule: Mscrm.RunWorkflowSelected
 - FunctionName: Mscrm.GridRibbonActions.enableWorkflowOnGrid
 - Library: /_static/_common/scripts/RibbonActions.js
- Enable Rule: Mscrm.VisualizationPaneNotMaximized
- Enable Rule: Mscrm.IsValidForHierarchyView
 - FunctionName: XrmCore.Rules.HierarchyView.isValidForHierarchyView
 - Library: \$webresource:Main_system_library.js

- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.SubGrid.account.ExportToExcelOnline

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exporttoexcel32.png
 - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.Online
 - JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
 - IntParameter: 6
- Enable Rules:
 - Enable Rule: Mscrm.ExportToExcel.ValidForXlsxExport
 - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.EnableExportToExcelOnlineForModern
 - FunctionName: XrmCore.Rules.Enabled.enableExportToExcelOnlineForModern
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.EnableOnlyInBrowsersForModern
 - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.Live
 - Sku: Online
 - Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
 - Display Rule: Mscrm.HideOnOutlookClient
 - Type: Outlook
 - InvertResult: true
 - Display Rule: Mscrm.NotAdvancedFind
 - Address: /advancedfind/fetchdata.aspx
 - InvertResult: true
 - Address: /advancedfind/advfind.aspx
 - InvertResult: true
 - Display Rule: Mscrm.HideOnPhoneForNonModern
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.StaticWorksheetAll

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exporttoexcel32.png
 - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.AllStaticXlsx
 - JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
 - IntParameter: 5
- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.StaticWorksheet

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exporttoexcel32.png
 - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.StaticXlsx
 - JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
 - IntParameter: 4
- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.DynamicWorksheet

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exporttoexcel32.png
 - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.DynamicXlsx
 - JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
 - IntParameter: 2
- Enable Rules:
 - Enable Rule: Mscrm.ExportToExcel.ValidForXlsxExport
 - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.EnableOnlyInBrowsersForModern
 - FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
 - Library: \$webresource:Main_system_library.js
- Display Rules:
 - Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.HomepageGrid.account.DynamicPivotTable

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exporttoexcel32.png
 - Modern Image: ExportToExcel
- Command: Mscrm.ExportToExcel.PivotXlsx
 - JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
 - IntParameter: 3
- Enable Rules:
 - Enable Rule: Mscrm.ExportToExcel.ValidForXlsxExport
 - FunctionName: XrmCore.Rules.Export.EnabledForXlsxExport
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.EnableOnlyInBrowsersForModern

- FunctionName: XrmCore.Rules.Export.EnableOnlyInBrowsersForModern
- Library: \$webresource:Main_system_library.js

- Display Rules:
 - Display Rule: Mscrm.IsExportToExcelFCBEnabled
 - FeatureControlBit: FCB.ExportToExcel
 - ExpectedValue: true
 - Display Rule: Mscrm.HideForTabletExperience

Button: Mscrm.SubGrid.account.ExportSelectedToExcel

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/exporttoexcel32.png
 - Modern Image: ExportToExcel
- Command: Mscrm.ExportSelectedToExcel
 - JS Function: XrmCore.Commands.Export.exportToExcel in \$webresource:Main_system_library.js
 - Function Parameters:
 - CrmParameter: SelectedControl
 - CrmParameter: SelectedEntityTypeName
 - IntParameter: 5
 - CrmParameter: SelectedControlSelectedItemIds
- Enable Rules:
 - Enable Rule: Mscrm.ExportToExcel
 - FunctionName: XrmCore.Rules.Export.EnableExportToExcel
 - Library: \$webresource:Main_system_library.js
 - Enable Rule: Mscrm.VisualizationPaneNotMaximized
 - Enable Rule: Mscrm.SelectionCountAtLeastOne
 - Minimum: 1
 - AppliesTo: SelectedEntity
- Display Rules:
 - Display Rule: Mscrm.ExportToExcelPrivilege
 - PrivilegeName: ExportToExcel
 - Display Rule: Mscrm.HideForTabletExperience
 - Display Rule: Mscrm.ShowExportSelectedToExcel
 - Display Rule: Mscrm.HideOnOutlookClient
 - Type: Outlook
 - InvertResult: true

Button: Mscrm.SubGrid.account.FolderTracking

- Icon:
 - Image 16x16: {image16x16}
 - Image 32x32: /_imgs/ribbon/CRM_Activity_Command_FolderTracking_16.png

- Modern Image: FolderTrack
- Command: Mscrm.HomepageGrid.FolderTracking
 - JS Function: Mscrm.GridCommandActions.trackEmailsByFolder in
/_static/_common/scripts/CommandBarActions.js
 - Function Parameters:
 - CrmParameter: FirstPrimaryItemId
 - CrmParameter: PrimaryEntityTypeCode
- Enable Rules:
- Display Rules:
 - Display Rule: Mscrm.HideOnModern
 - Type: Modern
 - InvertResult: true
 - Display Rule: Mscrm.NotOffline
 - State: Offline
 - InvertResult: true
 - Display Rule: Mscrm.SelectedEntityIsActivity
 - AppliesTo: SelectedEntity
 - PropertyName: IsActivity
 - PropertyValue: true
 - Display Rule: Mscrm.NotAdvancedFind
 - Address: /advancedfind/fetchdata.aspx
 - InvertResult: true
 - Address: /advancedfind/advfind.aspx
 - InvertResult: true