



The Ultimate CSS CHEAT SHEET

[Including CSS3 Tags]

With billions of websites and counting, yours needs to stand out. CSS is the style sheet language used to make your website one-in-a-billion. Ready to learn and utilize it? Here's a cheat sheet to help you remember all the different elements at your disposal.



BACKGROUNDS

background

background-image

background-position

background-size

background-repeat

background-attachment

background-origin

background-clip

background-color

background-break

background-size

length

%

auto | cover | contain

background-repeat

repeat | repeat-x |

repeat-y | no-repeat

background-attachment

scroll fixed

background-origin

border-box | padding-box |

content-box

background-image

url

none

background-position

t<mark>op lef</mark>t | top center |

top right | center left |

center center | center right |

bottom left | bottom enter |

bottom right

x-% y-%

x-pos y-pos

background-clip

length

%

border-box | padding-box |

content-box | no-clip

background-color

color

transparent

background-break

bounding box | each-box |

continuous





BORDER

border border-width border-style border-color border-width thin | medium | thick | length border-style none | hidden | dotted | dashed | solid | double | groove | ridge | inset | outset border-color color border-bottom border-bottom-width border-style border-color border-left border-left-width border-style border-color border-left-style border-style border-top border-top-width border-style border-color border-top-color border-color border-top-style border-style box-shadow inset [length, length, length, length] <color> none border-collapse collapse | separate border-right-width thin | medium | thick | length

border-right-color

border-color

border-image image

[number / %]
border-width
stretch | repeat | round
none

border-top-width

thin | medium | thick | length

border-break

border-width border-style color close

border-bottom-color

border-color

border-bottom-style

border-style

border-left-color

border-color

border-left-width

thin | medium | thick | length

border-right-style

border-style

border-right

border-right-width border-style

border-color

border-radius

border-radius

border-top-right-radius

border-bottom-right-radius border-bottom-left-radius

border-bottorn-tert-radii

border-top-left-radius

border-top-right-radius

length

border-bottom-right-radius

length

border-bottom-left-radius

length





BOX MODEL

float

left | right | none

height

auto | length | %

max-height

none | length | %

max-width

none | length | %

min-height

none | length | %

min-height

none | length | %

width

auto | % | length

padding

padding-top padding-right padding-bottom padding-left

padding-bottom

length

padding-left

length %

padding-right

length %

padding-top

length %

display

none inline block inline-b

i<mark>nline-blo</mark>ck list-item

run-in compact table inline-table

table-row-group

table-header-group table-footer-group

table-row

table-column-group

table-column table-cell

table-caption

ruby

ruby-base

ruby-text

ruby-base-group

ruby-text-group

rotation

angle

rotation-point

position (paired value off-set)

margin

margin-top margin-right margin-bottom margin-left

margin-bottom

auto | length | %

margin-left

auto | height | %

margin-right

auto | height | %

margin-top

auto | length | %

marquee-direction

forward | reverse

marquee-loop

infinite integer

marquee-speed

slow | normal | fast

marquee-style

scroll | slide | alternate

overflow

visible | hidden | scroll

overflow-style

auto

marquee-line marquee-block

overflow-X

visible

hidden

scroll auto

no-display

no-content

visibility


visible | hidden |

collapse

clear

left right

both none





3D/2D TRANSFORM

backface-visibility

visible | hidden

perspective

none number

perspective-origin

%

left | center | right top | center | bottom

left | center | right top | center | bottom

transform-style

flat | preserve-3d

transform

none | matrix | matrix3d |
translate3d | translateX |
translateY | translateZ | scale |
scale3d | scaleX | scaleY |
scaleZ | rotate | rotate3d |
rotateX | rotateY | rotateZ |
skewX | skewY | skew |
perspective

transform-origin

%

left | center | right

top | center | bottom

left | center | right top | center | bottom

GENERATED CONTENT

bookmark-label

content attr string

bookmark-level

none integer

bookmark-target

self url attr

border-length

self url attr

content

normal | none | inhibit | url

hyphenate-lines

no-limit integer

hyphenate-resource

none url

hyphens

none, manual, auto

image-resolution

normal | auto dpi

hyphenate-before

auto integer

hyphenate-charater

auto string

counter-reset

none identifier number

crop

auto shape

display

normal | none | list-item

float-offset

length length

hyphenate-after

auto integer

counter-increment

none, identifier number

marks

crop cross none

move-to

normal here identifier

page-policy

start | first | last

quotes

none

string-set

identifier content-list

text-replace

none

[<string>] +





COLUMN

column-count

auto number

column-fill

auto | balance

column-gap

normal length

column-rule-width

thin | medium | thick | length

column-span

1 | all

column-rule

column-rule-width column-rule-style column-rule-color

column-rule-style

border-style

columns

column-width column-count

column-width

auto length

COLORS

colors

inherit color opacity

inherit number

GRID POSITIONING

grid-columns

none | inherit [length percentage relative length]

grid-rows

none | inherit | length percentage relative | length |





PAGED MEDIA

fit

fill | hidden | meet | slice

fit-position

top | center | bottom | left | center | right

length

%

orphans

integer

image-orientation

auto angle

size

auto | landscape | portrait length

windows

integer

page

auto

indentifier

page-break-after

auto | always | avoid | left | right

page-break-before

auto | always | avoid | left | right

page-break-inside

auto | avoid

CSS SNIPPETS

snippets include:

selector { property = value }

sidebar attributes snippet

#sidebar { position: relative; float: left; width: 100px; color: blue; font-size: 40% border-left: solid 2px blue; }

font shorthand property to define all properties in one statement

#selector { font: italic bold 12px/30px georgia, serif;}

(font size and family are required, but other values are set to default if left out)

hover over/anchor snippets

a: active { color: red; }a: link { color: yellow; }a: visited { color: blue; }a: hover { color: green; }

background color snipper

#selector { background: #e3eae2; }

multi-border using a pseudo shadowbox snippet:

box-shadow: [inset] [horizontal offset] [vertical offset] [blur radius] [optional spread radius] [color]

creative page layout snippet

.columns { column-count: 5; column-gap: 20px; }

text align snippet

ta_l { text-align: left; }

font weight snippet

bold { font-weight: bold; }

snippet to align text with display and margin property

center { text-align: center: margin: auto; display: block; }

text decoration snippet

no_td: hover { text-decoration: none: }

clear and float snippet

clear { float: none; clear: both; }





FONT

font

font-style

font-variant

font-weight

font-size/line-height

font-family

caption | icon | menu | message-box | small-caption | status-bar

font-size-adjustment

none | inherit

number

font-family

normal

wider

narrower

ultra-condensed

extra-condensed

condensed

semi-condensed

semi-expanded

ultra-expanded

inherit

font-style

normal | italic | oblique | inherit

font-variant

normal | small-caps | inherit

font-size

xx-small

x-small

small

medium

large

x-large

xx-large

smaller

larger

inherit

length

font-weight

normal | bold | bolder | lighter | 100 | 200 | 300 | 400 | 500 | 600

| 700 | 800 | 900 | inherit







LINE BOX

alignment-adjust

auto | baseline | before-edge | text-before-edge | middle | central | after-edge | text-after-edge | ideographic | alphabetic | hanging | mathematical

length %

alignment-baseline

baseline | ise-script | before-edge | text-before-edge | after-edge | text-after-edge | central | middle | ideographic | alphabetic | hanging | mathematical

baseline-shift

baseline | sub | super length %

dominant-baseline

auto | use-script | no-change | reset-size | alphabetic | hanging | ideographic | mathematical | central | middle | text-after-edge | text-before-edge

drop-initial-after-align

alignment-baseline

inline-box-align

initial | last

integer

line-height

normal number length %

line-stacking

line-stacking-strategy

line-stacking-ruby

line-stacking-shift

line-stacking-strategy

inline-line-height | block-line-height | max-height | grid-height

line-stacking-ruby

exclude-ruby | include-ruby

line-stacking-shift

consider-shifts | disregard-shifts

line-stacking

line-stacking-strategy line-stacking-ruby line-stacking-shift

text-height

auto | font-size | text -size | max-size

vertical-align

baseline | sub | super | top | text-top | middle | bottom | text-bottom

length

%





LIST & MARKERS

list-style

list-style-type list-style-position list-style-image

list-style-image

none url

list-style-type

none
asterisks
box
check
circle
diamond
disc
hyphen
square
decimal

decimal-leading-zero

lower-roman

upper-roman

lower-alpha

upper-alpha

lower-greek

lower-latin

upper-latin

hobrow.

hebrew

armenian

georgian

cjk-ideographic

hiragana

katakana

hiragana-iroha

footnotes

marker-offset

auto length

ANIMATIONS

animations

animation-name animation-duration animation-timing-function animation-delay animation-iteration-count animation-direction

animation-name

none | ident

animation-duration

time

animation-timing-function

ease linear ease-in ease-out
ease-in-out
cubic-bezier (number, number,
number, number)

animation-delay

time

animation-iteration-count

inherit number

animation-direction

normal | alternate

animation-play-state

running | paused





HYPERLINK

target

target-name target-new target-position

target-name

current | root | parent | new | model

string

target-new

window | tab | none

target-position

above | behind | front | back

POSITIONING

bottom

auto % length

top

auto % length

right

auto % length left

auto % length

clip

shape auto

x-index

auto number

position

static | relative | absolute | fixed

RUBY

ruby-align

auto | start | left | center | end | right | distribute-letter | distribute-space | line-edge

ruby-overhang

auto | start | end | none

ruby-position

before | after | right | inline

ruby-span

attr(x) | none







PSEUDO-CLASS

:active	an activated element
:focus	an element while the element has focus
:hover	an element when you mouse over it
:link	an unvisited link
:disabled	an element while the element is disabled
:enabled	an element while the element is enabled
:checked	an element that is checked
:selection	an element that is currently selected or highlighted by the user
:lang	allows the author to specify a language to use in a specified element
:nth-child(n)	an element that is the n-th sibling
:nth-last-child(n)	an element that is the n-th sibling counting from the last sibling
:first-child	an element that is the first sibling
:last-child	an element that is the last sibling
:only-child	an element that is the only child
:nth-of-type(n)	an element that is the n-th sibling of its type
:nth-last-oftype(n)	an element that is the n-th sibling of its type counting from the last sibling
:last-of-type	an element that is the last sibling of its type
:first-of-type	an element that is the first sibling of its type
:only-of-type	an element that is the only child of its type :empty an element that has no children
:root	root element within the document
:not(x)	an element not represented by the argument 'x'
:target	a target element as specified by a target in a UR







PSEUDO-ELEMENT

::first-letter	adds special style to the first letter of a text
::first-line	adds special style to the first line of a text
::before	inserts some content before an element
::after	inserts some content after an element

ABSOLUTE MEASUREMENT

%	percentage
cm	centimeter
in	inch
mm	millimeter
pc pica	(1p = 12 points)
pt point	(1pt = 1/72 inch)

ANGLES

%	degrees
cm	grads
in	radians
mm	turns

TIME		
ms	milli-seconds	
S	seconds	

FI	₹E	0	U	E١	I	C١	1
-		_	\sim	1000	ч	Υ.	ď

Hz	hertz
kHz	kilo-hertz

RELATIVE MEASUREMENT

ch	width of the "o" glyph found in the font for the font size used to render	
em	1em = current font size of current element	
ex	x-height of the element's font	
gd	the grid defined by 'layout-grid'	
рх	pixel of the viewing device	
rem	the font size of the root element	
vh	the font size of the root element	
vw	the font size of the root element	
vm	viewport's height or width, whichever is smaller of the two	

COLORS

	COLONG
color name	red, blue, green, dark green
rgb(x,y,z)	red = rgb(255,0,0)
rgb(x%,y%,z%)	red = rgb(100%,0,0)
rgba(x,y,z,alpha)	red = rgba(255,0,0,0)
#rrggbb	red = #ff0000 (or shorthand - #f00)
hsl	(hue, saturation, lightness) red = hsl (0, 100%, 50%)
flabor	an accent color (typically chosen by the user) to customize the user interface of the user agent itself.
currentColor	the font size of the root element





SELECTOR TYPES

Name	Info	Example
Universal	Any element	* { font: 10px Arial; }
Туре	Any element of that type	h1 { text-decoration: underline; }
Grouping	Multiple elements of different types	es h1, h2, h3 { font-family: verdana; }
Class	Multiple elements of different types when you don't want to affect all instances of that type	sampleClass (text-decoration: underline;)
ld	A single element type when you don't want to affect all instances of that type	#sampleID { text-decoration: underline; }
Descendant	An element that is below (in the document tree) another element - no matter how many levels below	: #gallery h1 [text-decoration: underline;]
Child	An element that is directly below (in the document tree) another element	#title > p { font-weight: bold; }
Adjacent Sibling	All elements that share the same parent and elements are in the same immediate sequence	h1 + p [font-style: italic;]
General Sibling	All elements that share the same parent and elements are in the same sequence (not necessarily immediate)	h1 ~ p { font-style: italic; }
Attribute	An element that matches the attribute listed	E[selected] - att whatever the value E[att="val"] - att with a specific value E[rel~="next"] - att with a value is a whitespace separated list "[lang ="en"] - att value either being exactly "val" or beginning with "val" immediately followed by "-" E[att^="val"] - att value that begins with the prefix "val"

OUTLINE

outline

outline-color

outline-style

outline-width

outline-offset

inherit

length

outline-style

none | dotted | dashed | solid | double | groove | ridge | inset | outset

outline-width

thin

medium

thick

length





SPEECH

cue

cue-before cue- after

mark

mark-before mark-after

mark-before

string

mark-after

string

voice-pitch-range

X-low | low | medium | high | x-high | inherit

number

voice-stress

strong | moderate | none | reduced | inherit

voice-volume

silent | x-soft | soft | medium | loud | x-loud | inherit

number %

cue-after

url
silent
x-soft
soft
medium
loud
x-loud
none
inherhit
number

caption-side

top | bottom | left | right

rest

%

rest-before rest-after cue-before

url | silent | x-soft | soft | medium | loud | x-loud | none | inherit

pause

pause-before pause-after

pause-before

none | x-weak | weak | medium | strong | x-strong | inherit

time

phonemes

string

voice-duration

time

voice-family

inherit

<specific-voice, age, generic-voice, number>

voice-rate

x-slow slow medium fast x-fast inherit %

voice-pitch

x-low low medium high x-high inherit number %

rest-before

none | x-weak | weak | medium | strong | x-strong | inherit

time

rest-after

none | x-weak | weak | medium | strong | x-strong | inherit

time

speak

none
normal
spell-out
digits
literal-punctuation
no-punctuation
inherit-number





TEMPLATE LAYOUT

box-align

start end center base

box-direction

normal | reverse

box-lines

single | multiple

box-orient

horizontal | verticle | inline-axis | block-axis

box-flex

normal

box-flex-group

integer

box-pack

start | end | center | justify

box-sizing

content-box padding-box border-box margin-box

tab-side

top | bottom | left | right

TABLE

border-collapse

collapse | separate

empty-cells

show | hide

border-spacing

length length

table-layout

auto | fixed

caption-side

top | bottom | left | right





TEXT

direction

ltr | rtl | inherit

hanging-punctuation

none | [start | end | end-edge

letter spacing

normal length %

text-outline

none color length

unicode-bidi

normal | embed | bidi-override

white-space

normal pre nowrap pre-wrap pre-line

white-space-collapse

preserve | collapse | pre-serve-breaks | discard

text-emphasis

none accent | dot | circle | disc before | after

text-indent

length %

text-justify

auto inter-word inter-ideograph inter-cluster distribute kashida tibetan

text-shadow

none color length

punctuation-trim

none | start | end | adjacent

text-align

start | end | left | right | center | justify

text-align-last

start | end | left | right | center | justify

text-decoration

none underline overline line-through blink

word-break

normal | keep-all | loose | break-strict | break-all

word-wrap

normal length %

text-transform

none capitalize uppercase lowercase

text-wrap

normal | unrestricted | none | suppress

word-spacing

normal length %





TRANSITIONS

transitions

transitions-property transitions-duration transition-timing-function transitions-delay

transitions-delay

time

transition-timing-function

ease | linear | ease-in | ease-out | ease-in-out | cubic-bezier (number, number, number, number)

transitions-duration

time

transitions-property

none | all

UI (USER INTERFACE)

appearance

normal | inherit | [icon | window | desktop | work-space | document | tooltip | dialog | button | push-button | hyperlink | radio-button | checkbox | menu-item | tab | menu | menubar | pull-down-menu | pop-up-menu | list-menu | radio-group | checkbox-group | outline-tree | range | field | combo-box | signature | password]

cursor

auto | crosshair | default | pointer | move | e-resize | neresize | nw-resize | n-resize | se-resize | sw-resize | swresize | s-resize | w-resize | text | wait | help

url

icon

auto | inherit

url

nav-index

auto | inherit

number

nav-up

auto | inherit [current | root |

nav-right

auto | inherit [current | root |

nav-down

auto | inherit [current | root |

nav-left

auto | inherit [current | root |

resize

none | both | horizontal | vertical | inherit

