



# Sprint 10 :

## Vactory - Monolith

**Réalisé par :**

Sara Akharraz

**Encadrants :**

M.Abdelmajid Bendrif

M.Hamza Bahlaouane

**Entreprise :**

Void

# Prérequis

PHP 8.3 :

```
➤ vactory8 git:(b394b05d7) x php -v
PHP 8.3.30 (cli) (built: Jan 13 2026 22:36:55) (NTS)
Copyright (c) The PHP Group
Zend Engine v4.3.30, Copyright (c) Zend Technologies
    with Zend OPcache v8.3.30, Copyright (c), by Zend Technologies
➤ vactory8 git:(b394b05d7) x
```

L'extension PHP memcached installée :

```
➤ vactory8 git:(b394b05d7) x php -i | grep memcached
memcached
memcached support => enabled
```

max\_execution\_time réglé à 30 :

```
; Maximum execution time of each script, in seconds
; https://php.net/max-execution-time
; Note: This directive is hardcoded to 0 for the CLI SAPI
max_execution_time = 30
```

Le profil est disponible sur Bitbucket :

```
git clone git@bitbucket.org:adminvoid/vactory8.git
cd vactory8
git checkout b394b05
```

On met à jour sites/default/settings.local.php avec la configuration de la base de données.

```
$databases['default']['default'] = [
    'driver' => 'mysql',
    'database' => 'vactory',
    'username' => 'vactory',
    'password' => '123',
    'host' => '127.0.0.1',
    'port' => '3306',
];
```

Après on lance la commande :

```
composer install -vvv
```

# Problème 01 : Patches

Un **patch** : une modification appliquée à un fichier ou un ensemble de fichiers existants dans un projet, généralement pour corriger un bug, ajouter une fonctionnalité ou ajuster une configuration.

Le package **weagans/composer-patches** : un outil pour Composer qui permet d'appliquer automatiquement des patches sur des dépendances PHP (comme les modules Drupal) lors de l'installation ou de la mise à jour.

```
"require": {  
    "blackfire/php-sdk": "^2.5", v2.5.3  
    "composer/installers": "^1.0.24", v1.12.0  
    "cweagans/composer-patches": "^1.7", 1.7.3  
}
```

## Problème :

Le patch ne peut pas être appliqué car le chemin du fichier à modifier est mal interprété à cause du niveau de patch (-p).

## Identification du problème :

Quand on lance la commande :

```
composer install -vvv
```

L'erreur suivante apparaît :

```
> post-package-install: cweagans\Composer\Patches->postInstall  
  - Applying patches for drupal/core  
    https://www.drupal.org/files/issues/2021-11-29/2751269-106.patch (Fix submitting a comment always redirects to the default language)  
    Downloading https://www.drupal.org/files/issues/2021-11-29/2751269-106.patch  
    patch 'p1' --no-backup-if-mismatch -d 'core' < '/var/folders/wh/rqvxnv7j1j16c0z5pj00t3n000000gn/T/69c666e7e3789.patch'  
    Executing command (CWD): patch 'p1' --no-backup-if-mismatch -d 'core' < '/var/folders/wh/rqvxnv7j1j16c0z5pj00t3n000000gn/T/69c666e7e3789.patch'  
    File to patch:  
    could not apply patch! Skipping. The error was: The process "patch 'p1' --no-backup-if-mismatch -d 'core' < '/var/folders/wh/rqvxnv7j1j16c0z5pj00t3n000000gn/T/69c666e7e3789.patch'" exceeded the timeout  
    of 300 seconds.  
    Downloading https://packages.drupal.org/8/downloads/  
    [200] https://packages.drupal.org/8/downloads  
    [201] https://packages.drupal.org/8/downloads/
```

Dans la commande :

```
patch -p1 --no-backup-if-mismatch -d core < monpatch.patch
```

L'option **-d core** définit le répertoire de base.

Or dans le patch :

```
curl https://www.drupal.org/files/issues/2021-11-29/2751269-106.patch
```

```
+> vactory8 git:(b394b05d7) x curl https://www.drupal.org/files/issues/2021-11-29/2751269-106.patch  
diff --git a/core/modules/comment/src/CommentForm.php b/core/modules/comment/src/CommentForm.php  
index e2b88f71e5..ea9b5e7c1f 100644  
--- a/core/modules/comment/src/CommentForm.php  
+++ b/core/modules/comment/src/CommentForm.php  
@@ -371,7 +371,7 @@ public function preview(array &$form, FormStateInterface $form_state) {  
    */  
    public function save(array $form, FormStateInterface $form_state) {  
        $comment = $this->entity;  
        $entity = $comment->getCommentedEntity();  
+        $entity = $this->entityRepository->getTranslationFromContext($comment->getCommentedEntity());  
        $field_name = $comment->getFieldName();  
        $uri = $entity->toUrl();  
        $logger = $this->logger('comment');  
diff --git a/core/modules/comment/tests/src/Functional/CommentOnMultilingualContentTest.php b/core/modules/comment/tests/src/Functional/CommentOnMultilingualContentTest.php  
new file mode 100644  
index 0000000000..5f63e5ca86  
--- /dev/null  
+++ b/core/modules/comment/tests/src/Functional/CommentOnMultilingualContentTest.php  
@@ -0,0 +1,144 @@  
+<?php
```

```

--- a/core/modules/comment/src/CommentForm.php
+++ b/core/modules/comment/src/CommentForm.php

```

contient déjà le répertoire core. Avec **-p1**, le chemin core est donc répété et le patch ne trouve pas le fichier à modifier.

D'autres patches ont été incorrects. À titre d'exemple, le patch colorapi a posé un problème à cause d'un mauvais saut de ligne :

```

- Applying patches for drupal/colorapi
  https://gist.githubusercontent.com/voidagency/710e846384b56afe6cdfdc59fbc6e8bc/raw/cb8b1c126e87bd57a2c745f2f29e25c0269ec32f/colorapi-enable-colorapi-field-type-by-default.patch (Enable colorapi field
  type by default)
  Downloading https://gist.githubusercontent.com/voidagency/710e846384b56afe6cdfdc59fbc6e8bc/raw/cb8b1c126e87bd57a2c745f2f29e25c0269ec32f/colorapi-enable-colorapi-field-type-by-default.patch
  patch '-p4' --no-backup-if-mismatch -d 'modules/contrib/colorapi' < '/var/folders/wh/rqvxv7j1j16c0z5p100t3n00000gn/T/69cfd56ce4371.patch'
  Executing command (CMD): patch '-p4' --no-backup-if-mismatch -d 'modules/contrib/colorapi' < '/var/folders/wh/rqvxv7j1j16c0z5p100t3n00000gn/T/69cfd56ce4371.patch'
  patching file 'config/install/colorapi.settings.yml'
  1 out of 1 hunks failed--saving rejects to 'config/install/colorapi.settings.yml.rej'

  [could not apply patch! Skipping. The error was: Cannot apply patch https://gist.githubusercontent.com/voidagency/710e846384b56afe6cdfdc59fbc6e8bc/raw/cb8b1c126e87bd57a2c745f2f29e25c0269ec32f/colorapi-e
  nable-colorapi-field-type-by-default.patch]
  Downloading https://packages.drupal.org/downloads/
  [200] https://packages.drupal.org/8/downloads
  [201] https://packages.drupal.org/8/downloads/

  In Patches.php line 331:

  [Exception]
  Cannot apply patch Enable colorapi field type by default (https://gist.gith
  ubusercontent.com/voidagency/710e846384b56afe6cdfdc59fbc6e8bc/raw/cb8b1c126
  e87bd57a2c745f2f29e25c0269ec32f/colorapi-enable-colorapi-field-type-by-defa
  ult.patch)!

```

La fin de la ligne dans le patch est marquée par : %

```

victory8 git:(b394b05d7) ✗ curl https://gist.githubusercontent.com/voidagency/710e846384b56afe6cdfdc59fbc6e8bc/raw/cb8b1c126e87bd57a2c745f2f29e25c0269ec32f/colorapi-enable-colorapi-field-type-by-default.patch
diff --git a/modules/contrib/colorapi/config/install/colorapi.settings.yml b/modules/contrib/colorapi/config/install/colorapi.settings.yml
index 8d494604f..b77a6be69 100644
--- a/modules/contrib/colorapi/config/install/colorapi.settings.yml
+++ b/modules/contrib/colorapi/config/install/colorapi.settings.yml
@@ -1,2 +1,2 @@
-enable_color_field: false
+enable_color_field: true
+enable_color_entity: false%
victory8 git:(b394b05d7) ✗

```

Or le fichier original se termine par un saut de ligne :

```

nano modules/contrib/colorapi/config/install/colorapi.settings.yml

UW PICO 5.09      File: modules/contrib/colorapi/config/install/colorapi.settings.yml

enable_color_field: false
enable_color_entity: false

```

Mais pourquoi l'installation s'arrête???

Dans le fichier composer.json, on a :

```

},
"patches-file": "composer.patches.json",
"composer-exit-on-patch-failure": true
},

```

Cette option indique à Composer d'interrompre l'installation dès qu'un patch échoue.

Autrement dit, si un patch ne peut pas être appliqué correctement (comme dans notre cas), Composer arrête tout le processus d'installation.

**Solution :**

La solution consiste à définir un patch level dans le fichier **composer.json** :

```
composer.json x
Install Update Show log ⚙️
30 "extra": {
70   "composer-exit-on-patch-failure": true,
71   "patchLevel": {
72     "drupal/core": "-p2",
73     "drupal/colorapi": "-p4",
74     "drupal/features": "-p1",
75     "drupal/search_api": "-p4",
76     "drupal/file_entity": "-p4",
77     "drupal/jsonapi_extra": "-p1",
78     "drupal/search_api_ai": "-p4",
79     "drupal/simplify_menu": "-p4",
80     "drupal/oauth_login_oauth2": "-p1",
81     "drupal/jsonapi_cross_bundles": "-p1",
82     "drupal/media_library_form_element": "-p1",
83     "drupal/views_autocomplete_filters": "-p1",
84     "drupal/flag": "-p1",
85     "drupal/advagg": "-p4",
86     "drupal/captcha": "-p4",
87     "drupal/webform": "-p4",
88     "drupal/swiftmailer": "-p1",
89     "voidagency/cloudinary": "-p4",
90     "drupal/simple_oauth": "-p4",
91     "drupal/social_auth_microsoft": "-p1",
92     "stevenmaguire/oauth2-microsoft": "-p1",
93     "drupal/jsonapi_search_api": "-p1",
94     "voidagency/jquery_colorpicker": "-p4",
95     "drupal/components": "-p1"
96   }
97 }
```

Puis on centralise tous les patches dans le fichier **composer.patches.json**.

**NB :**


Le fichier **composer.patches.json** sert à lister tous les patches à appliquer sur les dépendances, avec :

- l'URL ou le chemin du patch
- le package sur lequel il s'applique
- Eventuellement le patch level (qui correspond à la valeur de -p utilisée par la commande patch).

```
composer.patches.json x
6
1 {
2   "patches": {
3     "drupal/core": {
4       "Fix submitting a comment always redirects to the default language": "https://www.drupal.org/files/issues/2021-11-29/2751269-106_patch",
5       "modules/jsonapi: Fix response generation when uploading a file with file_entity module enabled": "https://gist.github.com/isifeddi/f4c91cfb79a7883",
6       "Invalid config structures can result in exceptions when saving a config entity": "https://www.drupal.org/files/issues/2021-11-29/2925890-79_patch",
7       "Poor performance when using MariaDB and filtering on multiple relationships in JSON:API": "https://www.drupal.org/files/issues/2020-09-18/3022864-8_patch",
8       "JSON:API, add 'q' to the reserved (official) query parameters.": "https://gist.github.com/voidagency/10babf16682222c150f759adaba56217/raw/13735b55",
9       "JSON:API, add 'f' to the reserved (official) query parameters. (for facets module)": "https://gist.github.com/khalidbouhouch/77538bd6e180feb346cc5",
10      "Fix core file replace cloudinary error": "https://gist.github.com/h-khouv/q796ede15dale0b69fa22af52ad55b04/raw/7e40fda9ec5e037de772e767a2f59fa1d8c",
11      "Twig LoaderError after upgrading Twig to 2.15.3": "https://www.drupal.org/files/issues/2022-09-28/3312270-claro-menu-twig-fix_patch",
12      "JSONAPI include revisions": "https://www.drupal.org/files/issues/2024-03-25/3088239-50_patch"
13    },
14    "drupal/colorapi": {
15      "Enable colorapi field type by default": "modules/patches/colorapi-enable-colorapi-field-type-by-default_patch"
16    },
17    "drupal/flag": {
18      "Fix deprecated php 8.1 str_replace": "https://www.drupal.org/files/issues/2022-02-25/3266574-2_patch"
19    },
20    "drupal/advagg": {
21      "Remove version comments from minified files.": "https://gist.github.com/voidagency/136f41faf39bcff92e334f364a173afb/raw/421944a391d8ed071ec646cf3ca"
22    },
23    "drupal/captcha": {
24      "Fix captcha error message translation": "https://gist.github.com/voidagency/11480147ce444bf3b4b7c5539f213452/raw/5a2d3f39bc5f795bb25b5c91ab050ad849"
25    },
26    "drupal/webform": {
27      "Invoke alter hook after webform handlers execution": "https://gist.github.com/voidagency/6871bd7544b621e2c6221176c5dfec50/raw/7595d19a34e18ab9f719b"
28    },
29    "drupal/features": {
30      "Export config translation": "https://www.drupal.org/files/issues/features_export-config-translation-2869336-2_patch"
31    }
32  }
33 }
```


En ce qui concerne le fichier colorapi, j'ai créé un nouveau patch qui :

- Respecte le saut de ligne correct (`\n`)
- Applique exactement les modifications prévues dans le patch original.




```
± colorapi-enable-colorapi-field-type-by-default.patch ×
Patch viewer
modules/contrib/colorapi/config/install/colorapi.settings.yml
modules/contrib/colorapi/config/install/colorapi.settings.yml
1 enable_color_field: false
1 enable_color_field: true
2 2 enable_color_entity: false
```

Le chemin vers le nouveau patch est défini ici :




```
"drupal/colorapi": {
  "Enable colorapi field type by default": "modules/patches/colorapi-enable-colorapi-field-type-by-default.patch"
```

La même approche doit être suivie pour tous les autres patches qui nécessitent une correction pour être appliqués correctement.



```
modules
├── contrib
├── custom
└── patches
    ├── cloudinary_fix_symfony6_compatibility.patch
    ├── colorapi-enable-colorapi-field-type-by-default.patch
    ├── jquery_colorpicker_update_bg.patch
    ├── locator_media_library_images.patch
    ├── oauth2-microsoft-authorization-ressource-owner.patch
    ├── simple_oauth_revoke_on_profile_update.patch
    ├── social_auth_microsoft-v2.patch
    └── social_auth_microsoft_fixing_call_to_function_null.patch
```

résultat : l'installation est bien effectuée :



```
Deprecated: Psy\info(): Implicitly marking parameter $config as nullable is deprecated, the explicit nullable type must be used instead in /Users/void/sprint10/vactory/vactory8/vendor/psy/psysh/src/functions.php on line 131
Added pre-commit hook
Added commit-msg hook
Added post-merge hook
Added pre-push hook
Created /Users/void/sprint10/vactory/vactory8/cghooks.lock file
→ vactory8 git:(b394b05d7) x
```

## Problème 02 : Dépendance de configuration

**Problème :**

L'ajout de permissions inexistantes à un rôle n'est pas autorisé. Les permissions incorrectes sont :

- use editorial transition archive
- use editorial transition create\_new\_draft
- use editorial transition publish
- use editorial transition archived\_published
- use editorial transition archived\_draft

Ce problème survient parce que le rôle est importé avant l'installation du module qui fournit ces permissions (workflow).

Le fichier concerné est : *profiles/contrib/vactory\_starter\_kit/config/install/user.role.webmaster.yml*

**Identification du problème :** Lors de l'installation l'erreur suivante apparaît :

```
In Role.php line 207:
Adding non-existent permissions to a role is not allowed. The incorrect permissions are "use editorial transition archive", "use editorial transition create_new_draft", "use editorial transition publish", "use editorial transition archived_published", "use editorial transition archived_draft".
```

## La Factory 10.2.3

Verify requirements

Set up database

Install site

Configure site

Configure multilingual

Configure additional modules

Install additional modules

Import nodes

Import nodes batch

### Error

⚠ Some multilingual features currently do not work well with JSON:API. See the [JSON:API multilingual support documentation](#) for more information on the current status of multilingual support.

✓ Thanks for installing Block Class. Now in the block configuration you will see a field to add your classes. If you need to see more please visit our [documentation here](#)

Menu Manipulator enabled. Visit the configuration page under [Administer > Site configuration > User Interface](#)

The website encountered an unexpected error. Try again later.

► **RUNTIMEEXCEPTION: ADDING NON-EXISTENT PERMISSIONS TO A ROLE IS NOT ALLOWED. THE INCORRECT PERMISSIONS ARE "USE EDITORIAL TRANSITION ARCHIVE", "USE EDITORIAL TRANSITION CREATE\_NEW\_DRAFT", "USE EDITORIAL TRANSITION PUBLISH", "USE EDITORIAL TRANSITION ARCHIVED\_PUBLISHED", "USE EDITORIAL TRANSITION ARCHIVED\_DRAFT". IN DRUPAL\USER\ENTITY\ROLE->CALCULATEDDEPENDENCIES() (LINE 207 OF CORE/MODULES/USER/SRC/ENTITY/ROLE.PHP).**

**NB :**

Drupal \user\Entity\Role->**calculateDependencies()** C'est la fonction qui vérifie toutes les permissions assignées à un rôle et s'assure qu'elles existent.

Si une permission n'existe pas encore, la fonction lance l'exception :

“Adding non-existent permissions to a role is not allowed” (L’ajout de permissions inexistantes à un rôle n’est pas autorisé) On commence par rechercher dans quel fichier les permissions sont définies :

```
➤ vactory8 git:(b394b05d7) x grep -R "use editorial transition publish" profiles/contrib/vactory_starter_kit/
profiles/contrib/vactory_starter_kit/config/install/user.role.webmaster.yml: - 'use editorial transition publish'
➤ vactory8 git:(b394b05d7) x
```

```
user.role.webmaster.yml X
profiles > contrib > vactory_starter_kit > config > install > user.role.webmaster.yml
11 permissions:
96 - 'view own unpublished media'
97 - 'view private files'
98 - 'view the administration theme'
99 - 'view unpublished paragraphs'
100 - 'view vactory_page revisions'
101 - 'use editorial transition archive'
102 - 'use editorial transition create_new_draft'
103 - 'use editorial transition publish'
104 - 'use editorial transition archived_published'
105 - 'use editorial transition archived_draft'
106 - 'access block library'
107 - 'administer block content'
108 - 'view any unpublished content'
109 - 'translate interface'
110 - 'edit content live mode'
111 - 'administer languages'
112 - 'administer nodes'
113 - 'access content'
114 - 'administer menu'
115 - 'administer taxonomy'
116 - 'administer dynamic imports'
117 - 'dropzone upload files'
118
```

Puis on identifie la source exacte de leur définition :

```
➤ vactory8 git:(b394b05d7) x grep -R "use editorial transition publish" modules/
modules/contrib/paragraphs/modules/paragraphs_demo/tests/src/Functional/ParagraphsDemoTest.php: 'use editorial transition publish',
➤ vactory8 git:(b394b05d7) x grep -R "use editorial transition publish" core/modules/
core/modules/menu_ui/tests/src/Functional/MenuUiContentModerationTest.php: 'use editorial transition publish',
core/modules/content_moderation/tests/src/Functional/ModerationStateNodeTest.php: $publish_permissions = array_merge(Editor_permissions, ['use editorial transition publish']);
core/modules/content_moderation/tests/src/Kernel/ModerationStateRevisionRevertTest.php: 'use editorial transition publish',
core/modules/content_moderation/tests/src/Functional/LayoutBuilderContentModerationIntegrationTest.php: 'use editorial transition publish',
core/modules/content_moderation/tests/src/Functional/NodeAccessTest.php: 'use editorial transition publish',
core/modules/content_moderation/tests/src/Functional/NodeAccessTest.php: 'use editorial transition publish',
core/modules/content_moderation/tests/src/Functional/ModerationFormTest.php: 'use editorial transition publish',
core/modules/content_moderation/tests/src/Functional/ModerationStateTestBase.php: 'use editorial transition publish',
core/modules/content_moderation/tests/src/Kernel/EntityStateChangeValidationTest.php: ['use editorial transition publish'],
core/modules/content_moderation/tests/src/Kernel/ModerationStateFieldIdTest.php: 'use editorial transition publish',
core/modules/jsonapi/tests/src/Functional/ResourceTestBase.php: $this->grantPermissionsToTestedRole(['use editorial transition publish']);
core/modules/jsonapi/tests/src/Functional/ResourceTestBase.php: 'use editorial transition publish',
core/modules/jsonapi/tests/src/Functional/ResourceTestBase.php: $this->grantPermissionsToTestedRole(['use editorial transition publish']);
core/modules/path/tests/src/Functional/PathWithNodeAccessGrantsTest.php: 'use editorial transition publish',
core/modules/book/tests/src/Functional/BookContentModerationTest.php: 'use editorial transition publish',
core/modules/content_translation/tests/src/Functional/ContentTranslationPendingRevisionTestBase.php: 'use editorial transition publish',
core/modules/rest/tests/src/Functional/EntityResource/ModeratedNode/ModeratedNodeResourceTestBase.php: $this->grantPermissionsToTestedRole(['use editorial transition publish', 'use editorial trans
ition create_new_draft']);
➤ vactory8 git:(b394b05d7) x
```

Dans le fichier content\_moderation.permissions.yml

```
content_moderation.permissions.yml X
1 view any unpublished content:
2 title: 'View any unpublished content'
3
4 view latest version:
5 title: 'View the latest version'
6 description: 'Requires the "View any unpublished content" or "View own unpublished content" permission'
7
8 permission_callbacks:
9 - \Drupal\content_moderation\Permissions::transitionPermissions
10
```



on trouve :

`\Drupal\content_moderation\Permissions::transitionPermissions()`

Cette méthode permet de créer dynamiquement les permissions liées aux transitions de **workflow** pour les différents états de modération.

```
public function transitionPermissions() {
    $permissions = [];
    /** @var \Drupal\workflows\WorkflowInterface $workflow */
    foreach (Workflow::loadMultipleByType('content_moderation') as $workflow) {
        foreach ($workflow->getTypePlugin()->getTransitions() as $transition) {
            $permissions['use ' . $workflow->id() . ' transition ' . $transition->id()] = [
                'title' => $this->t('%workflow workflow: Use %transition transition.', [
                    '%workflow' => $workflow->label(),
                    '%transition' => $transition->label(),
                ]),
                'description' => $this->formatPlural(
                    count($transition->from()),
                    'Move content from %from state to %to state.',
                    'Move content from %from states to %to state.', [
                        '%from' => implode(', ', array_map([State::class, 'labelCallback'], $transition->from())),
                        '%to' => $transition->to()->label(),
                    ]
                ),
                'dependencies' => [
                    $workflow->getConfigDependencyKey() => [$workflow->getConfigDependencyName()],
                ],
            ];
        }
    }
}
```

Dans la méthode, on trouve :

```
'dependencies' => [
    $workflow->getConfigDependencyKey() => [$workflow->getConfigDependencyName()],
],
```

Si le module workflow n'est pas installé ou activé, ces permissions n'existent pas encore.


C'est cette dépendance manquante qui cause l'erreur "Adding non-existent permissions to a role is not allowed".

### Solution :

Il suffit d'ajouter le module **workflow** dans les dépendances de **user.role.webmaster.yml** pour que les permissions liées aux transitions éditoriales soient reconnues et que le rôle puisse être importé sans générer d'erreur.

```
dependencies:
  config:
    - filter.format.basic_html
    - filter.format.full_html
  module:
    - workflows
    - content_moderation
id: webmaster
label: Webmaster
```

La config manquante :



On peut ajouter un patch pour les modifications appliquées :

```
diff -u user.role.webmaster.yml.orig profiles/contrib/vactory_starter_kit/config/install/user.role.web
```

## Problème 03 : Problème de limite de mémoire

### Problème :

Il est impossible de désinstaller le module `vactory__decoupled` et ses dépendances via `drush pmu` sans dépasser la limite de mémoire disponible.

**Identification du problème :** Quand on veut désinstaller le module `vactory__decoupled` :

```
➤ vactory8 git:(b394b05d7) ✗ vendor/bin/drush pmu vactory_decoupled
The following extensions will be uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_files_decoupled, vactory_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router

Do you want to continue? (yes/no) [yes]:
> yes

[INFO] [system] [2026-03-30T18:17:31] vactory_decoupled_router module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[INFO] [system] [2026-03-30T18:17:32] vactory_decoupled_espace_prive module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
PHP Fatal error: Allowed memory size of 134217728 bytes exhausted (tried to allocate 1413120 bytes) in /Users/void/vactory/vactory8/core/lib/Drupal/Core/Database/StatementWrapperIterator.php on line 111
Fatal error: Allowed memory size of 134217728 bytes exhausted (tried to allocate 1413120 bytes) in /Users/void/vactory/vactory8/core/lib/Drupal/Core/Database/StatementWrapperIterator.php on line 111
[Warning] Drush command terminated abnormally.
➤ vactory8 git:(b394b05d7) ✗
```

La limite mémoire dans le fichier `php.ini` :

```
➤ vactory8 git:(b394b05d7) ✗ php -r "echo 'Memory limit: ' . ini_get('memory_limit') . PHP_EOL; echo 'Peak usage: ' . memory_get_peak_usage(true) . ' bytes' . PHP_EOL;"
Memory limit: 128M
Peak usage: 2097152 bytes
➤ vactory8 git:(b394b05d7) ✗
```

En PHP :

- **Peak memory usage** = la mémoire maximale utilisée à un moment donné par le script.
- **memory\_limit** = la limite maximale autorisée par PHP.

On doit augmenter la limite mémoire via CLI et non pas dans le fichier `php.ini` :

On commence par 256M :

```
php -d memory_limit=256M vendor/bin/drush pmu vactory_decoupled
```

```
➤ vactory8 git:(b394b05d7) ✗ php -d memory_limit=256M vendor/bin/drush pmu vactory_decoupled
The following extensions will be uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_files_decoupled

Do you want to continue? (yes/no) [yes]:
> yes

In CheckExceptionOnInvalidReferenceBehaviorPass.php line 119:

  The service "vactory.webform.normalizer" has a dependency on a non-existent service "vactory_private_files_decoupled".
```

Avec **256M**, le processus de compilation du container de services (Symfony DI container) n'a pas assez de mémoire pour résoudre tous ces liens et vérifier les références de service.

**Résultat :** `CheckExceptionOnInvalidReferenceBehaviorPass.php line 119` → C'est exactement là où Symfony/Drupal vérifie si toutes les dépendances sont valides.

La mémoire insuffisante provoque une erreur indirecte : un service semble **“non existant”** parce que la compilation n'a pas pu terminer correctement.

**NB :**

Même un module “petit” peut entraîner beaucoup de calculs si d'autres modules ou services en dépendent.

Par exemple, l'étape :**CheckExceptionOnInvalidReferenceBehaviorPass** vérifie toutes les références de services pour éviter que Drupal ne casse le site.

Si PHP n'a pas assez de mémoire, cette vérification échoue avant même la fin de la désinstallation.

**Solution :**

On augmente la limite mémoire à 512M :

```
php -d memory_limit=512M vendor/bin/drush pmu vactory_decoupled
```

```
➤ vactory8 git:(b394b05d7) x php -d memory_limit=512M vendor/bin/drush pmu vactory_decoupled
The following extensions will be uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher

Do you want to continue? (yes/no) [yes]:
> yes

[INFO] [system] [2026-03-30T18:28:15] vactory_decoupled module uninstalled. I uid: 0 I request-uri: http://default/ I refer: I ip: 127.0.0.1 I link:
[INFO] [system] [2026-03-30T18:28:16] vactory_decoupled_theme_switcher module uninstalled. I uid: 0 I request-uri: http://default/ I refer: I ip: 127.0.0.1 I link:
[success] Successfully uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher
➤ vactory8 git:(b394b05d7) x php -d memory_limit=512M vendor/bin/drush pmu vactory_decoupled

In PmCommands.php line 175:

The following module(s) are not installed: vactory_decoupled. No modules to
uninstall.
```

## Problème 04 : La création de pages est défectueuse

### Problème :

#### — Problème 01 :

La minification JavaScript avec **JSqueeze** provoque un dysfonctionnement du code côté client.

Le code compressé devient invalide, ce qui empêche l'exécution correcte des scripts AJAX.

En conséquence, certaines fonctionnalités (comme l'affichage d'un dialog) ne fonctionnent plus correctement.

#### — Problème 02 :

L'accès au fichier `http ://localhost/vendor/jaypan/jquery-colorpicker/js/colorpicker.js` est non autorisé (**403 Forbidden**)

### Identification du problème :

#### — Problème 01 :

On cliquant sur Choose Template , la page qui s'affiche est la suivante :

```
[{"command":"settings",
,"settings":
```

La minification est réalisée grâce au module AdvAgg (Advanced Aggregation) dans Drupal.

Par défaut, avec le minifieur **JSqueeze**, le code compressé est cassé —> JSON brut (le dialog ne s'affiche pas)

#### — Problème 02 :

# Forbidden

You don't have permission to access this resource.

Les fichiers dans /vendor ne sont pas accessibles via le navigateur :

```
➤ vactory8 git:(b394b05d7) ✗ cat vendor/.htaccess
# Deny all requests from Apache 2.4+.
<IfModule mod_authz_core.c>
    Require all denied
</IfModule>

# Deny all requests from Apache 2.0-2.2.
<IfModule !mod_authz_core.c>
    Deny from all
</IfModule>

# Turn off all options we don't need.
Options -Indexes -ExecCGI -Includes -MultiViews

# Set the catch-all handler to prevent scripts from being executed.
SetHandler Drupal_Security_Do_Not_Remove_See_SA_2006_006
<Files *>
    # Override the handler again if we're run later in the evaluation list.
    SetHandler Drupal_Security_Do_Not_Remove_See_SA_2013_003
</Files>

# If we know how to do it safely, disable the PHP engine entirely.
<IfModule mod_php.c>
    php_flag engine off
</IfModule>
➤ vactory8 git:(b394b05d7) ✗
```

## Solution :


### — Problème 01 :

Dans `/en/admin/config/development/performance/advagg/js-minify` On choisit JSShrink ( 1000 ms) et la page s'affiche correctement.

#### Minification: Select a minifier

- ☐ Disabled
- ☐ JSMin+ ~1300ms
- ☒ JSShrink ~1000ms
- ☐ JSqueeze ~600ms

You can use the much faster C version of JSMin (~2ms) by installing the [JSMin PHP Extension](#) on this server.



## — Problème 02 :

Si on veut accéder seulement au fichier colorpicker.js , on peut ajuster le fichier .htaccess :(ce n'est pas pratique )

```
➤ vactory8 git:(b394b05d7) ✗ cat vendor/.htaccess
<Files colorpicker.js>
  <IfModule mod_authz_core.c>
    Require all granted
  </IfModule>
  <IfModule !mod_authz_core.c>
    Allow from all
  </IfModule>
  SetHandler default-handler
</Files>
```

résultat :

```
➤ vactory8 git:(b394b05d7) ✗ curl -I http://localhost:8081/vendor/jaypan/jquery-colorpicker/js/colorpicker.js
HTTP/1.1 200 OK
Date: Thu, 02 Apr 2026 06:46:10 GMT
Server: Apache/2.4.66 (Unix) PHP/8.5.4
X-Frame-Options: SAMEORIGIN
X-Content-Type-Options: nosniff
Last-Modified: Thu, 27 Sep 2018 02:07:08 GMT
Accept-Ranges: bytes
Content-Length: 17175
Strict-Transport-Security: max-age=31536000;
Vary: Accept-Encoding
Content-Type: text/javascript

➤ vactory8 git:(b394b05d7) ✗
```

```

< --> localhost:8081/vendor/jaypan/jquery-colorpicker/js/colorpicker.js
/**
 * Color picker
 * Author: Stefan Petre www.eyecon.ro
 * Dual licensed under the MIT and GPL licenses
 */
(function ($) {
    var ColorPicker = function () {
        var
            ids = {},
            inAction,
            charMin = 65,
            visible,
            tpl = '<div class="colorpicker"><div class="colorpicker_color"><div></div></div><div class="colorpicker_hue"><div></div></div><div class="colorpicker_new_color"></div><div class="colorpicker_current_color"></div><div class="colorpicker_hex"><input type="text" maxlength="6" size="6"></div><div class="colorpicker_rgb_r_colorpicker_field"><input type="text" maxlength="3" size="3"></div><div class="colorpicker_rgb_g_colorpicker_field"><input type="text" maxlength="3" size="3"></div><div class="colorpicker_rgb_b_colorpicker_field"><input type="text" maxlength="3" size="3"></div><div class="colorpicker_hsb_h_colorpicker_field"><input type="text" maxlength="3" size="3"></div><div class="colorpicker_hsb_s_colorpicker_field"><input type="text" maxlength="3" size="3"></div><div class="colorpicker_hsb_b_colorpicker_field"><input type="text" maxlength="3" size="3"></div><div class="colorpicker_submit"></div></div>',
            defaults = {
                eventName: 'click',
                onShow: function () {},
                onBeforeShow: function () {},
                onHide: function () {},
                onChange: function () {},
                onSubmit: function () {},
                color: 'ff0000',
                livePreview: true,
                flat: false
            },
            fillRGBFields = function (hsb, cal) {
                var rgb = HSBtoRGB(hsb);
                $(cal).data('colorpicker').fields
                    .eq(1).val(rgb.r).end()
                    .eq(2).val(rgb.g).end()
                    .eq(3).val(rgb.b).end();
            },
            fillHSBFields = function (hsb, cal) {
                $(cal).data('colorpicker').fields
                    .eq(4).val(hsb.h).end()
                    .eq(5).val(hsb.s).end()
                    .eq(6).val(hsb.b).end();
            }
    };
}

```

pour un autre fichier dans le meme path :(toujours l'accées est non autorisé)

```

vactory8 git:(b394b05d7) x curl -v http://localhost:8081/vendor/jaypan/jquery-colorpicker/js/eye.js
* Host localhost:8081 was resolved.
* IPv6: ::1
* IPv4: 127.0.0.1
* Trying [::1]:8081...
* Connected to localhost (::1) port 8081
> GET /vendor/jaypan/jquery-colorpicker/js/eye.js HTTP/1.1
> Host: localhost:8081
> User-Agent: curl/8.6.0
> Accept: */*
>
< HTTP/1.1 403 Forbidden
< Date: Thu, 02 Apr 2026 06:19:41 GMT
< Server: Apache/2.4.66 (Unix) PHP/8.5.4
< X-Frame-Options: SAMEORIGIN
< X-Content-Type-Options: nosniff
< Content-Length: 239
< Content-Type: text/html; charset=iso-8859-1
<
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html><head>
<title>403 Forbidden</title>
</head><body>
<h1>Forbidden</h1>
<p>You don't have permission to access this resource.</p>
</body></html>
* Connection #0 to host localhost left intact
vactory8 git:(b394b05d7) x

```

La bonne solution c'est d'utiliser le module : Vendor Stream Wrapper

## Problème 05 : Dépannage des vues et de la configuration de migration

### Problème :

#### — Problème 01 :

L'accès à la page /admin/structure/views/view/vactory\_news retourne une erreur 404, en raison d'une configuration manquante (dans mon cas) ainsi que de l'absence du module Views UI

#### — Problème 02 :


Le module vactory\_news\_migrate ne peut pas être installé car une migration précédente est déjà activée et n'a pas été désinstallée correctement.

De plus, les migrations **news\_ar** et **news\_fr** échouent à cause d'un import d'images dont les liens retournent une erreur 404, empêchant la récupération des fichiers.


## Identification du problème :

### — Problème 01 :


L'accès à la page retourne 404 :



La configuration de la vue n'existait pas en base de données :



Et le module Views UI n'était pas activé.



### — Problème 02 :



En installant le module `vactory_news_migrate`, l'opération échoue car une migration précédente est déjà activée et n'a pas été désinstallée correctement :

```
➤ vactory8 git:(b394b05d7) ✖ drush pmu vactory_news_migrate
[INFO] [system] [2026-04-01T15:02:41] vactory_news_migrate module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1
| link:
[success] Successfully uninstalled: vactory_news_migrate
➤ vactory8 git:(b394b05d7) ✖ drush en vactory_news_migrate

In PreExistingConfigException.php line 65:

  Configuration objects (migrate_plus.migration.news_ar, migrate_plus.migration.news_fr) provided by vactory_news_migrate already exist in active configuration

➤ vactory8 git:(b394b05d7) ✖
```

SQL Querykey\_value

1 SELECT \* FROM config WHERE name LIKE '%migrate\_plus.migration.news%';

line 1, column 67, location 66

No limitBeautify %!Run Current

|   | collection | name                           | data                                                                    |  |
|---|------------|--------------------------------|-------------------------------------------------------------------------|--|
| 1 | EMPTY      | migrate_plus.migration.news_ar | a:16:{s:4:"uuid";s:36:"1c41978b-aac2-419a-b9aa-42f3c8d8d247";s:8:"la... |  |
| 2 | EMPTY      | migrate_plus.migration.news_fr | a:16:{s:4:"uuid";s:36:"c7b684dd-3216-4434-b6b4-34119044558f";s:8:"la... |  |

Après avoir corrigé le problème, les migrations `news_ar` et `news_fr` échouent toujours.

```
➤ vactory8 git:(b394b05d7) ✖ drush migrate:import --all
[notice] Processed 7 items (0 created, 0 updated, 0 failed, 7 ignored) - done with 'news_ar'
[notice] Processed 7 items (0 created, 0 updated, 7 failed, 0 ignored) - done with 'news_fr'

In MigrateToolsCommands.php line 1094:

  news_fr Migration - 7 failed.
```

En vérifiant les logs, une erreur 503 "Service Unavailable" apparaît :

```
➤ vactory8 git:(b394b05d7) ✖ drush migrate:status
```

| Group             | Migration ID                        | Status | Total | Imported | Unprocessed | Message Count | Last Imported       |
|-------------------|-------------------------------------|--------|-------|----------|-------------|---------------|---------------------|
| vactory (vactory) | news_ar                             | Idle   | 7     | 0        | 0           | 0             | 2026-04-01 16:29:31 |
| vactory (vactory) | news_fr                             | Idle   | 7     | 0        | 0           | 7             | 2026-04-01 16:29:33 |
| vactory (vactory) | news_theme                          | Idle   | 4     | 0        | 4           | 0             |                     |
| vactory (vactory) | news_theme_ar                       | Idle   | 4     | 0        | 4           | 0             |                     |
| Default (default) | node_vactory_news_migration_default | Idle   | 12    | 0        | 12          | 0             |                     |

```
➤ vactory8 git:(b394b05d7) ✖ drush migrate:messages news_fr
```

| Source ID(s) | Destination ID(s) | Level | Message                                                                                                                                                                                                                                                                                                              |
|--------------|-------------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12           |                   | Error | news_fr:field_vactory_media:media_import: Server error: 'GET https://backend.vactory.lecontenaire.com/sites/default/files/2023-03/pexels-nina-hill-9123067.jpg' resulted in a '503 Service Unavailable' response (https://backend.vactory.lecontenaire.com/sites/default/files/2023-03/pexels-nina-hill-9123067.jpg) |
| 13           |                   | Error | news_fr:field_vactory_media:media_import: Server error: 'GET https://backend.vactory.lecontenaire.com/sites/default/files/2022-08/test-576x576-2.jpeg' resulted in a '503 Service Unavailable' response (https://backend.vactory.lecontenaire.com/sites/default/files/2022-08/test-576x576-2.jpeg)                   |
| 14           |                   | Error | news_fr:field_vactory_media:media_import: Server error: 'GET https://backend.vactory.lecontenaire.com/sites/default/files/2022-08/test_1400x790_2.jpeg' resulted in a '503 Service Unavailable' response (https://backend.vactory.lecontenaire.com/sites/default/files/2022-08/test_1400x790_2.jpeg)                 |
| 15           |                   | Error | news_fr:field_vactory_media:media_import: Server error: 'GET https://backend.vactory.lecontenaire.com/sites/default/files/2022-08/_test_800-900.jpg' resulted in a '503 Service Unavailable' response (https://backend.vactory.lecontenaire.com/sites/default/files/2022-08/_test_800-900.jpg)                       |
| 16           |                   | Error | news_fr:field_vactory_media:media_import: Server error: 'GET https://backend.vactory.lecontenaire.com/sites/default/files/2022-07/event5.jpeg' resulted in a '503 Service Unavailable' response (https://backend.vactory.lecontenaire.com/sites/default/files/2022-07/event5.jpeg)                                   |
| 17           |                   | Error | news_fr:field_vactory_media:media_import: Server error: 'GET https://backend.vactory.lecontenaire.com/sites/default/files/2022-07/event3.png' resulted in a '503 Service Unavailable' response (https://backend.vactory.lecontenaire.com/sites/default/files/2022-07/event3.png)                                     |
| 18           |                   | Error | news_fr:field_vactory_media:media_import: Server error: 'GET https://backend.vactory.lecontenaire.com/sites/default/files/2022-07/event7.jpeg' resulted in a '503 Service Unavailable' response (https://backend.vactory.lecontenaire.com/sites/default/files/2022-07/event7.jpeg)                                   |

En accédant aux URL des images, un problème de certificat SSL apparaît : le certificat du site est auto-signé, alors que PHP exige un certificat valide :

```
➔ vactory8 git:(b394b05d7) x curl https://backend.vactory.lecontenaire.com/sites/default/files/2023-03/pexels-nina-hill-9123067.jpg
curl: (60) SSL certificate problem: unable to get local issuer certificate
More details here: https://curl.se/docs/sslcerts.html

curl failed to verify the legitimacy of the server and therefore could not
establish a secure connection to it. To learn more about this situation and
how to fix it, please visit the web page mentioned above.
➔ vactory8 git:(b394b05d7) x
```



### This Connection Is Not Private

This website may be impersonating "backend.vactory.lecontenaire.com" to steal your personal or financial information. You should close this page.

Close Page

Safari warns you when a website has a certificate that is not valid. This may happen if the website is misconfigured or an attacker has compromised your connection.

To learn more, you can [view the certificate](#). If you understand the risks involved, you can [visit this website](#).



#### TRAEFIK DEFAULT CERT



### TRAEFIK DEFAULT CERT

Self-signed root certificate

Expires: Tuesday, 16 February 2027 at 13:38:35 GMT

⚠ This certificate has not been verified by a third party

Trust

When using this certificate: Use System Defaults ?

Secure Sockets Layer (SSL) no value specified

X.509 Basic Policy no value specified

Details

Subject Name

Common Name TRAEFIK DEFAULT CERT

Issuer Name

Common Name TRAEFIK DEFAULT CERT

?

OK

Mais en ignorant le problème SSL (curl -k), on constate que le serveur n'existe même pas :

```
vactory8 git:(b394b05d7) * curl -k https://backend.vactory.lecontenaire.com/sites/default/files/2023-03/pexels-nina-hill-9123067.jpg
no available server
vactory8 git:(b394b05d7) *
```

### Solution :

#### — Problème 01 :

Importer à nouveau toute la configuration du module :

```
vactory8 git:(b394b05d7) * drush config:import --partial --source=profiles/contrib/vactory_starter_kit/modules/vactory_news/config/install
```

| Collection                                                               | Config | Operation |
|--------------------------------------------------------------------------|--------|-----------|
| pathauto.pattern.pathauto_content_news_pattern                           |        | Create    |
| node.type.vactory_news                                                   |        | Create    |
| language.content_settings.node.vactory_news                              |        | Create    |
| jsonapi_extras.jsonapi_resource_config.node--vactory_news                |        | Create    |
| field.storage.node.field_vactory_news_theme                              |        | Create    |
| field.field.node.vactory_news.field_vactory_tags                         |        | Create    |
| field.field.node.vactory_news.field_vactory_meta_tags                    |        | Create    |
| field.field.node.vactory_news.field_vactory_media                        |        | Create    |
| field.field.node.vactory_news.field_vactory_excerpt                      |        | Create    |
| field.field.node.vactory_news.field_vactory_date                         |        | Create    |
| field.field.node.vactory_news.comment                                    |        | Create    |
| field.field.node.vactory_news.body                                       |        | Create    |
| entityqueue.entity_queue.vactory_news_slider_small                       |        | Create    |
| language.content_settings.entity_subqueue.vactory_news_slider_small      |        | Create    |
| entityqueue.entity_queue.vactory_news_slider_large                       |        | Create    |
| language.content_settings.entity_subqueue.vactory_news_slider_large      |        | Create    |
| entityqueue.entity_queue.vactory_news_block_two_columns                  |        | Create    |
| language.content_settings.entity_subqueue.vactory_news_block_two_columns |        | Create    |
| entityqueue.entity_queue.vactory_news_block_three_columns                |        | Create    |

SQL Query


1 SELECT name FROM config WHERE name = 'views.view.vactory\_news';

line 1, co... No limit Beautify Run Current

|   | name                    |
|---|-------------------------|
| 1 | views.view.vactory_news |

Et l'activation du module Views UI .

Résultat : La page s'affiche :



Aucun résultat n'a été trouvé !

## — Problème 02 :

Pour résoudre le problème et pouvoir installer le module, il faut supprimer les migrations existantes qui bloquent l'installation :

```
> vactory8 git:(b394b05d7) * drush config:delete migrate_plus.migration.news_ar
> vactory8 git:(b394b05d7) * drush config:delete migrate_plus.migration.news_fr
> vactory8 git:(b394b05d7) * drush en vactory_news_migrate
[INFO] [system] [2026-04-01T15:08:10] vactory_news_migrate module installed. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 |
link:
> [notice] The configuration was successfully updated. 737 configuration objects updated.
> [notice] Message: The configuration was successfully updated. There are /737/ configuration
> objects updated.
>
[success] Successfully enabled: vactory_news_migrate
> vactory8 git:(b394b05d7) *
```

On liste toutes les migrations :

```
> vactory8 git:(b394b05d7) * drush migrate:status
```

| Group             | Migration ID                        | Status | Total | Imported | Unprocessed | Message Count | Last Imported |
|-------------------|-------------------------------------|--------|-------|----------|-------------|---------------|---------------|
| vactory (vactory) | news_ar                             | Idle   | 7     | 0        | 7           | 0             |               |
| vactory (vactory) | news_fr                             | Idle   | 7     | 0        | 7           | 0             |               |
| vactory (vactory) | news_theme                          | Idle   | 4     | 0        | 4           | 0             |               |
| vactory (vactory) | news_theme_ar                       | Idle   | 4     | 0        | 4           | 0             |               |
| Default (default) | node_vactory_news_migration_default | Idle   | 12    | 0        | 12          | 0             |               |

```
> vactory8 git:(b394b05d7) *
```

Mais pourquoi seules les deux migrations news\_ar et news\_fr ont posé problème ?

En vérifiant les fichiers .yaml des autres migrations, on constate que le module figure bien parmi les dépendances. Ainsi, en le désinstallant, la migration se désactive automatiquement.

```
✓ vactory_news_migrate
  ✓ artifacts
    news-ar.csv
    news-fr.csv
    news-theme-ar.csv
    news-theme-fr.csv
  ✓ config/install
    migrate_plus.migration.news_ar.yml
    migrate_plus.migration.news_fr.yml
    migrate_plus.migration.news_theme_ar.yml
    migrate_plus.migration.news_theme.yml
    vactoryv_news_migrate.info.yml
```

```

id: news_theme_ar
label: 'News Theme Migration AR'
migration_group: vactory
dependencies:
  enforced:
    module:
      - vactory_news_migrate

```

## Problème 06 : Vues défectueuses


### Problème :

Le problème vient du module Components, qui ne cherche les templates Twig que dans le thème actif.


Lorsque la vue est consultée depuis l'interface d'administration, les templates définis dans le thème par défaut ne sont pas trouvés, ce qui provoque une erreur du loader Twig.

### Identification du problème :


En accédant à la page News Views (/admin/structure/views/view/vactory\_news), le message suivant apparaît :



En vérifiant la console, une erreur 503 "Service Unavailable" apparaît :



Le drush ws affiche :



Solution :

Une solution existe sous forme de patch publié sur Drupal.org :

## Issues for Components!

[Log in or register](#) to create an issue [Advanced search](#)

Search for

Status  Priority  Category  Version

Component

Displaying 1 - 10 of 10

| Title                                                                        | Status         | Priority | Category   | Version | Component | Replies | Last updated     | Assigned to | Created          | Score  |
|------------------------------------------------------------------------------|----------------|----------|------------|---------|-----------|---------|------------------|-------------|------------------|--------|
| Template is not defined error on admin pages when using administration theme | Closed (fixed) | Major    | Bug report | 3.x-dev | Code      | 70      | 3 months 3 weeks |             | 6 years 2 months | 10.758 |

| Com-<br>ment | File                                                          | Size      | Author        |
|--------------|---------------------------------------------------------------|-----------|---------------|
| #58          | 3107993-reroll-3.1.0.patch                                    | 10.07 KB  | anairamzap    |
| #50          | 3107993-3x-template-not-found.patch                           | 22.68 KB  | ronanrbr      |
| #45          | components-template_undefined_on_admin_pages-3107993-45.patch | 3.54 KB   | dgroene       |
| #43          | components-template_undefined_on_admin_pages-3107993-43.patch | 3.07 KB   | dgroene       |
| #7           | DRUP86-template_not_defined.patch                             | 771 bytes | garypigot-t39 |

File 5 file--

Il suffit d'ajouter ce patch dans le fichier composer.patches.json à la racine du projet, puis de relancer :

```
"drupal/components": {
  "Fix template undefined on admin pages": "https://www.drupal.org/files/issues/2025-01-20/3107993-reroll-3.1.0.patch"
}
```

composer install

drush cr

Le problème n'apparaît plus dans les logs :

```
> vactory8 git:(b394b05d7) x drush ws
-----
ID      Date      Type      Severity  Message
-----
49971   02/Apr 07:56  php      Error     Twig\Error\LoaderError: Template "@twigComponents/article/article-inline.twig" is not defined in
49970   02/Apr 07:55  php      Error     Twig\Error\LoaderError: Template "@twigComponents/article/article-inline.twig" is not defined in
49969   02/Apr 07:55  page not found  Warning   /.well-known/appspecific/com.chrome.devtools.json
49968   02/Apr 07:55  page not found  Warning   /.well-known/appspecific/com.chrome.devtools.json
49967   02/Apr 07:54  php      Error     Twig\Error\LoaderError: Template "@twigComponents/article/article-inline.twig" is not defined in
49966   02/Apr 06:50  page not found  Warning   /themes/stable/images/core/icons/bebebe/pencil.svg
49965   02/Apr 06:50  page not found  Warning   /themes/stable/images/core/icons/bebebe/person.svg
49964   02/Apr 06:50  page not found  Warning   /themes/stable/images/core/icons/bebebe/star.svg
49963   01/Apr 18:58  migrate      Info     Rolled back 7 items - done with 'news_ar'
49962   01/Apr 18:57  migrate      Info     Rolled back 7 items - done with 'news_ar'
-----
> vactory8 git:(b394b05d7) x drush cr
[success] Cache rebuild complete.
> vactory8 git:(b394b05d7) x drush ws
-----
ID      Date      Type      Severity  Message
-----
50003   02/Apr 09:52  page not found  Warning   /themes/stable/images/core/icons/bebebe/person.svg
50002   02/Apr 09:52  page not found  Warning   /themes/stable/images/core/icons/bebebe/star.svg
50001   02/Apr 09:52  page not found  Warning   /themes/stable/images/core/icons/bebebe/person.svg
50000   02/Apr 09:52  page not found  Warning   /themes/stable/images/core/icons/bebebe/star.svg
49999   02/Apr 09:52  page not found  Warning   /themes/stable/images/core/icons/bebebe/pencil.svg
49998   02/Apr 09:52  page not found  Warning   /themes/stable/images/core/icons/bebebe/person.svg
49997   02/Apr 09:52  page not found  Warning   /themes/stable/images/core/icons/bebebe/star.svg
49996   02/Apr 09:51  page not found  Warning   /.well-known/appspecific/com.chrome.devtools.json
49995   02/Apr 08:08  page not found  Warning   /themes/stable/images/core/icons/bebebe/pencil.svg
49994   02/Apr 08:08  page not found  Warning   /themes/stable/images/core/icons/bebebe/star.svg
-----
> vactory8 git:(b394b05d7) x
```