Dear,

I've completed API test on frequently used API for restful-booker.

Test executed for the below mentioned scenario in server 10.0.19045.2364.

Testing at Postman:




Figure 1: API Testing at Postman

Command for testing at Newman:




Figure 2: API Testing

Command for generating report at Newman:

```
C:\Users\sara\Postman\files>newman run Booking.postman_collection.json -e BookingEnvironment.postman_environment.json -r cli,htmlextra
newman

Booking

- auth
    POST https://restful-booker.herokuapp.com/booking [200 0K, 271B, 1337ms]
    V Auth gets

- Booking IDs
    GET https://restful-booker.herokuapp.com/booking [200 0K, 31.39kB, 581ms]
    V Status code is 200

- Create booking
    POST https://restful-booker.herokuapp.com/booking [200 0K, 442B, 298ms]
    V Booking IO GET https://restful-booker.herokuapp.com/booking/2455 [200 0K, 413B, 299ms]
    V Status code is 200

- Update Booking
    PUT https://restful-booker.herokuapp.com/booking/2455 [200 0K, 411B, 309ms]
    V Update Booking
    PATIAl Booking
    PATIAl Booking
    PATIAl Https://restful-booker.herokuapp.com/booking/2455 [200 0K, 412B, 319ms]
    V Partially Updated

- Delete
    DELETE https://restful-booker.herokuapp.com/booking/2455 [201 Created, 248B, 300ms]
    V Deleted
    OF 10 Settings to activate Windows
    Go to Settings to activate Windows
    Settings to activate Windows
    Out of the province of the pr
```

Figure 3: Generating Report

Command to show HTML file of report:




Figure 4: HTML file of report