

Class 20

DATA1220-55, Fall 2024

Sarah E. Grabinski

2024-10-18

Hypothesis Testing Framework

- ▶ H_0 : The “Null” Hypothesis
 - ▶ Represents a position of skepticism, *nothing* is happening here
 - ▶ “There is *not* an association between process A and B”

Hypothesis Testing Framework

- ▶ H_0 : The “Null” Hypothesis
 - ▶ Represents a position of skepticism, *nothing* is happening here
 - ▶ “There is *not* an association between process A and B”
- ▶ H_A : The “Alternative” Hypothesis
 - ▶ The complement of H_0 , *something* is happening here
 - ▶ “There *is* an association between process A and B”

Conducting a hypothesis test

- ▶ Begin by *assuming* H_0 is the “true” state

Conducting a hypothesis test

- ▶ Begin by *assuming* H_0 is the “true” state
- ▶ Calculate *the probability that you would see results as extreme or more extreme* than what you saw in your study, assuming the distribution under H_0

Conducting a hypothesis test

- ▶ Begin by *assuming* H_0 is the “true” state
- ▶ Calculate *the probability that you would see results as extreme or more extreme* than what you saw in your study, assuming the distribution under H_0
- ▶ The lower the probability, the less likely it is that we would see these results if H_0 was the “true” state of our population

Conducting a hypothesis test

- ▶ Begin by *assuming* H_0 is the “true” state
- ▶ Calculate *the probability that you would see results as extreme or more extreme* than what you saw in your study, assuming the distribution under H_0
- ▶ The lower the probability, the less likely it is that we would see these results if H_0 was the “true” state of our population
- ▶ If the probability is sufficiently low, we *reject* H_0 and *accept* H_A