

Software Engineering Principles and Practices Quiz

إجمالي النقاط 30/30 ?

يحتوي الاختبار على 30 سؤال متنوع ما بين اختيار متعدد و صح وخطأ
يعتمد حل الاختبار على الفهم السريع للإجابة

مهم جد الانتباه أن مدة الامتحان هي فقط 40 دقيقة تبدأ س 14:00 و تنتهي 14:40
مهم جدا التسليم قبل الوقت المحدد و الانتباه لفروقات الوقت بين ساعتكم و ساعة النظام

نحن غير مسؤولون عن هذه الاختلافات - يرضى ضبط وقت الساعة مع ساعة النظام

كل التوفيق أتمناه لكم

تم تسجيل عنوان البريد الإلكتروني للمستجيب (sabumandeel@smail.ucas.edu.ps) عند إرسال هذا النموذج.

0 من إجمالي 0 نقطة

الاسم رباعي *

سارة أحمد عودة أبومنديل

الرقم الجامعي *

220223416

30 من إجمالي 30 نقطة

Select Best Answer fastly



1/1 For custom software systems, how do the long-term costs of evolution typically compare to the initial development costs ✓

Evolution costs are generally significantly lower than development costs. ☐

✓ Evolution costs often exceed development costs. ☒

Evolution costs only apply to generic products, not custom ones. ☐

The costs are roughly equal for all types of systems. ☐

1/1 Which software attribute ensures that a system does not make wasteful use of memory or processor cycles ✓

✓ Maintainability ☐

Efficiency ☒

Dependability ☐

Acceptability ☐

1/1 In the context of software engineering ethics, what is the 'Public' principle as defined by the ACM/IEEE Code ✓

Software engineers shall maximize profits for public corporations. ☐

Software engineers shall promote their products to the public honestly. ☐

✓ Software engineers shall act consistently with the public interest. ☒

Software engineers must make all source code available to the public. ☐

1/1

Which software process model is most appropriate for large systems
?engineering projects developed at several different sites ✓



The Waterfall model ☒

Agile processes ☐

Incremental development ☐

Integration and configuration ☐

1/1

What is a primary disadvantage of the incremental development process
?compared to the waterfall model ✓



It requires more software to be developed from scratch. ☐

It is harder to accommodate changing requirements. ☐

Users cannot provide feedback until the very end of the project. ☐

The process is less visible to managers. ☒

1/1

Which stage of the design process involves identifying principal
?subsystems and their relationships ✓



Architectural design ☒

Database design ☐

Interface design ☐

Component selection ☐

1/1 In the SEI Capability Maturity Model, which level is characterized by having 
?defined and used product management procedures



Level 1: Initial ☐

Level 2: Repeatable ☒

Level 4: Managed ☐

Level 3: Defined ☐

1/1 What is the key difference between a generic software product and a 
?customized software product regarding its specification

Customized products are owned by the developer, whereas generic products are owned by the user. ☐

 The developer controls the specification of generic products, while the customer controls it for customized ones. ☒

Generic products are always more reliable than customized products. ☐

Generic products do not have a formal specification process. ☐

1/1 In software validation, which testing stage focuses on the behavior of the 
?system as a whole and its emergent properties



Customer testing ☐

Unit testing ☐

System testing ☒

Component testing ☐



1/1 Why is it generally recommended to use 'throw-away' prototypes rather than evolving them into the final system ✓

✓ The internal structure of a prototype usually degrades quickly due to rapid changes. ☒

Prototypes are usually written in languages that are too expensive for production. ☐

Legal constraints prevent the sale of prototype software to customers. ☐

A prototype can only be used to test user interfaces, not functional requirements. ☐

1/1 Which of the following application types is characterized by controlling and managing hardware devices, such as those found in a car or a microwave ✓

✓ Embedded control systems ☒

Data collection systems ☐

Interactive transaction-based applications ☐

Batch processing systems ☐

1/1 What does the term 'Heterogeneity' refer to as a challenge in modern software engineering ✓

The need to develop software for a single, uniform hardware platform. ☐

✓ The requirement for systems to operate across distributed networks with different types of computers and devices. ☒

The decline in the use of mobile devices for business applications. ☐

The process of making all software modules use the same programming language. ☐

1/1

In the Mentcare case study, what is the primary purpose of the
?'Administrative reporting' feature ✓

- ☐ To provide summaries that help doctors learn about key problems quickly.
- ✓ ☒ To generate information that allows managers to assess performance against targets.
- ☐ To automatically detect if a patient is potentially suicidal.
- ☐ To allow clinicians to edit patient history records.

1/1

Which software engineering activity is specifically concerned with
modifying software to reflect changing market requirements after it has
gone into use ✓

- ☐ Software specification
- ✓ ☒ Software evolution
- ☐ Software development
- ☐ Software validation

1/1

What is the primary role of 'Software Discovery' in the reuse-oriented
software engineering process ✓

- ✓ ☒ Searching for existing components or systems that meet the specified requirements.
- ☐ Writing the initial source code for the main system logic.
- ☐ Debugging the final integrated system.
- ☐ Identifying the hardware requirements of the new system.



1/1

True or False: Software engineering is exclusively concerned with the .technical processes of computer programming ✓



TRUE ☐

FALSE ☒

1/1

True or False: The costs of software on a standard PC are often greater .than the cost of the hardware itself ✓



TRUE ☒

FALSE ☐

1/1

True or False: In a plan-driven process, software specification, .development, and validation are interleaved activities ✓



TRUE ☐

FALSE ☒

1/1

True or False: Computer Science and Software Engineering are essentially .the same discipline, focusing equally on theory and practice ✓



TRUE ☐

FALSE ☒

1/1 True or False: According to the source material, a software engineer should misrepresent their level of competence to secure a contract if they believe they can learn the required skills quickly ✓



TRUE ☐

FALSE ☒

1/1 True or False: The 'Mentcare' system is designed to run only when a secure, high-speed network connection is available ✓



FALSE ☒

TRUE ☐

1/1 True or False: In incremental delivery, the highest priority requirements are usually included in the earliest increments ✓



TRUE ☒

FALSE ☐

1/1 True or False: For safety-critical systems like an insulin pump, developers should prioritize the use of prototypes over formal, analyzable specifications ✓



FALSE ☒

TRUE ☐



1/1 True or False: Intellectual property rights (IPR) protection only applies if a formal confidentiality agreement has been signed by the software engineer. ✓



TRUE ☐

FALSE ☒

1/1 True or False: The Waterfall model is highly effective at accommodating changing customer requirements after the design process has begun. ✓



FALSE ☒

TRUE ☐

1/1 True or False: Requirements validation is the process of checking that the requirements define the system that the customer actually wants. ✓



TRUE ☒

FALSE ☐

1/1 True or False: In the integration and configuration model, the developer has full control over the evolution of the reused system elements. ✓



FALSE ☒

TRUE ☐

1/1

True or False: Software reuse is now the dominant approach for constructing web-based systems ✓

FALSE ☐

TRUE ☒



1/1

True or False: The Wilderness Weather Station case study illustrates a system that only collects data and does not have the ability to reconfigure itself in the event of failure ✓

TRUE ☐

FALSE ☒



1/1

True or False: Process measurements, such as the number of defects discovered, should be the primary driver for process improvements in an organization ✓

FALSE ☒

TRUE ☐



تم إنشاء هذا النموذج داخل الكلية الجامعية للعلوم التطبيقية. - مالك نموذج التواصل

هل يبدو هذا النموذج مريباً؟ الإبلاغ

نماذج Google



