





MCQ Ch₂ (2) Permanent Premolars teeth

Dr: 3mmar



Chapter 2 (2) : (Premolars teeth)

- 1- the geometric outline of maxillary permanent first and second premolars from buccal aspect is.....**
a- trapezoid with short side cervical and long side occlusal b- rhomboid
c- trapezoid with short side occlusal and long side cervical d- triangular
- 2- the geometric outline of maxillary permanent first and second premolars from mesial aspect is.....**
a- trapezoid with short side cervical and long side occlusal b- rhomboid
c- trapezoid with short side occlusal and long side cervical d- triangular
- 3- from occlusal aspect; geometric outline of upper 5 is while that of upper 4 is**
a- hexagonal & oval b- Diamond or hexagonal.
c- oval & hexagonal d- both are Diamond.
- 4- as a rule the distal cusp slope is longer than the mesial one in cuspid and bicuspid teeth except**
a- upper first premolar and upper canine
b- upper first premolar and lower canine
c- upper first premolar and primary lower canine
d- upper first premolar and primary upper canine
- 5- the ridges which descend from the tips of cusps of first maxillary premolars toward the central part of the occlusal surface are called..... ridges**
a- marginal b- triangular a- transverse b- cusp
- 6- when a buccal triangular ridge and a lingual triangular ridge join as seen on first upper premolar, what is that kind of ridge called ?**
a- triangular b- oblique a- transverse b- buccal
- 7- the buccal high of contour of maxillary second premolar located in.....**
a- occlusal 1/3 b- middle 1/3 c- cervical 1/3 d- gingival 1/3
- 8- the mesial cusp ridge of buccal cusp of upper first , second premolars are**
a- shorter than distal cusp ridge
b- longer than distal cusp ridge b- gingival third
c- longer in upper first , shorter in upper second premolars than distal cusp ridge
d- shorter in upper first , longer in upper second premolars than distal cusp ridge
- 9- the longest root of maxillary first premolar is**
a- lingual root b- mesiobuccal root c- distobuccal root
- 10- how many ridges present occlusal aspect of maxillary first premolar.**
a- 6 b- 8 c- 9 d- 10
- 11- how many developmental grooves present on occlusal aspect of upper 4**
a- 2 b- 3 c- 4 d- 5

12- all of the following is correct about upper 4 except

- a- Root bifurcate on mesial from center of root & bifurcate on distal from apical third.
- b- There is MMDG & no DMDG
- c- There is canine fossa on mesial surface
- d- Root depression is deeper on mesial
- e- MMR is concave and locates at junction bt occlusal , middle third.

13- CDG of upper 4 is that of upper 5

- a- longer b- shorter. C- equal

14- from mesial aspect of upper 4; buccal cusp tip is inline with.....

- a- center of tooth b- center of buccal root
- c- bucc. outline of buccal root. d- non of the above

15- from mesial aspect of upper 5; buccal cusp tip is inline with.....

- a- mid line of tooth b- line buccal to midline of tooth.
- c- apex of buccal root d- non of the above.

16- two cusps of maxillary permanent first premolar don't fall on the same line as the lingual cusp offset mesial while buccal cusp offset distal .

- a- true b- false

17- the palatal root of maxillary permanent first premolar is blunter than buccal root.

- a- true b- false

18- from the mesial aspect of the maxillary permanent first premolar; the tip of buccal cusp is nearer to the center of the root trunk than lingual cusp.

- a- true b- false

19- supplemental grooves nearly not present on the occlusal aspect of maxillary first premolar & numerous on occlusal aspect of upper maxillary second premolar

- a- true b- false

20- in maxillary permanent first premolar; mesial root trunk is shorter than distal root trunk

- a- true b- false

21- which of the following is distinguishing feature of maxillary first premolar

- a- mesial marginal developmental groove. b- canine fossa
- c- deep developmental depression on the mesial d- all of the above

22- which of the following is a variation of the roots of maxillary first premolar

- a- bifurcated. b- laminated c- single d- all of the above

23- from mesial aspect of maxillary premolars; inter-cuspal distance is wider in.....

- a- upper 4 b- upper 5

24- which of the following is the most characteristic feature of upper 4

- a- has 2 cusps. b- has 2 roots. c- has MMDG d- has thin marginal ridges

25- the central groove is longer in the

- a- maxillary first bicuspid
- b- maxillary second bicuspid
- c- same in of both.
- d- Non of the above.

26- the lingual high of contour of mandibular second premolar is located in.....

- a- between middle third and occlusal third
- b- middle third
- c- cervical third
- d- gingival third

27- the mesial contact area of mandibular permanent second premolar is

- a- occlusal third.
- b- cervical third.
- c- middle third.
- d- junction between middle and occlusal third.

28- the predecessor of mandibular first premolar is

- a- mandibular E.
- b- mandibular D.
- c- mandibular C.
- d- has no predecessor.

29- the occlusal surface of lower first premolar is

- a- circular in form.
- b- Diamond in form.
- c- rounded.
- d- rhomboid.

30- all of the following statements is true about the lingual cusp of mandibular permanent first premolar except

- a- cusp is pointed , poorly developed (its ill-defined cusp resemble a well developed cingulum).
- b- its on a line with Bucc-triangular Ridge (shifted mesially) so DCR > MCR.
- c- it's a functional cusp.
- d- its shorter than buccal cusp by one third (occlusal surface slopes toward the lingual so the occlusal surface can be seen).

31- the lingual overhanging is characteristic feature of

- a- lingual aspect of mandibular anterior teeth.
- b- mesial aspect of upper first premolar.
- c- mesial aspect of lower canine.
- d- mesial outline of mandibular premolars.

32- which of the following is incorrect about a Characteristics features of mandibular first premolar which resemble the mandibular canine

- a- the buccal cusp is long and sharp and It is the only occluding cusp.
- b- the mesiobuccal cusp ridge is shorter than the distobuccal cusp ridge.
- c- the occlusal surface is horizontal.
- d- the outline from occlusal aspect resembles the outline from incisal aspect of lower 3.
- e- the buccolingual measurement is similar to that of lower 3

33- which of the following is a Characteristics features of mandibular first premolar which resemble the mandibular 2nd premolar

- a- it has more than one cusp.
- b- M , D contact areas are nearly at the same level
- c- the outline of crown , root resembles that of lower 5 from the buccal aspect
- d- curvature of cervical line mesially and distally are the same.
- e- all of the above

- 34- the mesiolingual developmental groove of permanent mandibular first premolar extend from mesial pit to separate MMR from mesial slope of lingual cusp fades out at junction between middle , cervical third & its act as a spillway for food
a- true b- false
- 35- a Y shaped occlusal groove is most likely to be present in which of the following teeth
a- deciduous premolars b- mandibular first premolar.
c- mandibular second premolar. d- maxillary second premolar
- 36- the mesiolingual cusp of the Y shaped type mandibular second premolar normally is
a- smaller of the two lingual cusps b- of the same dimension
c- larger of the two lingual cusps. d- None of the above.
-
- 37- mesial contact area of maxillary first premolar located
a- at the occlusal third b- at junction between the occlusal and middle 1/3
c- at the middle of middle 1/3. d- at the middle third just occlusal to middle of middle.
- 38- mesial contact area of maxillary first premolar located distal contact area
a- little more cervical than b- little more occlusal than c- at the same level with
- 39- mesial contact area of maxillary second premolar located.....
a- at the occlusal third b- at junction between the occlusal and middle 1/3
c- at the middle of middle 1/3. d- at the middle third just occlusal to middle of middle
- 40- contact areas of first premolar is that of second premolar.
a- more cervical than b- more occlusal than c- at the same level with
- 41- from buccal aspect of maxillary first premolar buccal cusp tip is.....
a- long , pointed , shifted distally b- short , less pointed , shifted mesially
c- short , pointed , shifted mesially. d- long , less pointed , centralized.
- 42- from buccal aspect of maxillary second premolar buccal cusp tip is.....
a- long , pointed , shifted distally b- short , less pointed , shifted mesially
c- short , pointed , shifted mesially. d- long , less pointed , centralized.
- 43- from the buccal aspect of maxillary first premolar MCR is DCR
a- longer b- shorter c- equal.
- 44- from buccal aspect of maxillary second premolar MCR isDCR
a- longer b- shorter c- equal.
- 45- buccal cusp of maxillary first premolar is lingual cusp of the same tooth
a- longer by 1 mm b- shorter by 1mm
c- nearly equal in length d- none of the above
- 46- MCR of buccal cusp of upper 4 is While DCR is
a- Convex & Concave b- Concave & convex c- both are convex d- both are straight.
- 47- MCR of buccal cusp of upper 5 is While DCR is
a- Convex & Concave b- Concave & convex c- both are convex d- both are concave.
- 48- maxillary first premolar has neck constriction than maxillary second premolar
a- true b- false

- 49- all elevations on buccal surface of maxillary 1st premolar is less than that on max 2nd premolar
a- true b- false
- 50- which of the following surfaces are spheroidal.
a- buccal surface of upper 4 b- buccal surface of upper 5.
c- lingual surface of upper 4 d- lingual surface of upper 5.
- 51- geometric outline of maxillary premolar from mesial aspect is
a- Rhomboid b- Trapezoid with short side cervical
c- Trapezoid with long side cervical d- Diamond.
- 52- from the mesial aspect of maxillary first molar, root bifurcated from
a- cervical third B- middle third C- apical third d- at middle of the root
- 53- from the distal aspect of maxillary first molar, root bifurcated from
a- cervical third B- middle third C- apical third d- non of the above
- 54- mesial root of maxillary first premolar equal half the root length while distal root trunk equal about 2/3 of the root length
a- true b- false
- 55- distal root trunk of upper 4 is mesial root trunk.
a- longer b- shorter. C- equal
- 56- which of the following is the most characteristic feature of upper 4
a- has 2 cusps. B- has 2 roots. C- has MMDG d- has thin marginal ridges
- 57- marginal ridges of upper 5 is thicker than that of upper 4
a- true b- false
- 58- M , D triangular fossae of upper 4 is smaller than that of upper 5.
a- true b- false
- 59- Which of the following tooth shows largest Mesio- buccal ridge (mesial slope) :
a- maxillary first premolar b- maxillary second premolar
c- mandibular first premolar d- mandibular second premolar
- 60- from mesial aspect of upper 4; buccal cusp tip is inline with.....
a- center of tooth b- center of buccal root c- buccal to midline d- both (b , c)
- 61- mesial contact area of maxillary first premolar located
a- at the middle third just occlusal to middle of middle
b- at the middle of middle third
c- at the middle third just cervical to the junction between occlusal and middle third
D- both a , c
- 62- Difference between mandibular and maxillary premolars is that in the mandibular premolars:
a- buccal and lingual cusps are more prominent
b- lingual cusp is sharper and longer
c- the lingual surface is rounded and less developed
d- the buccal surface is rounded and less developed

- 63- mesial contact area of mandibular first premolar located
a- at the occlusal third
b- at junction between the occlusal and middle 1/3
c- at the middle of mid 1/3.
d- at the middle third just cervical to junction between occlusal and middle third
- 64 - mesial contact area of mandibular first premolar located distal contact area
a- little more cervical than b- little more occlusal than c- at the same level with
- 65- mesial contact area of mandibular second premolar located.....
a- at the occlusal third b- at junction between the occlusal and middle 1/3
c- at the middle of mid 1/3. D- at the middle third just occlusal to middle of middle
- 66- contact areas of mandibular first premolar is that of mandibular second premolar.
a- more cervical than b- more occlusal than c- at the same level with
- 67- from buccal aspect of mandibular first premolar buccal cusp tip is.....
a- long, pointed, shifted distally b- short, less pointed, shifted mesially
c- short, pointed, shifted mesially. d- long, pointed, shifted mesially.
- 68- from buccal aspect of mandibular second premolar buccal cusp tip is.....
a- short, less pointed, centralized b- short, less pointed, slightly shifted mesially
c- short, pointed, shifted mesially. d- long, less pointed, centralized.
- 69- from buccal aspect of mandibular second premolar buccal cusp tip is.....
a- short, less pointed, centralized b- short, less pointed, slightly shifted mesially
c- short, pointed, shifted mesially. d- both (a, b).
- 70- buccal surface of mandibular 1st premolar is that of mandibular 2nd premolar
a- more convex than b- less convex than
c- slightly flat. d- slightly concave.
- 71- the root and root apex of mandibular 2nd premolar is
a- pointed, conical b- conical, blunt c- bluntly pointed, cylinder.
- 72- root of mandibular 1st premolar is than that of mandibular 2nd premolar
a- longer b- shorter
- 73- which of the following statement is incorrect about mandibular 1st premolar
a- MMR is more cervical than DMR
b- MCA & DCA both are located at middle third just occlusal to mid of mid.
c- has prominent lingual convergence so much of proximal aspects can be seen
d- has lingual cusp shorter than buccal cusp by 1/3, inline with buccal triangular ridge.
e- lingual cusp is less pointed, poorly developed (resemble a well developed cingulum)
- 74- which of the following is not true about mandibular 2nd premolar three cusp type:
a- it's the most common pattern and can termed a small molar.
b- has Y-pattern on their occlusal aspect.
c- their contact areas located at the same level at junction bt occ, mid third.
d- has distolingual cusp larger than mesiolingual cusp
- 75- lingual cusp of mandibular 2nd premolar is nearly at the same level with buccal cusp
a- true b- false

- 76- lingual surfaces of all premolars are convex with max of convexity at mid of mid 1/3 except
a- upper 4 b- upper 5. c- lower 4 d- lower 5.
- 77- geometric outline of mandibular premolars from mesial aspect is
a- Rhomboid b- Trapezoid with short side cervical
c- Trapezoid with long side cervical d- Diamond.
- 78- lingual developmental groove present on
a- lingual surface of lower 4 b- ling surface of lower 5 two cusp types
c- lingual surface of lower 5 three cusp type d- upper 5.
- 79- lingual cusp of maxillary first premolar is Buccal cusp of the same tooth
a- longer by 1 mm b- shorter by 1mm
c- nearly equal in length d- non of the above
- 80- lingual cusp of maxillary second premolar is Buccal cusp of the same tooth
a- longer by 1 mm b- shorter by 1mm
c- nearly equal in length d- non of the above
- 81- lingual surface of maxillary premolar is convex with maximum of convexity at middle third
a- true b- false
- 82- upper 4 has 60-80% 2 roots , apex of buccal root is pointed , shorter than that of lingual root which is blunter and longer.
a- true b- false
- 83- root of maxillary second premolar is that of maxillary first premolar.
a- shorter than. b- longer than. c- equal to
- 84- from mesial aspect of upper 4; buccal cusp tip is inline with.....
a- center of tooth b- center of buccal root c- bucc. outline of buccal root. d- non of the above
- 85- from mesial aspect of upper 5; buccal cusp tip is inline with.....
a- mid line of tooth b- line buccal to midline of tooth. c- apex of buccal root.
- 86- from mesial aspect; lingual cusp tip of upper 4 is inline with lingual border of root & lingual cusp tip of upper 5 is inline with lingual border of lingual root.
a- true b- false
- 87- A pronounced developmental groove is usually present on the mesial marginal ridge of a permanent:
a- maxillary 1st premolar b- mandibular 3rd molar
c- maxillary second molar d- mandibular second premolar
- 88- which of the premolars is usually smallest.....
a- maxillary first b- mandibular first c- maxillary second d- mandibular second
- 89- Mesiolingual grooves may be found on which of the following permanent teeth :
a- maxillary first premolar b- maxillary second premolar
c- mandibular first premolar d- mandibular second premolar
- 90- Which of the following premolars has a mesial marginal ridge more cervical than the distal marginal ridge:
a- maxillary first b- mandibular first c- maxillary second d- mandibular second

91- the tooth which formed mainly by middle lobe

- a- maxillary first premolar
- b- maxillary second premolar
- c- mandibular first premolar
- d- mandibular second premolar

92- which of the following has a non-functional cusp

- a- maxillary canine
- b- maxillary second premolar
- c- mandibular first premolar
- d- non of the above

93- In the mandibular arch, in which tooth maximum lingual inclination and lingual convergence is present

- a- mandibular canine
- b- mandibular third molar
- c- mandibular central incisor
- d- mandibular 1st premolar

94- single central pit found on the occlusal surface of

- a- maxillary first premolar
- b- maxillary second premolar
- c- mandibular first premolar
- d- mandibular second premolar

95- Upper 4 resembles 5 from which aspect?

- a- buccally
- b- lingually
- c- occlusal
- d- proximally

96- The lingual cusp of lower first premolar is compared to the development of:

- a- cusp of Carabelli
- b- distolingual cusp of upper 7
- c- lingual cusp of second premolar
- d- cingulum of canine

97- which of the following teeth are extracted by rotation movement

- a- upper central , lower 5 as their apices is blunt and their root is conical
- b- upper central , lower 5 as their apices is conical
- c- lower 4 , upper canine as they roots are cylinder
- d- upper 4 only.

1		31		61			
2		32		62			
3		33		63			
4		34		64			
5		35		65			
6		36		67			
7		37		68			
8		38		69			
9		39		70			
10		40		71			
11		41		72			
12		42		73			
13		43		74			
14		44		75			
15		45		76			
16		46		77			
17		47		78			
18		48		79			
19		49		80			
20		50		81			
21		51		82			
22		52		83			
23		53		84			
24		54		85			
25		55		86			
26		56					
27		57					
28		58					
29		59					
30		60					