







Always 4 lobes


- 1) Geol
- 2) Outlines:-

Trapezoid

with smallest cervically

Reversion Incisors + Canines

Proximal → Mesial
→ Distal



Reversion Incisors + Canines

incisal
aspect

1

2




1

2

lab

width > Thickness
M-D > lab-ling.



Triangle

Thickness < width




Distal lingual twist

Diamond

labial Aspect

Reversion
Incisors
+ Canines
(Cuspid)
(Corner Stone)


- 1 - Geol → Trapezoid
- 2 - Outlines



Except
MCs & DCs

labial Aspect

Reversion
Incisors
+ Canines
(Cuspid)
(Corner Stone)



Bifid.
Fossa


(4c) Except
MES & DCS

1. Geol → Trapezoid
2. Outlines



Lingual
Convergency





3

3

6 L 1



Reversion Incisors + Canines (Cuspid) 'Corner Stone'

Incisal Aspect



Diamond



Diamond

Incisal aspect

$\frac{1 \ 2}{3} \Rightarrow$ Triangle width > thickness

$\frac{3}{1 \ 2 \ 3} \Rightarrow$ Diamond thickness > width

Cusp tip
mesio-labially

Thickness > width

Cusp tip
mesio-lingually

2



3

111