

Dentition MCQs

A- Choose the correct answer:

1- Which of the following is not the correct location of an embrasure :

- a- occlusal or incisal from the contact area.
- b- facial from the contact area.
- c- lingual from the contact area.
- d- cervical from the contact area.

2- The largest teeth in the oral cavity is:

- a- upper 6.
- b- lower 6.
- c- upper 7.
- d- lower 8 (40%).

3- The angulation by which the lower 4 is inserted in the bone makes it's crown inclined :

- a- lingually.
- b- buccally.
- c- distally.

4- As we go distally , curve of Wilson becomes:

- a- deeper.
- b- shallower.
- c- not affected.

5- The second segment of parabolic curve ends at:

- a- distobuccal cusp of upper 6.
- b- distobuccal cusp of lower 6.
- c- mesiobuccal cusp of upper 6.
- d- mesibuccal cusp of lower 6.
- e- B & C.

6- Calcification of the lower 8 generally begins at:

- a- 3-4 years.
- b- 5-7 years.
- c- 8-10 years.
- d- 11-13 years.

7- Which root in the upper 6 often has a second accessory root canal:

- a- mesiobuccal.
- b- distobuccal.
- c- lingual.
- d- distal.

8- Which of the following represent the largest cusp in the lower 1st molar:

- a- distolingual.
- b- mesiolingual.
- c- mesiobuccal.
- d- distobuccal.
- e- distal.

9- The tubercle of Carabelli are found in which part of the maxillary 1st molar:

- a- distolingual cusp.
- b- mesiolingual cusp.
- c- distobuccal cusp.
- d- mesiobuccal cusp.

10- The smallest cusp in the mandibular 1st molar is:

- a- distolingual.
- b- mesiolingual.
- c- mesiobuccal.
- d- distobuccal.
- e- distal.

11- Which of the following permanent molar has the largest mesiodistal measurement of it's crown:

- a- upper 6.
- b- upper 7.
- c- upper 8.
- d- lower 6.
- e- lower 7.

12- The center of the sphere in the curve of Monson is located in:

- a- nasion.
- b- glabella.
- c- lambda.
- d- bregma.

13- In an occlusal view of teeth, contact area in posterior teeth is located:

- a- centered bucco-lingually.
- b- located buccally to the center.
- c- located lingually to the center.
- d- has no relation.

14- When all the teeth is viewed from the facially the outline is :

- a- trapezoid with the longest uneven side cervically.
- b- trapezoid with the longest uneven side occlusally.
- c- trapezoid with the shortest side occlusally.
- d- rhomboidal outline.

15- Which of the following teeth appear rhomboidal in outline:

- a- proximal surfaces of mandibular posterior teeth.
- b- proximal surfaces of maxillary posterior teeth.
- c- facial surfaces of all teeth.

16- When anterior teeth are viewed from proximal aspect they are:

- a- trapezoidal.
- b- triangular.
- c- rhomboidal.
- d- none of the above.

17- The compensating curvature of maxillary arch is:

- a- convex.
- b- concave.
- c- flat plane.
- d- none of the above.

18- The interproximal space between the teeth is filled with gingival tissue. This tissue is called:

- a- gingival papilla.
- b- interdental papilla.
- c- interdental space.
- d- both A & B.

19- Which of the following is true recording the curvature of mandibular teeth:

- a- it is always concave.
- b- it sometimes convex or concave.
- c- it is always convex.
- d- none of the above.

20- The embrasures are:

- a- wider lingually than facially.
- b- wider facially than lingually.
- c- same facially and lingually.
- d- none of the above.

21- In permanent mandibular posterior teeth, the maximum convexity is located :

- a- cervical third of lingual surface.
- b- cervical third of buccal surface.
- c- middle third of lingual surface.
- d- middle third of buccal surface.
- e- B & C.

22- Normally the interproximal spaces are between teeth are triangular shaped spaces filled with gingival tissue. The base of the triangular is directed to:

- a- the alveolar bone.
- b- proximal surfaces of contacting teeth.
- c- area of contact.
- d- none of the above.

23- The function of embrasure is:

- a- make spillways for the escape of food.
- b- prevent food from being forced to the contact area.
- c- all of the above.
- d- none of the above.

24- Which statement is correct about the maxillary molars when viewed from occlusal aspect :

- a- they are wider bucco-lingually than mesio-distally.
- b- they are wider mesiodistally than bucco-lingually.
- c- they are equal bucco-lingually than mesio-distally.

25- The upper 1st molar has three roots. What is the arrangement of these roots:

- a- 2 lingual and 1 buccal.
- b- 1 lingual and 2 buccal.
- c- 1 mesial, 1 distal, 1 lingual.
- d- maxillary 1st molar has only 2 roots.

26- The oblique ridge in the maxillary 1st molar is formed between :

- a- triangular ridge of the distolingual cusp with the distal ridge of mesio-lingual cusp.
- b- triangular ridge of distobuccal cusp with the distal ridge of mesiolingual cusp.
- c- triangular ridge of mesio-buccal cusp with the distal ridge of the disto-lingual cusp.
- d- none of the above.

27- All of the following is characteristic features of deciduous teeth EXCEPT:

- a- smaller in size.
- b- enamel of the teeth is less mineralized.
- c- less constricted neck..
- d- deciduous teeth shed.

28- The root of permanent anterior teeth in comparison with anterior deciduous teeth is:

- a- narrower.
- b- wider.
- c- the same.

29- In the maxillary deciduous canine, the mesial slope of the cusp compared to distal slope it will be:

- a- shorter.
- b- longer.
- c- the same.

30- The tip of the cusp in the deciduous maxillary canine is located :

- a- mesial to the long axis of the teeth.
- b- distal to the long axis of the teeth.
- c- centralized to the long axis of the teeth.

31- The mandibular deciduous canine shows:

- a- mesial cusp slope longer than distal cusp slope.
- b- mesial cusp slope shorter than distal cusp slope.
- c- equal mesial and distal slopes.

32- In comparison to deciduous teeth, permanent teeth shows:

- a- widely divergent roots.
- b- enamel and dentin are thinner with wider pulp cavity.
- c- well developed root trunk.
- d- fewer grooves and depressions.

33- All the deciduous teeth complete it's eruption at which age:

- a- 1 year
- b- 2 year.
- c- 3 year.
- d- 6 year.

34- The mental foramen in the mandible at birth is located below the crypt of lower:

- a. D & close to the lower border.
- b. E & close to the upper border.
- c. D & close to the upper border.
- d. D & E & close to the upper border.

35- The pits which are always present on the lower molars are:

- a. Central, mesial, distal and buccal.
- b. Central, mesial, distal and lingual.
- c. Central, mesial and distal.
- d. Mesial, distal, buccal and lingual.

36- The central fossa of the permanent upper first molar is:

- | | |
|------------|---------------|
| a. Rounded | b. Linear |
| c. Oval | d. Triangular |

37- The triangular shape of the proximal surface of anterior teeth provides all the following except:

- a. Wide base adding strength to the crown.
- b. Facilitate cutting of food.
- c. Self-cleaning property.
- d. Protection of the interdental papilla.

38- The contact areas of posterior teeth compared to anterior teeth are:

- a. Wider & more occlusally located.
- b. Wider & more cervically located.
- c. Wider & more lingually located .
- d. Wider & centered buccolingually.

39- If the proper facial & lingual contours are absent:

- a. Gingival recession will be the result.
- b. Gingival inflammation will occur
- c. Frictional massage to the gingiva will be provided
- d. None of the above.

40- The distobuccal cusp of the lower permanent first molar rests in:

- a. The distal fossa of upper 6
- b. The central fossa of upper 6
- c. The distal marginal ridge of upper 7
- d. The distal triangular fossa of upper 6

41- In the deciduous lower first molar, the largest cusp is:

- a. The mesiobuccal cusp.
- b. The distobuccal cusp.
- c. The disto lingual cusp.
- d. The mesiolingual cusp.

42- The rectangular occlusal outline is shown in:

- a. Deciduous upper first molars.
- b. Deciduous lower second molars.
- c. permanent lower second molars.
- d. All of the above.

43- What statement is true about the buccolingual section in the pulp cavity of the maxillary second premolar:

- a. There are two pulp canals, one buccal and one lingual.
- b. There may be one root canal divided by dentin island.
- c. There are two pulp horns, one buccal and one lingual.
- d. All of the above.

44- Which statement is true about the parabolic curve:

- a. The posterior segment of the maxillary arch is inclined palatally.
- b. The anterior segment of the mandibular arch is larger than the maxillary one.
- c. The curve is divided into 4 segments.
- d. None of the above.

45- The following teeth commonly have oblique ridge except:

- a. The permanent maxillary first molar.
- b. The deciduous maxillary second molar.
- c. The deciduous maxillary first molar.
- d. The deciduous mandibular first molar.

46-The following statement about the permanent mandibular first molar is not true:

- a. It shows lingual convergence of the crown.
- b. It shows short lingual cusps.
- c. It shows distal convergence of the crown.
- d. It shows distal shortening of the crown.

47- In centric occlusion permanent maxillary canine normally intercuspates with which of the following:

- a. Mandibular lateral incisor and canine.
- b. Mandibular canine and first premolar.
- c. Mandibular first and second premolars.
- d. Mandibular central and lateral incisors.

48- In the intercuspatal position, facial cusps of mandibular molars occlude with:

- a. Grooves and embrasures.
- b. Fossae only.
- c. Marginal ridges and fossae only.
- d. Fossae, embrasures and marginal ridges.

49- Areas of teeth least susceptible to dental caries are:

- a. Incisal thirds of facial surfaces.
- b. Facial surfaces cervical to height of contours.
- c. Pits.
- d. Proximal surfaces.

50- All the following teeth show grooves that cross ridges except:

- a. Maxillary first molar.
- b. Mandibular first molar.
- c. Maxillary first premolar.
- d. Mandibular second premolar.

51- In an ideal occlusion, the maxillary first molar inclines:

- a. Buccally b. Lingually
- c. Distally d. Lingually and mesially

52- Which of the following teeth is normally least perpendicular to the occlusal plane:

- a. Maxillary canine.
- b. Maxillary first molar.
- c. Maxillary first premolar.
- d. Maxillary second premolar.

53- Attrition is described as wearing of which surface (s) of the tooth:

- a. Cervical b. Occlusal
- c. Mesial and distal d. Both b & c

54- Which of the following is the longest root?

- a. Root of mandibular canine.
- b. Lingual root of maxillary first molar.
- c. Mesial root of mandibular first molar.
- d. Root of maxillary canine.

55- Which of the following tooth is most likely to show root abnormality?

- a. Maxillary canine.
- b. maxillary lateral incisor.
- c. Maxillary third molar.
- d. Mandibular first molar.

56- The smallest cusp of maxillary permanent first molar -excluding cusp of Carabelli- is:

- a. Mesiobuccal cusp. b. Mesiolingual cusp.
- c. Distolingual cusp. d. Distobuccal cusp.

57- The crown of primary upper second molar has:

- a. Two cusps. b. Three cusps.
- c. Four cusps. d. Five cusps.

58- The cusp of Carabelli occurs with sufficient frequency in the primary:

- a. Maxillary first molar b. Maxillary second molar
- c. Mandibular first molar d. Mandibular second molar

59- Which of the following permanent teeth most frequently has three cusps:

- a. Maxillary second molar b. Maxillary second premolar
- c. Maxillary first molar d. Mandibular first molar

60- You have found a mandible without any teeth , its angle is about 140 degrees, mental foramen near upper border, guess the age of this mandible:

- a. New born baby b. 3 years old child
- c. Adult mandible d. Old aged mandible

61- Which one of the following permanent molars has the largest mesiodistal measurement of its crown?

- a. Maxillary first b. Mandibular first
- c. Maxillary second d. Mandibular second

62- The occlusal surface of the lower first molar is bounded by how many ridges:

- a. Two b. Five
- c. Four d. Six

63- A strong bulge of enamel on the surface of deciduous first molar is located:

- a. Buccally at the mesial. b. Lingually at the mesial.
- c. Buccally at the distal. d. Lingually at the distal.

64- A child one year old flashes a big smile at you, you can observe the following deciduous teeth:

- a. Incisors only.
- b. Incisors and first molar.
- c. Incisors and canines.
- d. Incisors, canines and first molars.

65- All of the following about centric occlusal relation of permanent molars are true except:

- a. Buccal cusps of maxillary molars are free cusps.
- b. Distal surface of third molars flush on one line with each others.
- c. Each molar intercusps with two opposing except lower 8.
- d. Mesio Buccal cusp of upper 6 is in one line with mesio Buccal groove of lower 6.

66. The tooth which has both oblique and transverse ridges is:

- a. upper 6
- b. lower 6
- c. lower 5
- d. lower 8 (40 %)
- e. b and d

67. The only cusp which has 2 triangular ridges is:

- a. mesio Buccal of upper 6.
- b. mesio lingual of upper 6.
- c. distolingual of lower 6.
- d. mesio Buccal of lower 6.

68. The largest cusp in the oral cavity is:

- a. mesio Buccal of upper 6.
- b. mesio lingual of upper 6.
- c. distolingual of lower 6.
- d. mesio Buccal of lower 6.

77. When upper 8 is heart-shaped, which cusp is the smallest-or even absent?

- A. Mesiobuccal
- B. Mesiolingual
- C. Distobuccal
- D. Distolingual

78. The number of the molars containing 3 roots in each side of dental arches is:

- a. 3
- b. 2
- c. 5
- d. 6

79. First deciduous molar have a prominent bulge of enamel, where?

- A. Mesial at the buccal.
- B. Mesial at the lingual.
- C. Distal at the buccal.

80. At 8 years of age how many primary teeth remain in the mouth:

- A. 8-10
- B. 4-6
- C. 8
- D. 12-14

81. How long are the deciduous lower central incisors functional in the mouth?

- a. five years
- b. four years
- c. nine years

82. From the facial view, the maxillary first molar has its lingual root apex in line with which of the following?

- a. distofacial cusp tip
- b. mesiofacial cusp tip
- c. facial groove
- d. distofacial line angle

83. Which one of the following features is unique to upper molar teeth?

- a. mesiobuccal cusp.
- b. two roots.
- c. mesial marginal ridge.
- d. oblique ridge.

84. The primary function of the pulp is:

- A. to form dentin.
- B. nutritive.
- C. protective.
- D. dysplasia.

85. In a cervical cross section, which premolar(s) sometimes exhibit a root outline and a pulp chamber floor outline that are both kidney-shaped?

- A. All premolars
- B. Mandibular second
- C. Maxillary second
- D. Mandibular first
- E. Maxillary first.

86. Which ROOT CANAL in the lower first permanent molar is the biggest?

- A. Mesial
- B. Mesial buccal
- C. Distal buccal
- D. Distal

87. Which one of the following features is unique to upper molar teeth?

- a. mesiobuccal cusp
- b. two roots
- c. mesiomarginal ridge
- d. oblique ridge

88. The ridges which is present in all teeth:

- a. marginal and triangular.
- b. marginal and buccal.
- c. marginal and cervical.
- d. cervical and triangular.

-complete the following questions:

89. In addition to the differences between permanent and deciduous, upper E differs from upper 6 in occlusal aspect in that ----- &-----

90. In addition to the differences between permanent and deciduous, lower E differs from lower 6 in occlusal aspect in that ----- &-----

91. The only groove in the molars crowns extending beyond the middle third is -----

92. The only surface of the molars roots containing dev. Groove (not depression) is -----

93. Over contour leads to gingival-----& under contour leads to gingival-----

94. What is the name of the space formed gingival (apical) to the contact area when two proximal surfaces of adjacent teeth are in contact?

95. You are examining a patient has an extra tooth it is called a

96. What is the term that describes the tendency of permanent posterior teeth to migrate mesially in the dental arch? _____.

97. Identify the deciduous tooth that doesn't resemble any other tooth in the mouth.

98. What is that linear curve called that is formed by the occlusal surfaces of the teeth when examined from sagittal view

99. Teeth with 5 lobes are

Model answers:

1-D

2-A

3-B

4-A

5-E

6-C

7-A

8-C

9-B

10-E
11-D
12-B
13-B
14-B
15-A
16-B
17-A
18-D
19-A
20-A
21-E
22-A
23-C
24-A
25-B
26-B
27-C
28-B
29-B
30-B
31-B
32-C
33-C
34-A
35-A
36-D
37-D
38-B
39-A
40-B
41-D
42-D
43-D
44-A

45-D
46-B
47-B
48-C
49-A
50-D
51-A
52-B
53-D
54-D
55-C
56-C
57-C
58-B
59-A
60-D
61-B
62-A
63-A
64-B
65-C
66-A
67-B
68-B
69-C
70-A
71-B
72-D
73-D
74-D
76-A
77-D
78-A
79-A
80-D

81-A

82-C

83-D

84-C

85-E

86-A

87-D

88-C