




Faculty of dentistry
Cairo University

Teeth identification

Oral Biology Department


Premolars identification

Upper premolars



There is no lingual inclination.

Lower premolars



There is lingual inclination.

Upper first premolar



- The occlusal table is hexagonal.
- There is long central developmental groove, continued mesially as mesial marginal developmental groove.
- No supplemental grooves.
- There is canine fossa in the mesial aspect.
- 80 % double rooted and 20 % single rooted.

Upper second premolar



- The occlusal table is oval.
- There is short central developmental groove and no mesial marginal developmental groove.
- There are supplemental grooves.
- There is no canine fossa in the mesial aspect.
- Mostly single rooted and rarely double rooted.

Lower first premolar



Very short lingual cusp

- The occlusal table is diamond.
- From the lingual aspect the transverse ridge + the 2 triangular fossae → snake face appearance.
- There is MLDG.

Lower second premolar

2 cusp type

3 cusp type




B and L cusps nearly at the same levels

- | | |
|--------------------------------------|---|
| ■ Occlusal table is rounded. | ■ Occlusal table is square. |
| ■ U or H shape developmental groove. | ■ Y shape developmental groove. |
| ■ There is no MLDG. | ■ There is no MLDG there is lingual groove. |

Permanent molars

Upper molars



- Occlusal surface is either rhomboidal or heart shape.
- Thickness > width.
- There is no lingual inclination.
- 3 Roots.

Lower molars



- Occlusal surface is either hexagonal or rectangular.
- Width > thickness.
- There is lingual inclination.
- 2 Roots

Upper molars




Occlusal surface is rhomboidal



6



7



8

There is no lingual convergence.

Tubercle of Carabelli on ML cusp.

It has widely divergent roots.

N.B. Contact area is a small flat area that may be shiny, caries, white or brown in color.

Lingual convergence

No tubercle of Carabelli

Less divergent roots or may be fused in 8

Supplemental grooves

No distal contact area


Upper molars

7



8

Occlusal surface is heart shape



- Many supplemental grooves.
- There is mesial contact area but no distal contact area.
- Sometimes both are missing.
- Fused roots

Lower molars



Occlusal surface is hexagonal

6



8




- Many supplemental grooves.
- There is mesial contact area but no distal contact area.
- Sometimes both are missing.
- Fused roots

Lower molars



Occlusal surface is rectangular



- Many supplemental grooves.
- There is mesial contact area but no distal contact area.
- Sometimes both are missing.
- Fused roots.


Deciduous molars

Upper molars



- Thickness > width.
- There is no lingual inclination.
- 3 Roots.

Lower molars




- Width > thickness.
- There is lingual inclination.
- 2 Roots.

Note the main differences between permanent and deciduous molars (size, color, neck constriction.....etc.)


Upper and lower first deciduous molars

D



- There is MB cervical ridge.
- Has the criteria of upper molars

D



- There is MB cervical ridge also.
- Has the criteria of lower molars.

Upper and lower second deciduous molars

E



- Similar to 6.
- Has the criteria of upper molars

E



- Similar to 6.
- Has the criteria of lower molars.

**ANY
QUESTIONS?**

