

Mandibular Central & lateral permanent incisors

	Mandibular central incisor	Mandibular lateral incisor
Enamel organ appearance	5 MIUL	5 MIUL
Beginning of calcification	3-4 months old	3-4 months old
Crown completion	4-5 years old	4-5 years old
Eruption	6-7 years old	7-8 years old
Root completion	9 years old	10 years old
Mesial outline	Straight (with sharp mesioincisal angle)	Straight (with sharp mesioincisal angle)
Mesial contact area	Close to the mesioincisal angle	close to the distoincisal angle
Distal outline	straight (with a sharp distoincisal angle)	Straight & shorter than the mesial one (with slightly rounded distoincisal angle)
Distal contact area	close to the distoincisal angle (the same level as the mesial one)	At the incisal/middle junction
Labial outline (proximal view)	Above cervical curvature, it's straight then slopes to the incisal edge	Similar to the central's
Lingual outline (proximal view)	Convex at the cervical third, then concave until the incisal ridge where it's straight .	Similar to the central's
The root	•labial & lingual views: -the apex is pointed & usually curved distally •proximal view: -the labial & lingual outlines are straight at the cervical & middle thirds then sharply taper towards the apex. -a developmental depression on most length of the root (usually not including the cervical third). It's more prominent on the distal surface than that of the mesial one with a developmental groove in it.	•labial & lingual views: Similar to the central's •proximal view: Similar to the central
Pulp cavity (chamber & canal)	•mesiodistal section: -narrow pulp chamber with two pulp horns (mesial & distal). -the root canal is constricted at the cervical line. It proceeds apically and deviates distally to open on the apical foramen •labiolingual section: -pointed towards the incisal edge then widens till the cervical line. -the root canal is wide in the cervical and middle thirds of the root then tapers gradually towards the apical foramen •cross section at the cervix: -oval (narrow mesiodistally & wide labiolingually).	*similar to the central
features	-less prominent elevations & depressions than the upper central's, including very faint mesio-&distolabial DGs -the incisal edge is straight mesiodistally -the crown is symmetrical	-the same -the incisal edge curves distolingually -cingulum is shifted distally So, the tooth is twisted on the root base