


UPPER INCISORS


DR. M. ZEED

1) Labial aspect	Upper central incisor	Upper lateral incisor
N.B ناخذ بالنسبة	❖ The largest and widest crown ❖ The most prominent crown ❖ Has centralized root ❖ can be extracted by rotation 	Its crown is smaller than upper central incisor , while its root is longer than upper central incisor Has many variations as :- ❖ The most missing ❖ May has less no. of lobes (2lobes) ❖ Peg shape ❖ Palatal pit
Crown Geol	Trapezoid , the smallest side cervically , the largest side incisally	
Crown Outlines :-		
✓ Mesial :	Convex	
✓ Distal :	More Convex	
✓ Cervical :	Convex root-wise	
✓ Incisal :	Has mamelons (3rounded elevations)	
contact areas		
1. MCA	In incisal 1/3 (near Mesio-incisal angle)	Near the J. betw incisal 1/3 and M
2. DCA	Near the J. betw incisal 1/3 and M 1/3	More cervical
Mesio-incisal angle	Sharp	Rounded
Disto-incisal angle	rounded	More rounded
Elevations	Well developed Cervical ridge Well developed Mamelons	Less developed Cervical ridge Less developed mamelons
Depressions	2 shallow developmental grooves	
Root	Single centralized	Single and curved distally

2) Lingual aspect	Upper central incisor	Upper lateral incisor
N.B	Lingual convergence	
Elevations	Well Developed:- 1- Cingulum 2- MMR 3- DMR 4- Incisal R 	Less Developed: 1- Cingulum 2- MMR 3- DMR 4- Incisal R 
Depressions	Lingual fossa (shovel appearance)	Lingual fossa
Root	Root is narrow lingually due to lingual convergence	

3) Mesial aspect	Upper central incisor	Upper lateral incisor
Geol	Triangular ☒ Base : Cervically ☒ Apex : Incisally	
Outlines		
A) Labial outline:		❖ In Cervical 1/3 : convex > Cervical Ridge ❖ In middle and incisal 1/3 : Sl. Convex
B) Lingual outline:		❖ In Cervical 1/3: Convex > Cingulum ❖ In Middle 1/3: concave > Fossa ❖ In Incisal 1/3 : Convex > Incisal ridge
N.B	The incisal edge is labially to the long axis due to labial inclination	

4) Distal aspect	Upper central incisor	Upper lateral incisor
N.B	✓ The crown is thicker distally than mesially ✓ CL curvature in root is less distally than mesially ✓ The distal contact areas is more cervically than mesially ✓ No depression on the root distally	

5) Incisal aspect	Upper central incisor	Upper lateral incisor
Geol		Triangle ✓ Base : Labial surface ✓ Apex: lingual surface Due to the lingual convergence 
Dimensions	<u>Width > thickness</u>	
N.B	Broad concave fossa	Palatal pit

6) Pulp cavity	Upper central incisor	Upper lateral incisor
Pulp cavity	1 pulp cavity	1 pulp cavity
Pulp horns	3 pulp horns corresponding the 3 mamelons 	1 or 2 pulp horns as mamelons are less developed

DR. M. ZEED