

QUESTIONS ON CHAPTER 1&6

2

Dr. Safwat Hassan Ismail



46. Using the universal system, tooth # 30 is which of the following:

- a. Left mandibular 1 st premolar.
- b. Right maxillary 1st premolar.
- c. Primary right maxillary central incisor.
- d. Permanent right mandibular first molar.

48. The tooth which is located second from the midline in the maxillary left quadrant is which tooth using the universal system?

- a. #7d,
- b. #23.
- c. #10dL
- d. #25.

49. Using the universal system, tooth B refers to :

- a. Primary left mandibular second molar.
- b. Primary right maxillary 1st molar.
- c. Permanent right maxillary canine.
- d. Permanent left maxillary lateral incisor.

50. The lobe is the primary center of calcification of the teeth; it is represented on the surfaces of teeth by:

- a. The marginal ridges, cusps and mamelons.
- b. Cusps, mamelons and cingulum.
- c. Marginal, cervical and lingual ridges.
- d. Cingulum, cusp of Carabelli and mamelons.

51. -The lingual ridge is a characteristic feature of the lingual surface of:

- a. Upper central incisor.
- b. Lower central and lateral incisors,
- c. Upper canines.
- d. Upper and lower 1st molars.

40. The proximal surfaces of mandibular premolars are:

- a. Trapezoidal.
- b. Triangular.
- c. Rhomboidal
- d. Diamond

44. The occlusal surface of the upper first premolar is bounded by how many lines:

- a. two.
- b. four.
- c. five.
- d. six.

45. According to the two digit system, 81 & 53 refer to:

- a. Upper right central incisor and lower left permanent 3rd molar.
- b. Upper right 2nd premolar and lower right deciduous canine.
- c. Lower right deciduous central incisor and upper right deciduous canine.
- d. Upper left permanent central incisor and upper right deciduous canine.

Distal cusp.

33. Which of the following is the deciduous dental formula of man?

- a. $12/2 \text{ CI}/1 \text{ M}2/2 = 10 \times 2 = 20$.
- b. $12/2 \text{ CI}/1 \text{ M}3/3 = 12 \times 2 = 24$.
- c. $12/2 \text{ CI}/1 \text{ PM}2/2 \text{ M}3/3 = 16 \times 2 = 32$.
- d. $12/2 \text{ CI}/1 \text{ PM}1/1 \text{ M}2/2 = 12 \times 2 = 24$.

34. All the following teeth have no predecessors except:

- a. The maxillary and mandibular premolars.
- b. The permanent maxillary and mandibular first molars.
- c. The permanent maxillary and mandibular second molars.
- d. The permanent maxillary and mandibular third molars.

35. All the following are nonsuccedaneous, except:

- a. the maxillary and mandibular premolars.
- b. the permanent maxillary and mandibular first molars.
- c. the permanent maxillary and mandibular second molars
- d. the permanent maxillary and mandibular third molar.

36. The successor of the upper first deciduous molar is:

- a. Upper first permanent molar.
- b. Upper second premolar,
- c. Upper first premolar.
- d. Upper second permanent molar.

37. The cusp of the canine develops from:

- a. Mesial lobe.
- b. Middle lobe.
- c. Distal lobe.
- d. Lingual lobe

38. Which of the following is not true regarding surfaces of the teeth?

- a. Mesial surfaces are those towards the median line of the face,
- b. Distal surfaces are those most distant from the median line of the face.
- c. The surface that is towards the lip is the lingual surface.
- d. The surface that is towards the cheek on posterior teeth and the lips on anterior teeth is the facial surface.

26. Linear incomplete fusion of two developmental lobes of a tooth is known as

- a. Pit
- b. Supplemental groove.
- c. Developmental groove
- d. Fissure.

17. The portion of tooth that is exposed in the mouth is known as the:

- a Operative crown.
- b. Natural crown,
- c. Anatomical crown.
- d Clinical crown.

18. The term trifurcation refers to the:

- a. Point where three line angles meet
- b. Point at which three occlusal grooves meet
- c. Point at which three roots divide
- d. Point at which three ridges meet

11. Which of the following teeth develop from five lobes?
- upper 6 & upper 5.
 - upper 4 & lower 5.
 - upper 7 & lower 7.
 - lower 6, lower 5 & lower 4.
12. According to Palmer notation system, tooth C represents?
- Deciduous lower right incisor.
 - Deciduous upper right incisor.
 - Deciduous upper right canine.
 - Deciduous upper left first molar.
13. According to the universal numbering system, tooth #7d refers to:
- Deciduous right maxillary first molar.
 - Deciduous left mandibular second molar.
 - Permanent right maxillary third molar.
 - Deciduous left maxillary lateral incisor.
14. According to the two digit system of teeth numbering the 21 is
- upper permanent left central incisor.
 - upper deciduous right lateral incisor.
 - upper deciduous left central incisor.
 - upper permanent right central incisor.
15. Which of the following is not a representative of a lobe?
- cusp.
 - mamelon.
 - tubercle.
 - cingulum.

10. The mixed dentition period begins with the emergence of which of the following permanent teeth?

- a. First premolar
- b. Lower canine
- c. Lateral incisors
- d. First molar

9. Teeth which usually have transverse ridge on the occlusal surface include:

- a. Deciduous lower 1st molars.
- b. Permanent 2nd molars.
- c. lower 1st premolars
- d. Upper 2nd Premolars.

3. The identifying number of the permanent mandibular left second molar in the two digit numbering system

- a. 52
- b. 18
- c. 17
- d. 37

the longest root of maxillary

- 29. That ridge connects a cusp tip and cingulum.
- 30. That ridge connects the incisal ridge and the cingulum.
- 31. That ridge connects two cusp triangular ridges with an angle.

c. Supplemental groove.

- 26. Linear depression does not denote union of lobes.
- 27. Linear depression represents incomplete enamel union.
- 28. Circumscribed depression at the margins of the occlusal surface of molars.

10. 1-The deciduous dental formula of the human dentition is;

a.
$$\begin{array}{ccccc} I & \frac{2}{2} & C & \frac{2}{2} & M & \frac{3}{3} \end{array}$$

b.
$$\begin{array}{ccccc} I & \frac{2}{2} & C & \frac{1}{1} & P & \frac{2}{2} & M & \frac{3}{3} \end{array}$$

c.
$$\begin{array}{ccccc} I & \frac{2}{2} & C & \frac{1}{1} & M & \frac{3}{3} \end{array}$$

d.
$$\begin{array}{ccccc} I & \frac{2}{2} & C & \frac{1}{1} & M & \frac{2}{2} \end{array}$$

11. Which tooth listed below has a transverse ridge?

a. Upper 1st and 2nd premolars.

b. Upper 2nd deciduous molars.

c. Upper 1st permanent molars.

d. Lower 1st and 2nd premolars.

- 3- Using the universal system, tooth F # is-----
- 4- There are two lips upper lip and lower lip. The corner of the mouth where they meet is called
- 5- Primary dentition period occurs between approximately..... and..... of age.
- 6- Every human tooth must have at least two types of ridges: ridge and ridge.
- 7- The periodontium consists of gingiva, cementum.....and

31- The tubercle differs from the cusp as it is formed of enamel and dentin while the cusp is formed of pulp horn covered by dentin and enamel.

19-The anatomical root is best defined as the portion of the tooth that is:

a-Covered with cementum.	b-Actually embedded in the jaw.
c-Covered with enamel.	d -Appeared in the mouth.

18-Each erupted tooth is surrounded and supported by the bone of the jaw which is called:

a-Crypt

c-Root

b-Socket

d- All of the above

13-The union of triangular ridges of disto-buccal cusp and mesio-lingual cusp is the:

a-Triangular ridge.

b-Marginal ridge.

c-Cervical ridge.

d-Oblique ridge.

82-Faulty pit occurred due to incomplete union of lobes in circumscribed pattern.

c-Select from column B at

62-Clinical root is that part of the tooth that is covered by the gingiva and embedded in the bone.

65-Fissures show high caries incidence (occurrence).

74-The dental formula of the permanent teeth is ; I 2/2 C 1/1 PM 2/2 and M 3/3.

- 57-Lingual surface of lower 3 showed 2 prominent lingual roots.
- 58-A boy of 4 years old shows eruption of all deciduous and permanent molars.

B-Mark true or false of the following statements.

51-The central incisor of a man 36 years old shows prominent pulp horns.

c- Mandibular central incisor.

18- According to the palmer notation system E refers to:

- a- Upper left deciduous first molar.
- b- Upper right deciduous first molar.
- c- Upper left deciduous second molar.
- d- Upper right deciduous second molar.

a-Lower 4

b-Lower 4

16- Comparing the Universal System with the international system # d 9 is known as

a- 64

b- 24.

c- 19

d-46

c- variable in different teeth.

14-It provides a medium for the attachment of the periodontal ligament:

a-Enamel.

b-Cementum.

c-Dentin.

d-Pulp.

11-The lobes that forming the crown of lower canine are:

- a-3 lobes. b- 4 lobes. c-5 lobes. d-2 lobes.

12- According to the two digit system 13 indicates:

- a- Permanent lower left central incisor.
b- Permanent lower right canine.
c- Permanent upper right canine.
d- Deciduous lower left canine.



7- The range of mixed dentition is from.....to.....

a. 6 month-12 y.

b. 6 month- 6 y.

c. 12 y-20 y.

d. Non of the above.



4-All of the followings are lingual anatomical landmarks in upper central incisor EXCEPT:

a-Lingual fossa. b-Marginal ridges. c-Lingual ridge. d-Cingulum.

5-The identifying number of the permanent mandibular left second molar according to the universal numbering system is:

a-31 b-37 c-18 d-47