

Trial mid-term exam HD 101.

Choose the correct answer:

1-The permanent tooth that could be developmentally missed is:

- a- upper central incisor
- b- Lower central incisor
- c- **upper lateral incisor**
- d- All of the above

2- Which of the following teeth is MOST LIKELY to have a lingual pit?

- a- Upper permanent central incisor
- b- **Upper permanent lateral incisor**
- c- Lower permanent central incisor
- d- Lower permanent lateral incisor

3- The lobe is the primary center of calcification of the teeth; it is represented on the surfaces of the teeth by:

- The marginal ridge, cusp and mamelon.
- **Cusps, mamelon and cingulum.**
- Marginal, cervical and lingual ridges.
- Cingulum, cusp of Carabelli and mamelon.

4- A cingulum is found on which of the following?

- a. central incisors only
- b. canines only
- c. incisors only
- d. **anterior teeth**

5- Which of the following ridges is found on all teeth:

- a- **Marginal ridge.**
- b- Triangular ridge.
- c- Transverse ridge.
- d- Cusp ridge.

6-Any union of two triangular ridges produces a single ridge which is called

- a- A buccal ridge .
- b- A marginal ridge.
- c- **A transverse ridge.**
- d- A cervical ridge

14- Which tooth is the only ones that have labial ridges?

- a- Central.
- b- Lateral.
- c- **Canine.**
- d- Molar

7- Incomplete fusion of two developmental lobes of a tooth along a line is known as:

- a- Pit.
- b- Supplemental groove.
- c- Developmental groove.
- d- **Fissure..**

8- Which tooth is the only ones that have labial ridges?

- a- Central.
- b- Lateral.
- c- **Canine.**
- d- Molar

9- A small elevation of enamel found on the crown portion of a tooth is called:

- a- **Tubercle.**
- b- Mamelon.
- c- Ridge.
- d- Cusp

10-The cervical ridge is present on:

- a- Cervical third of facial surfaces of only deciduous teeth.
- b- Cervical third of lingual surfaces of all teeth.
- c- **Cervical third of facial surfaces of all teeth.**
- d- Cervical third of mesial surfaces of all teeth.

(5 degrees)

Complete the following:

- 1-The components of tooth structures are........
- 2- The cementum covers the..........& enamel cover..
- 3- The lingual fossa is found in..........&.....
- 4- The 55 is the..........& #14 is.....
- 5-The lingual fossa is found in.....&
- 6-The masticatory function of the incisors is........& of the molars is..
- 7-The number of line angles of anterior teeth are..........& of posterior teeth is
......
- 8-The incisors have.....mamelon.
- 9- The surfaces of the teeth which are related to their outer & inner surfaces are
named..........
- 10-From the labial surface, the crown is divided by horizontal lines into thirds
called..........

(5 degrees)

III- Give an account on : (illustrate your answers with drawings)

1-The point and line angles of anterior teeth.

1- The lingual aspect of upper permanent central incisor.

(5 degrees)

NAHDA UNIVERSITY

FACULTY OF ORAL & DENTAL MEDICINE

ORAL BIOLOGY DEPARTEMENT

Trial Midterm Exam . HMD 101

I - Choose the Correct answer:

1-The surface of the tooth opposite to the cheek is called:

A-Labial surface

B-Buccal surface

C-Lingual surface

D-Mesial surface

2-The number of the deciduous teeth is:

A-24 teeth

B-32 teeth

C- 20 teeth

D-16 teeth

3- Periodontium is composed of:

A- Two structures

B- Four structures

C- Three structures

D-One structure

4-One of the mature forms of the lobe is:

A-Tubercle

B-Oblique ridge

C -cusp

D – Cervical ridge

5-The ridge found on the tooth margin on the occlusal surface is:

A- Oblique ridge

B- Marginal ridge

C- Lingual ridge

D- Cervical ridge

6- The cingulum in the lingual surface is not centralized and is deviated distally in:

A- Upper central incisor

B- upper lateral incisor

C- Lower central incisor

D- **Lower lateral incisor**

7- Cementum covers :

A-Crown

B- **Root**

C- none of the above .

D- All of the above .

8- The geometric outline of the Lower incisors is :

A- triangular .

B- Hexagonal .

C- **Diamond .**

D- Pentagonal .

9- Which of the following teeth has 2 lingual fossae :

A- upper central incisor .

B- **upper canine .**

C- lower central incisor .

D-lower premolars .

10- The ridges of upper canine :

A-cervical ridge .

b-Buccal ridge .

C-Labial ridges .

D- (A+C)

E- (A+B)

(5 Marks)

II – Complete The following :

1-The oblique ridge is found in..

2-The function of the incisors is..

3-The number of point angles of anterior teeth are ...

4-The incisors have ...mammelones

5- (#19 d) is termed..... In two Digid system .

(5 Marks)

III – Give an account on :

- A) Points angles of anterior teeth .
- B) Labial surface of Mandibular central incisor .

(5 Marks)

Trail Final Exam. Human Dentition

(HMD 101)

I- Choose the correct answer:

1- Periodontium is composed of:

- A- Two structures B- **Four structures**
C- Three structures D- One structure

2- One of the mature forms of the lobe is:

- A- Tubercle B- Oblique ridge
C- **mamelon** D- Cervical ridge

3- The linear depression which is not related to primary lobes is:

- A- Fissure B- **Supplemental groove**
C- Developmental groove D- Pit

4- Which permanent tooth has conical root?

- A- **Upper central incisor** B- Upper lateral incisor
C- Lower central incisor D- Lower lateral incisor

5- Which tooth is bilaterally identical?

- A- Upper central incisor B- Upper lateral incisor
C- Lower lateral incisor D- **lower central incisor**

6- In the upper canine the mesial slope in comparison to the distal one is:

- A- longer B- **Shorter**
C- equal D- None of all

7- Which permanent incisor has the smallest mesiodistal dimension

- A- **Upper central incisor** B- upper lateral incisor
C- Lower central incisor D- Lower lateral incisor

8- Enamel covers:

- A- Clinical crown B- **Anatomical crown**
C- Anatomical root D- Clinical root

9- Which of the following incisor has greatest variation in form.

- A- Upper central incisor B- upper lateral incisor
C- Lower central incisor D- **Lower lateral incisor**

10- The incisal edge is usually lingual to the line bisecting the tooth

- A- Upper central incisor B- upper lateral incisor
C- **Lower central incisor** D- Upper canine

(5 degrees)

II-Complete the following

- 1- The mesio-incisal angle of the upper central incisor iswhile the distoincisor angle is.....
- 2-The incisal edge from proximal aspect of the lower incisors are tilted
- 3- Theincisors are fan shape
- 4- The roots of the lower incisors are flattened from
- 5-The mesial contact area of canine is located at the.....and the distal one is located at.....
- 6-The date of eruption of the upper permanent incisors are.....
- 7-The dates of eruption of the permanent canines are.....
- 8- The upper canine has 2 fossae and they are called.....
- 9-The false pit is usually seen in the lingual surface of
- 10-The number of the pulp horns of the incisors are.....

(5 degrees)

III - Mention the following:

- 1- The elevations of the upper permanent canine.
- 2- Five differences between permanent& deciduous anterior teeth
- 3- The names of the lobes of permanent central incisor.
- 4- The name& location of 5 ridges you are know.
- 5- The types of fossae you are know.

- 6- The types of grooves found on the teeth..
- 7- The mandibular angles in different ages.
- 8- Mental foramen journey.
- 9- The relation between the levels of condyle& coronoid processes in different ages .
- 10-The differences between mesial & distal surfaces of anterior teeth.

(10

degrees)

IV- Answer the following by yes or no (if the answer is no, mention the correct answer)

1-- In the permanent upper canine the mesial slope is **longer** than the distal slope. NO SHORTER

2- In the upper deciduous canine the mesial cusp slope

LONGER is **shorter** than the distal slope.

3-The cingulum of the lower permanent lateral incisor is deviated distally. ✓

4-The incisal ridge of the lower permanent lateral incisor is

straight. NO ROUNDED

5-The mesial& distal incisal angles of lower central incisor are **rounded.** SHARP

(5 degrees)

V-Give full account on :

1- The labial surface of upper permanent canine.

2- The point angles of the posterior teeth.

(5 degrees)

Question 1

Q1

1-The surface of the tooth opposite to the cheek is called:

	a- Labial surface
	b-Buccal surface
	c- Lingual surface
	d-Mesial surface

Multiple choice (Multiple answers)

Question 2

Q2

2- Enamel covers:

	a- clinical crown
	b- Anatomical crown
	c- Anatomical root
	d- Clinical root

Multiple choice (Multiple answers)

Question 3

Q3

3- Periodontium is composed of:

	a- Two structures
	b- Four structures
	c- Three structures
	d-One structure

Multiple choice (Multiple answers)

Question 4

Q4

4- Which of the following is not true regarding surfaces of the teeth?

☐	a- Mesial surfaces are those towards the median line of the face.
☐	b- Distal surfaces are those most distant from the median line of the face.
☐	c- The surface that is towards the lip is the lingual surface.
☐	d- The surface that is towards the cheek on posterior teeth and the lips on anterior teeth is the facial surface.

Multiple choice (Multiple answers)

Question 5

Q5

5-The anatomical crown is that part of the tooth that:

☐	a- Covered with cementum.
☐	b- Appeared in the oral cavity.
☐	c- Covered with enamel.
☐	d- Contained the pulp cavity

Multiple choice (Multiple answers)

Question 6

Q6

6-The buccal surfaces of posterior teeth are that surfaces facing:

☐	a- The cheek.
☐	b- The palate.
☐	c- The lips.
☐	d- The tongue

Multiple choice (Multiple answers)

Question 7

Q7

7-Which of the following is the hardest substance in the body?

	a- Enamel.
	b- Dentin.
	c- Cementum
	d- Bone.

Multiple choice (Multiple answers)

Question 8

Q8

8-The portion of tooth that is exposed in the mouth is known as the:

	a- Operative crown.
	b- Natural crown.
	c- Anatomical crown.
	d- Clinical crown.

Multiple choice (Multiple answers)

Question 9

Q9

9-In a tooth, the entire space occupied by the dental pulp referred to as:

	a- Pulp cavity.
	b- Pulp canal.
	c- Pulp chamber.
	d- None of the above.

Multiple choice (Multiple answers)

Question 10

Q10

10-The radicular pulp is continuous with tissues of the periapical area via the:

	a- Mandibular foramen.
--	------------------------

	b- Apical foramen.
	c- Pulp chamber.
	d- Pulp canal.

Multiple choice (Multiple answers)

Question 11

Q11

11-The clinical crown is the portion of the crown which is:

	a- Visible in the oral cavity.
	b- Above the cervical line.
	c- Covered with enamel.
	d- Above the cements enamel junction.

Multiple choice (Multiple answers)

Question 12

Q12

12-Labial surfaces and buccal surfaces collectively refer to:

	a- Facial surfaces. .
	b- Lingual surfaces.
	c- Proximal surfaces.
	d- Occlusal surfaces

Multiple choice (Multiple answers)

Question 13

Q13

13-Which tooth surface is opposite the lingual surface?

	a- Occlusal
	b- Facial
	c- Cervical
	d- Proximal

Multiple choice (Multiple answers)

Question 14

Q14

14-The surface at which each tooth contacts its neighbour or neighbours in the dental arch is the:

☐	a- Buccal surface.
☐	b- Occlusal surface.
☐	c-Lingual surface.
☐	d- Proximal surface.

Multiple choice (Multiple answers)

Question 15

Q15

15-The hard tissues of the tooth are:

☐	a- Dentin, bone and cementum.
☐	b- Dentin, cementum and enamel.
☐	c- Dentin, pulp and cementum.
☐	d- Cementum, dentin , periodontal ligament.

Multiple choice (Multiple answers)

Question 16

Q16

16-That portion of the pulp cavity found mainly within the crown of the tooth is known as the:

☐	A- Pulp canal.
☐	b- Pulp chamber.
☐	c- Accessory canal
☐	d- Apex.

Multiple choice (Multiple answers)

Question 17

Q17

17-The one oral tissue considered to be both part of the tooth and part of the supporting periodontium is:

	a- Enamel. .
	b- Dentin.
	c- Cementum.
	d- The alveolus

Multiple choice (Multiple answers)

Question 18

Q18

18-The clinical crown is best defined as the portion of the tooth.

	a- Covered with cementum.
	b- Actually embedded in the jaw.
	c- Covered with enamel
	d- Appeared in the mouth.

Multiple choice (Multiple answers)

Question 19

Q19

21- How many line angles found in all anterior teeth?

	A-Two.
	b- Eight
	c- four
	d- Six

Multiple choice (Multiple answers)

Question 20

Q20

20-All of the following are point angles except:

	a- Disto-bucco-occlusal. .
	b- Mesio-linguo-occlusal.
	c- Mesio-bucco-occlusal.
	d- Disto-occluso mesial.

Multiple choice (Multiple answers)

Question 21

Q21

21- How many line angles found in all posterior teeth?

	A-Two.
	b- Four.
	c- Six.
	d- Eight

Multiple choice (Multiple answers)

Question 22

Q22

22-All of the following are line angles except:

	a- Disto-occlusal.
	b- Mesio-distal.
	c- Mesio-buccal.
	d- Bucco-occlusal.

Multiple choice (Multiple answers)

Question 23

Q23

23- Which of the following is an example of a line angle of an anterior tooth?

	a. mesiolabioincisal
	b. mesiodistal

	c. distolabioincisal
	d. distolingual
Multiple choice (Multiple answers)	

Question 1	
Q1	
1-The lingual ridge is a characteristic feature of the lingual surface of:	
	a- Upper central incisor. .
	b- Lower central and lateral incisors.
	c- Upper canines.
	d- Upper and lower 1 st molars
Multiple choice (Multiple answers)	
Question 2	
Q2	
2-Which of the following ridges is not found on an anterior tooth:	
	a- Marginal ridge.
	b- Incisal ridge.
	.
	c- Transverse ridge.
	d- Lingual ridge
Multiple choice (Multiple answers)	
Question 3	

Q3

3-A linear elevation on the surface of the tooth is known as a:

	a -Cusp. .
	b- Sulcus.
	c -Ridge.
	d - Tubercle

Multiple choice (Multiple answers)

Question 4

Q4

4-Which one of the following is a common anatomical feature of young permanent maxillary central incisors?

	a- Cingulum.
	b- Mamelon.
	c-Fossa.
	d- Marginal ridge.

Multiple choice (Multiple answers)

Question 5

Q5

A small elevation of enamel found on the crown portion of a tooth is called:

	. aTubercle
	b- Mamelon
	. ridge
	d- Cusp

Multiple choice (Multiple answers)

Question 6

Q6

Which of the following is primary center of calcification

	a- Ridge. .
	b- Lobe.
	c- Groove.
	d- Tubercle

Multiple choice (Multiple answers)

Question 7

Q7

7- Mamelons are found on newly erupting:

	a- Molars.
	b- Canines.
	c- Premolars.
	d- Incisors.

Multiple choice (Multiple answers)

Question 8

Q8

8-The cervical ridge is present on:

	a- Cervical third of facial surfaces of only deciduous teeth.
	b- Cervical third of lingual surfaces of all teeth.
	c- Cervical third of facial surfaces of all teeth.
	d- Cervical third of mesial surfaces of all teeth.

Multiple choice (Multiple answers)

Question 9

Q9

9-The oblique ridge on the occlusal surface is formed by the union of the triangular ridge:

	a- Facing to each other
	b- Not facing to each other.
	c- Away from each other.
	d- None of all
Multiple choice (Multiple answers)	
Question 10	
Q10	
10- On which of the following tooth would a prominent transverse ridge occurs?	
	a- Maxillary first premolar.
	.
	b- Maxillary second molar.
	c- Mandibular first premolar.
	d- Mandibular second molar
Multiple choice (Multiple answers)	
Question 11	
Q11	
11-On which of the following permanent molar would a prominent oblique ridge typically occur?	
	a- Maxillary first molar. .
	b- Mandibular third molar
	c- Mandibular first molar.
	d- Mandibular second molar.
Multiple choice (Multiple answers)	
Question 12	
Q12	
12-Any union of two triangular ridges produces a single ridge which is called	

	a- A buccal ridge.
	b- A marginal ridge.
	c- A transverse ridge.
	d- A cervical ridge

Multiple choice (Multiple answers)

Question 13

Q13

13- A sharply defined, shallow, linear, depression formed during tooth development which usually separates primary parts of the crown is called:

	a- Supplemental groove
	b- Developmental groove.
	c- Triangular ridge.
	d- Marginal ridge

Multiple choice (Multiple answers)

Question 14

Q14

14- Which tooth is the only ones that have labial ridges?

	a- Central. .
	b- Lateral
	c- Canine . .
	d- Molar

Multiple choice (Multiple answers)

Question 15

Q15

15- A shallow linear depression on the surface of the tooth that does

not mark the junction of primary parts of the tooth is called:

	a- The oblique ridge.
	b- The sulcus
	c- A developmental groove.
	d- A supplemental groove.

Multiple choice (Multiple answers)

Question 16

Q16

16- Which of the following ridges is found on all teeth:

	a- Marginal ridge.
	b- Triangular ridge.
	c- Transverse ridge.
	d- Cusp ridge.

Multiple choice (Multiple answers)

Question 17

Q17

17-A small depression in the enamel of a tooth occurring at the end of a developmental groove or at the junction of two or more developmental grooves is known as:

	a- Tubercle
	b- Fossa
	c- Pit
	d-Fissure.

Multiple choice (Multiple answers)

Question 18

Q18

18- Incomplete fusion of two developmental lobes of a tooth along a

line is known as:

	a- Pit.
	b- Supplemental groove.
	c- Developmental groove.
	d- Fissure.

Multiple choice (Multiple answers)

Question 19

Q19

19-The minimum number of lobes in the development of a human tooth is:

	a-Two.
	b-Three.
	c-Four.
	d-Five.

Multiple choice (Multiple answers)

Question 20

Q20

20-A lingual pit is most common on:

	a- Maxillary central incisor. .
	b -Maxillary lateral incisor.
	c-Maxillary canine.
	d- Mandibular canine

Multiple choice (Multiple answers)

Question 1

Q1

1-One of the rounded protuberances found on the incisal edges of

newly erupted incisors is

- a-Cingulum.
- b-Tubercle.
- c-Lobe.
- d-Mamelon.

Multiple choice (Unique answer)

Question 2

Q2

2-A developmental rounded elevation on the crown of posterior tooth making up its developmental divisional part at the occlusal surface is a:

- a- Cusp
- b- Mamelon
- c. tubercle.
- d. lobe.

Multiple choice (Unique answer)

Question 3

Q3

3-The labial surface of the anterior teeth may show evidence of:

- a. one labial groove.
- b. two labial grooves.
- c. three labial grooves.
- d. four labial grooves

Multiple choice (Unique answer)

Question 4

Q4

4- Elevation on the lingual surface forming the lateral borders of the anterior teeth are known as:

	a. oblique ridges.
	b. transverse ridges.
	c. marginal ridges
	d. triangular ridges

Multiple choice (Unique answer)

Question 5

Q5

5- A cingulum is found on which of the following?

	a. central incisors only
	b. canines only
	c. incisors only
	d. anterior teeth

Multiple choice (Unique answer)

Question 6

Q6

6-The linear demarcation between the lobes in the occlusal surface of a posterior tooth is called a:

	a- developmental groove.
	b- line angle.
	c- Fossa.
	d- sulcus.

Multiple choice (Unique answer)

Question 7

Q7

7- The Buccal pit is always found in

	a- Permanent canine
	b-Permanent lower molars

	c- Premolars
	d- Permanent upper third molars

Multiple choice (Unique answer)

Question 8

Q8

8- The lobe is the primary center of calcification of the teeth; it is represented on the surfaces of the teeth by:

	a- The marginal ridge, cusp and mamelon.
	b- Cusps, mamelon and cingulum.
	c- Marginal, cervical and lingual ridges.
	d- Cingulum, cusp of Carabelli and mamelon.

Multiple choice (Unique answer)

Question 9

Q9

9- Mamelons are small rounded projections found on the incisal ridges of:

	a- Upper and lower anterior teeth.
	b- Newly erupted incisors
	c- Newly erupted canines
	d- Newly erupted first molars.

Multiple choice (Unique answer)

Question 10

10

10- Lingual fossa is generally found on the:

	a. mesial surface of maxillary first premolars.
	b. lingual surface of maxillary premolars
	c. lingual surface of anterior teeth.

	d. lingual surface of mandibular molars
--	---

Multiple choice (Unique answer)

Question 11

Q11

11-Labial cusp of canine is formed as a result of over development of:

	a- Mesial third
	b- Distal third
	c- Middle third.
	d- All of the above

Multiple choice (Unique answer)

Question 12

Q12

12- The labial ridge which represents a highly developed middle labial lobe is found on the labial surface of

	a- Upper and lower central incisors.
	b- Upper central and lateral incisors.
	c- Upper and lower canines.
	d- Upper and lower anterior teeth

Multiple choice (Unique answer)

Question 13

Q13

13- The buccal ridge which represents a highly developed buccal lobe is found on the buccal surfaces of:

	a- Permanent upper posterior teeth.
	b- Permanent lower posterior teeth.
	c- Upper and lower first premolars.

	d- Deciduous upper molars.
--	----------------------------

Multiple choice (Unique answer)

Question 14

Q14

14- A central fossa is present in the occlusal surfaces of all posterior teeth except:

	a- Upper first and second molars.
	b- Lower first and second molars.
	c- Upper first and second premolars.
	d- Lower and upper third molars.

Multiple choice (Unique answer)

Question 15

Q15

15-Developmental grooves are:

	a- Linear depressions found only on the occlusal surfaces of posterior teeth.
	b- Auxiliary grooves found mainly on the occlusal surfaces of the permanent third molars and upper second premolars
	c- Shallow depressions passing between the cusps and ridges of the occlusal surfaces of posterior teeth
	d- Linear depressions found on the occlusal surfaces of the posterior teeth and may extend to the buccal and lingual surfaces.

Multiple choice (Unique answer)

Question 16

Q16

16- A lobe best correlates with which one of these landmarks

	a- marginal ridges
--	--------------------

	b- roots
	c- fossa and sulcus
	d- cusps and mamelons

Multiple choice (Unique answer)

Question 17

Q17

17- Which of the following teeth is MOST LIKELY to have a lingual pit?

	a- Upper permanent central incisor
	b- Upper permanent lateral incisor
	c- Lower permanent central incisor
	d- Lower permanent lateral incisor

Multiple choice (Unique answer)

Question 18

Q18

18- On the crown of the maxillary canine, WHAT LOBE includes the cusp tip?

There is no answer for the moment

Question 19

Q18

18- On the crown of the maxillary canine, WHAT LOBE includes the cusp tip?

	a. mesial facial lobe
	b. middle facial lobe
	c. distal facial lobe
	d. lingual lobe

Multiple choice (Unique answer)

Question 20

Q19

19- The linear elevations that form the lateral boundaries of the occlusal surfaces of posterior teeth and the lingual surfaces of anterior teeth are called

	a- Triangular ridges.
	b- Cervical ridges.
	c- Lingual ridges
	d- Marginal ridges

Multiple choice (Unique answer)

Question 21

Q20

20-what is the name of the feature on the lingual surface of maxillary canine that extends from the cusp tip on down to the cingulum of the tooth.

	a-mesial marginal ridge
	b-cervical ridge
	c- lingual ridge
	d-incisal ridge

Multiple choice (Unique answer)