

Atelier 6 :

Exercice 3:

REALISATION:

```
<?php
class Employe {
    public function salaire() {
        echo "<p class='base'>Salaire de base</p>";
    }
}

class Manager extends Employe {
    public function salaire() {
        echo "<p class='manager'>Salaire élevé</p>";
    }
}
?>

<!DOCTYPE html>
<html lang="fr">
<head>
<meta charset="UTF-8">
<title>Employés</title>

<style>
body {
    font-family: Arial, sans-serif;
    background: #f5f7fa;
    display: flex;
    justify-content: center;
    gap: 20px;
    margin-top: 80px;
}

.card {
    background: #fff;
    padding: 20px;
```

```
        border-radius: 10px;
        width: 220px;
        text-align: center;
        box-shadow: 0 4px 10px rgba(0,0,0,0.1);
    }

    h2 {
        margin-bottom: 10px;
        color: #333;
    }

    .base {
        color: #555;
    }

    .manager {
        color: #007bff;
        font-weight: bold;
    }
</style>
</head>

<body>

<div class="card">
    <h2>Employé</h2>
    <?php
        $e = new Employe();
        $e->salaire();
    ?>
</div>

<div class="card">
    <h2>Manager</h2>
    <?php
        $m = new Manager();
        $m->salaire();
    ?>
</div>

</body>
</html>
```

Resultat:

Employé

Salaire de base

Manager

Salaire élevé