MIRO 10 COMB

CODING 101: HTML + CSS

LEARNING OBJECTIVES

- Describe the role of HTML, CSS and JavaScript in web development.
- Use HTML to add structure to a basic webpage
- Use CSS to add styles to a webpage
- Describe the various opportunities to continue learning web-development

CLIENT AND SERVER

BROWSER


(Chrome, Firefox, Safari, etc.)







CLIENT AND SERVER



- ▶ Browsers are applications that read code files and use them to render a web page.
- ▶ Browsers only know how to interpret HTML, CSS, JavaScript.

FRONT END IS MADE UP OF...


HTML

CSS


JavaScript



THE THREE AMIGOS: STRUCTURE, STYLE, BEHAVIOR



LET'S TAKE A CLOSER LOOK



ACTIVITY: DISTINGUISH BETWEEN HTML, CSS, AND JS



DIRECTIONS

- 1. Let's visit <u>lyft.com</u> together
- 2. The words "Rides in Minutes" appears due to _____?
- 3. The reason for which "Rides in Minutes" is centered and white is due to _____?
- 4. Hover over the word "Explore" in the navigation menu. That animation is most likely due to _____?

MIRO TO HIM



quickly advance energy and

health care legislation.

=830 Comments



U.S. INTERNATIONAL #30

The New Hork Times

Monday, January 5, 2015 L. Today's Paper | In: Miles | 🏡 36°F | Dow-1.80% (

Bess Myerson, a Beauty Queen Who Reigned in Politics, Dies

Ms. Myerson, the first Jewish Miss America, was one of a select group of American figures to parlay pop culture celebrity into positions of public influence. She was 90.

By END NEWY said WILLIAM MEDOUALD

Afghan Cares for the Living by Carrying the Dead

REASON ARRESTS 12-03 PM FT. Malik Abdul Hakim, who has lost two sons, is revered for calleding and returning the bodies of both Teliban and government casualties.



Home Schooling: More Pupils, Less Regulation

The Opinion Pages

When Skepticism Counts Novelist David. Baldacci and others SEMATE on the role of conspiracy theories in society.

- Editorial: Race and Voting Rights in Ferguson
- GP400 COLUMNISTS Blow: Privilege of 'Arrest Without Incident'
- Krugman: Presidents and the Economy

The Central Crisis in New York Education

By THE EDITORIAL BOARD New York, which regards itself as a bestion of liberalism, has the most recially and economically segregated schools in the nation.

0

- Editorial: Shifting Politics on the Death Penalty
- Op-Ed: Losing the Fight Against Tuberculosis

Watching

now A judge in Wisconsin ordered a trial for Dustin Diamond, best known as Screech from "Seved by the Bell," on charges stemming from a ber fight on Christmas night.



Milwaukee Journal Sentinel #


Markets tumbled in Europe and the U.S. asthedeclining price of all sent ripples around the world.


This New York Times

The Los Anadics Times 4

Gov. Jerry Brown, streaty California's. longest-serving governor, will be sworn in Montey for his fourth term, He has said he alms to shore up the state's fiscal turnaround.
















HTML: HYPER TEXT MARKUP LANGUAGE

- HTML is made up of <u>tags</u>
- Tags = < >
- Tags tell the browser how to format content
- e.g Will the content be formatted as an image or as a link?



HTML SYNTAX — TAGS

Opening tag


Closing tag

<tag name>content</tag name>

Element

```
<h1>My Awesome Page</h1>
A paragraph of text about my awesome page.
<img src="cat.jpg">
<a href="https://www.facebook.com/">Visit my Facebook page</a>
```

LET'S TAKE A CLOSER LOOK



FRONT END

GUIDED PRACTICE

HTML CODE-ALONG

OPEN YOUR BROWSER AND NAVIGATE TO

HTTP://CODEPEN.IO/SARAHHOLDEN/PEN/KAOJXD

STRUCTURAL TAGS — HEADINGS & PARAGRAPHS

ELEMENT	DESCRIPTION	EXAMPLE
h1	Main headings	<h1>The Explorer</h1>
h2 - h6	Subheadings	<h2>Articles</h2>
р	Paragraph of text	This is a really cool site.

HTML CODE-ALONG

Elements can be nested inside other elements.

```
     Monday
     Tuesday
     Wednesday
```

STRUCTURAL TAGS — UNORDERED LISTS

ELEMENT	DESCRIPTION
ul	Unordered List
li	List Item

ATTRIBUTES — EXAMPLE

<pizza crust="thin" toppings="pepperoni"></pizza>

HTML SYNTAX — ATTRIBUTES

Attribute

<tagName name="value"></tagName>

ANCHORS

- Specify which page you want to link using the href attribute.
- Users can click on anything between the opening and closing <a> tags.

Page the link takes you to

Amazon
Amazon
Amazon
Amazon

THE IMAGE TAG

Path to the image file

Text description

```
<img src="images/camera.jpg" alt="Girl holding a camera" >
```




BASIC LAYOUT OF AN HTML DOCUMENT

HTML STRUCTURE

▶ To generate HTML boilerplate in Sublime: html + tab.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Document</title>
</head>
<body>
</body>
</html>
```

HTML STRUCTURE — DOCTYPE

DESCRIPTION:

▶ Tells browser file is written in latest version of HTML — HTML5

BEST PRACTICES:

▶ Must be very first thing in HTML file!

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Document</title>
</head>
<body>
</body>
</html>
```

HTML STRUCTURE — HTML

DESCRIPTION:

• ALL of our HTML code should go within these tags.

BEST PRACTICES:

- Directly after DOCTYPE
- ▶ Opening tag Line 2
- ▶ Closing tag Last line

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Document</title>
</head>
<body>
</body>
</html>
```

HTML STRUCTURE — HEAD

DESCRIPTION:

- ▶ For behind-the-scenes info
- Metadata that's not displayed
- ▶ Info used by browser, search engines

BEST PRACTICES:

- Opens right after opening html tag
- ▶ Closes right before opening body tag
- ▶ Only one in each HTML file

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Document</title>
</head>
<body>
</body>
</html>
```

HTML STRUCTURE — META CHARSET

DESCRIPTION:

- Tells our browser which character set to use
- ► Should always use UTF-8

BEST PRACTICES:

- Required
- Goes inside of head tags

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Document</title>
</head>
<body>
</body>
</html>
```

HTML STRUCTURE — TITLE

DESCRIPTION:

- ▶ Tells browser what site is called
- Used for browser tab
- Used for browser bookmarks
- Used by search engines





BEST PRACTICES:

- Required
- Goes inside of head tags

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Document</title>
</head>
<body>
</body>
</html>
```

HTML STRUCTURE — BODY

DESCRIPTION:

- Wraps all content for our site
- Everything we want displayed in the browser window gets placed between the body tags — all our HTML elements such as <h1>, <a>, , etc.

BEST PRACTICES:

- Required
- Opens Right after closing head tag
- ▶ Closes Right before closing html tag
- ▶ Only one in each HTML file

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Document</title>
</head>
<body>
</body>
</html>
```

HTML

LAB —— PART 1

ACTIVITY: CREATING YOUR FIRST HTML FILE



DIRECTIONS

- Create a folder on your desktop and title it "my_website"
- 2. Open up the folder you just made in Sublime
- 3. In Sublime, create a new file and save it as "index.html"
- 4. Add a basic HTML template by typing html and hitting tab
- 5. Now add some text within the body tags: "Hello World"
- 6. Save your HTML file!
- 7. Right click anywhere in the html file and click "Open in Browser"
- 8. Edit the text to read: "Hello World!"
- 9. Save your HTML file!
- 10. Refresh the page in your browser to see any updates

ACTIVITY: PRACTICE WRITING HTML



DIRECTIONS

- Copy the text from the Google doc on the dashboard and paste within the opening and closing <body> tags.
- 2. Write markup to replicate the Part 1 image.
- 3. Be sure to write all your HTML within the opening and closing
 <body> tags!
- 4. Save as you work!!

MIRO TO CII

WHAT IS CSS?



A demonstration of what can be accomplished through CSS-based design. Select any style sheet from the list to load it into this page.

Download the example $\ensuremath{\underline{\mathbb{F}}}$ HTML FILE and $\ensuremath{\underline{\mathbb{F}}}$ CSS FILE

THE ROAD TO ENLIGHTENMENT

Littering a dark and dreary road lay the past relics of browser-specific tags, incompatible DOMs, broken CSS support, and abandoned browsers.

We must clear the mind of the past. Web enlightenment has been achieved thanks to the tireless efforts of folk like the W3C, WASP, and the major browser creators.

The CSS Zen Garden invites you to relax and meditate on the important

MID CENTURY MODERN

by Andrew Lohman

GARMENTS

by Dan Mall

STEEL

by Steffen Knoeller

APOTHECARY

by Trent Walton

CSS SYNTAX

```
Selector
 h1
     color: yellow;
     font-size: 16px;
```

COLOR

PROPERTY	VALUE	DESCRIPTION	EXAMPLE
color	color	Text color	color: #22475E;
background-color	color	Background color	background-color: green;

Muir Woods

Keffiyeh next level retro, brunch *sriracha* dreamcatcher mixtape jean shorts XOXO master cleanse keytar **Kickstarter**. Neutra kale chips Vice health goth ethical, flannel single-origin coffee stumptown meditation Kickstarter mumblecore yr cronut master cleanse keytar.

```
body {
  background-color: #22475E;
}
```

Muir Woods

Keffiyeh next level retro, brunch *sriracha* dreamcatcher mixtape jean shorts XOXO master cleanse keytar **Kickstarter**. Neutra kale chips Vice health goth ethical, flannel single-origin coffee stumptown meditation Kickstarter mumblecore yr cronut master cleanse keytar.

```
h1, p {
  color: #98D2BF;
}
```

TYPEFACE TERMINOLOGY — PART 1

PROPERTY	VALUES	EXAMPLE
text-align	left, center, right, justify	text-align: center;
text-transform	UPPERCASE, lowercase, Capitalize	text-transform: uppercase;
text-decoration	none, <u>underline</u>	text-decoration: underline;
line-height	number, px value	line-height: 22px;

TYPEFACE TERMINOLOGY — PART 2

PROPERTY	VALUES	EXAMPLE
font-weight	normal, bold	font-weight: bold;
font-style	regular, italic	font-style: italic;
font-family	sans-serif, serif	font-family: serif;
font-size	px value	font-size: 20px;

HTML

LAB —— PART 2

USING EXTERNAL CSS — :)

- Should live inside the <head> of the document.

```
<head>
  <meta charset="UTF-8">
    <title>Document</title>
    <link rel="stylesheet" href="css/style.css">
  </head>
```

- href path to the CSS file.
- rel relationship between the HTML page and the file it is linked to.

ACTIVITY: CREATING YOUR FIRST HTML FILE



DIRECTIONS

- 1. In your my_website folder, create a file called style.css.
- 2. Add a link to the stylesheet in the head of your index.html file. It should look like this:

```
<link rel="stylesheet" type="text/css" href="style.css">
```

3. Save your index.html file.

4. In style.css, give the body a background color to make sure things are hooked up correctly:

```
body {
    background-color: turquoise;
}
```

- 5. Save the style.css file.
- 6. Refresh the page in your browser!

GOOGLE FONTS

- 1. Visit the link to Google Fonts on the dashboard
- 2. Click the tab that pops up at the bottom:

```
2 Families Selected
```

- 3. Click the "Embed" tab and copy the link that is provided.
- 4. Paste this link inside the <head> of your index.html file.
- 5. To apply these fonts in your style.css file, use the font-family property and the name of the font within quotes:

ACTIVITY: CREATING YOUR FIRST HTML FILE



DIRECTIONS

- 1. Write CSS to replicate the mockup for Part 2. You can choose between the regular or advanced version.
- 2. Use your cheatsheets.
- 3. Google anything you can't figure out. Be sure to include "html" or "css" in the search query.
- 4. Save each file you make edits to as you go!
- 5. Refresh the page in your browser to view any updates.

RIME CUR MICH


CLIENT AND SERVER



CLIENT

▶ Browsers are installed on a "client" (computer, phone, etc.)

CLIENT AND SERVER



▶ The HTML, CSS, and JS files for websites are stored on a computer that is always connected to the internet, called a *server*

REQUEST/RESPONSE



CLIENT RUNNING A
WEB BROWSER

Your browser connects to a server and requests a page

Server sends back requested page



SERVER MACHINE RUNNING A WEB SERVER

ACTIVITY: LAUNCHING OUR SITES!

DIRECTIONS

- 1. Visit http://bitballoon.com/
- 2. Drag and drop the my_website folder we created earlier here:





SOUTH THE STATE OF THE STATE OF

WRAP UP











HOW TO LEARN THIS AT GA?







PART-TIME: FEWD / JS

FULL-TIME: WDI

ONLINE: HCD / JSC / WDIR



REFERENCE PAGES:

- Mozilla Developer Network
- W3Schools
- CSS Tricks

STAYING CURRENT

- Smashing Magazine
- Codrops
- Medium
- A List Apart
- CSS Tricks

A COUPLE OF LAST THINGS

You are going to get lots of errors...

Google first, ask questions later (but don't be afraid to ask)

Stack Overflow is great for this stuff!

Get immersed! Coding is hard if you don't get really involved.

ACTIVITY: AFTER CLASS YOU CAN...

DIRECTIONS



- 1. Go to dash.ga.co
- 2. There are 5 projects available to you that cover what we went over tonight and more!





THANKS!

JERHHOLDEN.

- ▶ sarahbethholden@gmail.com
- saraheholden.com
- ▶ Instagram: sarah___holden (two underscores between words)