










Name _____ HR _____

6

8th Math Unit 6 - Pythagorean Theorem STAR Cards!

QUESTION	ANSWER
6a) ☆☆☆ If you know the area of a square, how can you find the length of its sides? For example:  81 cm² ? ?	6a) Think of a number that times itself gives you that area. (This is also called: “finding the square root”) For example:  81 cm² 9 9 $\sqrt{81} = 9$
6b) ☆☆☆ Most numbers we use are called rational numbers. 1.) Explain what a rational number is. 2.) Give two examples	6b) 1.) A rational number is any number that <u>can be</u> written as a ratio of two integers. 2.) Examples: 4, $\frac{2}{3}$, -7, 4.6, $2.\overline{33}$, $\sqrt{25}$
6c) ☆☆☆ 1.) What is an irrational number? 2.) Give two examples	6c) 1.) An irrational number is an unusual number that represents a decimal that goes on forever and does not repeat 2.) Examples: $\sqrt{2}$, π, 6.12938...

QUESTION	ANSWER
6d) 1. Label the <i>hypotenuse</i> on the right triangle below. 2. How did you know which side to label? 	6d) 2. The hypotenuse is the longest side of the triangle and it is always opposite the right angle. 
6e) ☆☆☆ What did Pythagoras figure out about every right triangle in the world? (i.e. The Pythagorean Theorem)	6e) For every right triangle in the world: • if you draw squares on all the sides • the areas of the 2 smaller squares • always add up to the area of the biggest square. 
6f) ☆☆☆ How do you write the Pythagorean theorem using algebra? 	6f) $a^2 + b^2 = c^2$
6g) ☆☆☆ How do you find the distance between point K and L? 	6g) 1st- Draw a line between point K and L 2nd- Use that line to draw a right triangle 3rd - Count the lengths of the legs and use the Pythagorean Theorem

