


#1
2.8



#2
3.8
2.

```
CREATE TABLE Emp (eid INTEGER, ename CHAR(10), age INTEGER, salary REAL,  
PRIMARY KEY (eid))
```

```
CREATE TABLE Works (eid INTEGER, did INTEGER, pct_time INTEGER, PRIMARY  
KEY (eid, did), FOREIGN KEY (did) REFERENCES Dept, FOREIGN KEY (eid)  
REFERENCES Emp, ON DELETE CASCADE)
```

```
CREATE TABLE Dept (did INTEGER, dname CHAR(10), budget REAL, manager_id  
INTEGER, PRIMARY KEY (did), FOREIGN KEY (manager_id) REFERENCES Emp, ON  
DELETE SET NULL)
```

3.

```
CREATE TABLE Dept (did INTEGER, budget REAL, manager_id INTEGER NOT NULL,  
PRIMARY KEY (did), FOREIGN KEY (manager_id) REFERENCES Emp)
```

4.

```
INSERT INTO Emp VALUES (101, 'John Doe', 32, 15,000);
```

5.

```
UPDATE Emp E SET E.salary = E.salary * 1.10;
```

#3

```
CREATE TABLE Employee (ssn INTEGER, union_mem_no INTEGER, PRIMARY KEY (ssn))
```

```
CREATE TABLE Model (model_no REAL, seat_cap INTEGER, weight REAL, fuel CHAR(30), PRIMARY KEY (model_no))
```

```
CREATE TABLE Technician (salary REAL, last_name CHAR(30), address CHAR(30), phone_num CHAR(30), PRIMARY KEY (ssn), FOREIGN KEY (ssn) REFERENCES Employee)
```

```
CREATE TABLE TrafficController (age INTEGER, year_exp INTEGER, PRIMARY KEY (ssn), FOREIGN KEY (ssn) REFERENCES Employee)
```

```
CREATE TABLE Exam (duration REAL, date DATE, level CHAR(30), PRIMARY KEY (level))
```

```
CREATE TABLE Test (faa_no INTEGER, max_score REAL, name CHAR(30), PRIMARY KEY (faa_no))
```

```
CREATE TABLE Test_info (hours INTEGER, date DATE, score INTEGER, PRIMARY KEY (faa_no, reg_no), FOREIGN KEY (faa_no) REFERENCES Test, FOREIGN KEY (reg_no) REFERENCES Airplane)
```

```
CREATE TABLE Airplane (company CHAR(30), reg_no INTEGER, PRIMARY KEY (reg_no), FOREIGN KEY (model_no) REFERENCES Model)
```