

Kids Video Streaming Platform - Architecture Analysis

Native iPad Application with Offline Support

1. Cloud Hosting Platforms & Tools Analysis

Recommended: AWS (Amazon Web Services)

Best for: Enterprise-grade video streaming with comprehensive CDN

Key Services:

- **Amazon S3** - Video storage with lifecycle policies
- **CloudFront CDN** - Low-latency global content delivery
- **MediaConvert** - Automated video transcoding to multiple formats/qualities
- **Elastic Transcoder** - Alternative transcoding service
- **Lambda@Edge** - Edge computing for personalization
- **CloudWatch** - Monitoring and analytics

Pros:

- Industry-leading CDN with 400+ edge locations
- Advanced video processing capabilities
- Excellent documentation and community
- Compliance certifications (COPPA-friendly)

Cons:

- Steeper learning curve
 - Can become expensive at scale
 - Complex billing structure
-

Alternative: Google Cloud Platform (GCP)

Best for: ML-powered content recommendations and moderation

Key Services:

- **Cloud Storage** - Video asset storage
- **Cloud CDN** - Content delivery network
- **Transcoder API** - Video format conversion
- **Firebase** - Real-time features and authentication
- **Video Intelligence API** - Content moderation

Pros:

- Superior ML/AI capabilities for content safety
- Excellent Firebase integration for real-time features
- Competitive pricing for storage/bandwidth
- Strong mobile SDK support

Cons:

- Smaller CDN footprint than AWS
 - Less mature video-specific tools
-

Budget Option: Cloudflare + Backblaze B2

Best for: Cost-effective solution for startups

Key Services:

- **Backblaze B2** - Ultra-low-cost storage (\$5/TB/month)
- **Cloudflare Stream** - Video hosting and delivery
- **Cloudflare CDN** - Free global CDN
- **Cloudflare Workers** - Edge computing

Pros:

- Extremely cost-effective (80% cheaper than AWS)
- Zero egress fees from Cloudflare
- Simple pricing model
- Built-in DDoS protection

Cons:

- Less enterprise features
- Smaller ecosystem
- Limited advanced video processing

2. Framework Analysis for Native iPad Development

Recommended: React Native

Why: Leverage your existing React codebase

Advantages:

- Reuse 70-80% of your web UI components
- Large community and ecosystem
- Hot reloading for faster development
- Access to native iOS features via bridges

Key Libraries:

- **react-native-video** - Video playback with offline support
- **react-native-fs** - File system access for downloads
- **@react-native-async-storage/async-storage** - Local data persistence
- **react-native-background-fetch** - Background download management

Performance Considerations:

- Native video player performance
- Smooth 60fps animations with Reanimated 2
- Hermes JS engine for faster startup

Alternative: Swift + SwiftUI (Native iOS)

Why: Maximum performance and iOS optimization

Advantages:

- Best possible performance
- Full access to iOS APIs (AVFoundation, Background Tasks)
- Optimal battery efficiency
- Superior gesture handling and animations

Considerations:

- Complete rewrite from React
- Longer development time

- iOS-only (no code sharing)
 - Higher development cost
-

Hybrid Option: Flutter

Why: If planning Android expansion

Advantages:

- Near-native performance
- Beautiful UI out of the box
- Single codebase for iOS/Android
- Excellent animation framework

Considerations:

- Learning curve for new framework
 - Smaller community than React Native
 - Some platform-specific features require plugins
-

3. Essential Libraries & Integrations

Video Management

- **HLS.js / Video.js** - Adaptive bitrate streaming
- **Shaka Player** - Advanced video playback with DRM
- **FFmpeg** - Video processing and conversion
- **Mux** - Video infrastructure platform (reduces custom dev by 70%)

Offline Storage

- **WatermelonDB** - Reactive database for React Native
- **Realm** - Mobile database with sync capabilities
- **SQLite** - Lightweight local database

Content Delivery

- **Fastly** - Real-time CDN with instant purging
- **Bunny CDN** - Cost-effective CDN alternative
- **Cloudinary** - Image/video optimization and transformations

Analytics & Monitoring

- **Segment** - Single API for all analytics tools
- **Amplitude** - User behavior analytics
- **Sentry** - Error tracking and performance monitoring
- **Firebase Analytics** - Free mobile app analytics

Parental Controls & Safety

- **Auth0** - Authentication with parental controls
- **Cognito** - AWS authentication service
- **Keycloak** - Open-source identity management

Push Notifications

- **OneSignal** - Free push notification service
- **Firebase Cloud Messaging** - Google's push service
- **Airship** - Enterprise notification platform

Payment Processing

- **Stripe** - Subscription billing
- **RevenueCat** - In-app purchase management
- **Chargebee** - Recurring billing automation

4. Three Architecture Plans

Architecture Plan A: AWS-Native Serverless

Best for: Scalability and enterprise features

Stack:

Frontend: React Native (iOS)

Video Storage: AWS S3 + CloudFront CDN

Video Processing: AWS MediaConvert

Backend: AWS AppSync (GraphQL) + Lambda

Database: DynamoDB + Aurora Serverless

Authentication: AWS Cognito

Offline Storage: SQLite + react-native-fs

Analytics: AWS Pinpoint + CloudWatch
Search: AWS Elasticsearch Service

Architecture Flow:

1. Content Upload Pipeline

- Admin uploads video to S3
- Lambda triggers MediaConvert for transcoding
- Creates HLS manifest with multiple quality levels
- Stores metadata in DynamoDB
- Invalidates CloudFront cache

2. App Content Delivery

- AppSync GraphQL API fetches video catalog
- CloudFront delivers video segments
- App caches metadata in SQLite
- Downloads selected videos for offline viewing

3. Offline Video Management

- Downloads HLS segments to app sandbox
- Stores up to 3 hours of content (iOS quotas managed)
- 30-day expiration via background tasks
- Automatic cleanup of oldest content

Pros:

✓ Auto-scales from 0 to millions of users ✓ Pay only for what you use (serverless) ✓
Comprehensive suite of integrated services ✓ Strong security and compliance (COPPA) ✓
Advanced video processing (adaptive bitrate, thumbnails) ✓ GraphQL for efficient data fetching
✓ Excellent documentation and support

Cons:

✗ Higher learning curve ✗ Vendor lock-in to AWS ecosystem ✗ Complex cost optimization needed at scale ✗ Cold start latency for Lambda functions ✗ Requires DevOps expertise

Estimated Monthly Cost (10K active users):

- S3 Storage (1TB): \$23
- CloudFront (2TB transfer): \$170
- MediaConvert (100 hours): \$150
- Lambda + AppSync: \$50-100

- DynamoDB: \$25-50
 - **Total: ~\$420-500/month**
-

Architecture Plan B: Firebase + Mux Hybrid

Best for: Rapid development and real-time features

Stack:

Frontend: React Native (iOS)
Video Platform: Mux (hosting + encoding + analytics)
Backend: Firebase (Firestore + Functions + Hosting)
Authentication: Firebase Auth with parental controls
Database: Cloud Firestore
Offline Storage: WatermelonDB + react-native-fs
CDN: Mux built-in CDN
Analytics: Firebase Analytics + Mux Data
Search: Algolia

Architecture Flow:

1. Content Upload Pipeline

- Admin uploads to Mux via API
- Mux auto-transcodes to adaptive formats
- Webhook triggers Firebase Function
- Stores metadata in Firestore

2. App Content Delivery

- Firestore real-time listeners for content updates
- Mux Player SDK for optimized playback
- WatermelonDB syncs offline data
- Background downloads managed by iOS

3. Offline Video Management

- Downloads Mux HLS streams
- WatermelonDB tracks download status
- Local encryption for content protection
- Automated 30-day expiration

Pros:

✓ Fastest development time (50% faster than Plan A) ✓ Mux handles ALL video complexity (no custom encoding) ✓ Real-time content updates (Firestore listeners) ✓ Excellent mobile SDK support ✓ Built-in video analytics and QoS monitoring ✓ Minimal backend code required ✓ Great developer experience ✓ Firebase free tier for starting out

Cons:

✗ Higher per-stream costs at scale ✗ Less control over video processing ✗ Mux pricing can be unpredictable ✗ Limited customization of video player ✗ Firestore query limitations for complex searches

Estimated Monthly Cost (10K active users):

- Mux encoding (100 hours): \$500
 - Mux streaming (10K hours): \$200
 - Firebase (Firestore + Functions): \$100-150
 - Algolia search: \$100
 - **Total: ~\$900-950/month**
-

Architecture Plan C: Cost-Optimized Open Source

Best for: Budget constraints and maximum control

Stack:

Frontend: React Native (iOS)
Video Storage: Backblaze B2 + Cloudflare CDN
Video Processing: Self-hosted FFmpeg on DigitalOcean
Backend: Node.js + Express on DigitalOcean Droplets
Database: PostgreSQL + Redis
Authentication: Keycloak (self-hosted)
Offline Storage: SQLite + react-native-fs
CDN: Cloudflare (free plan)
Analytics: Self-hosted Plausible Analytics

Architecture Flow:

1. Content Upload Pipeline

- Admin uploads to Backblaze B2
- Queue job in Redis for video processing

- FFmpeg worker transcodes video
- Generates HLS manifest
- Cloudflare caches content globally

2. App Content Delivery

- REST API serves video catalog
- Cloudflare CDN delivers video segments
- SQLite stores offline metadata
- Downloads managed by native iOS APIs

3. Offline Video Management

- Downloads from Cloudflare edge
- Stores in iOS app sandbox
- SQLite tracks expiration dates
- Background service cleanup

Pros:

✓ Lowest operational costs (70% cheaper) ✓ Complete control over infrastructure ✓ No vendor lock-in ✓ Predictable pricing ✓ Can optimize for specific use cases ✓ Open-source stack ✓ Great for MVP/bootstrap phase

Cons:

✗ Requires DevOps expertise ✗ Manual scaling configuration ✗ You manage video processing complexity ✗ More maintenance overhead ✗ No managed services for failover ✗ Longer initial setup time ✗ You handle security updates

Estimated Monthly Cost (10K active users):

- Backblaze B2 (1TB): \$5
- DigitalOcean Droplets (3x): \$72
- Cloudflare (free): \$0
- Database hosting: \$15
- **Total: ~\$90-100/month**

Recommendation Matrix

Criteria	Plan A (AWS)	Plan B (Firebase+Mux)	Plan C (Open Source)
----------	--------------	-----------------------	----------------------

Development Speed	★★★★	★★★★★★	★★
Scalability	★★★★★	★★★★★	★★★
Cost (Small Scale)	★★★	★★	★★★★★★
Cost (Large Scale)	★★★★	★★	★★★★★★
Maintenance	★★★★	★★★★★★	★★
Flexibility	★★★★	★★★★	★★★★★★
Learning Curve	★★	★★★★	★★
Video Features	★★★★★	★★★★★★	★★★

Implementation Roadmap

MVP Phase (2-3 months) - Recommended: Plan B

- Focus on core features quickly
- Mux handles video complexity
- Firebase provides instant backend
- React Native reuses your React code

Growth Phase (6-12 months) - Transition to Plan A

- Migrate as costs justify complexity
- More control over video processing
- Better cost optimization at scale
- Enterprise features

Mature Phase (12+ months) - Optimize with Plan C elements

- Hybrid approach: AWS for video, self-hosted for APIs
 - Cost optimization for high traffic
 - Custom features as needed
-

Critical Implementation Details

Offline Video Storage Management

iOS Storage Constraints:

- Target: 3 hours of video
- Encoding: H.264 at 2.5 Mbps for iPad
- Size: ~3.3 GB for 3 hours
- Format: HLS with AES-128 encryption

Implementation Strategy:

1. Use iOS Background Assets API for downloads
2. Store in app sandbox (Library/Application Support)
3. SQLite database tracks:
 - Video ID, download date, size, expiration
4. Background task (daily) removes expired content
5. When storage is full, remove oldest watched videos

Libraries Needed:

- `react-native-background-fetch` - Background cleanup
- `react-native-fs` - File management
- `@react-native-async-storage/async-storage` - Metadata
- `react-native-video` - Offline playback

Parental Control Features

- PIN-protected profiles
- Watch time limits
- Age-appropriate content filtering
- Activity reports
- Remote management via web dashboard

Next Steps

1. Choose architecture based on:
 - Budget availability
 - Team expertise

- Time to market requirements
- Expected scale
- 2. **Start with React Native POC:**
 - Port existing UI components
 - Implement video playback
 - Test offline download flow
- 3. **Set up video pipeline:**
 - Choose cloud provider
 - Configure transcoding
 - Test HLS delivery
- 4. **Implement offline storage:**
 - Build download manager
 - Test iOS storage quotas
 - Implement expiration logic

Would you like me to dive deeper into any specific architecture or provide code examples for the offline video management system?

Kids Video Platform - Deep Dive Analysis

1000 Users | 5 Hours Average Streaming | Complete Cost Breakdown

Executive Summary: Cost Analysis for 1000 Monthly Active Users

Scenario Parameters

- **Monthly Active Users:** 1,000
- **Average Viewing Time:** 5 hours per user per month
- **Total Monthly Streaming:** 5,000 hours (300,000 minutes)
- **Content Library:** 100 hours of video content
- **Average Video Bitrate:** 2.5 Mbps (iPad optimized quality)

- **New Content Upload:** 10 hours per month
-

Architecture Cost Comparison: 1000 Users @ 5hrs/user

Plan A: AWS Native Serverless

Monthly Costs Breakdown:

Video Storage & Processing:

- S3 Storage (100 hours @ 4.5GB/hour): **\$10.35**
 - $450 \text{ GB} \times \$0.023/\text{GB}$
- MediaConvert Transcoding (10 new hours): **\$42.30**
 - $10 \text{ hours} \times \$4.23/\text{hour}$ (1080p to multi-bitrate HLS)
- CloudFront CDN Delivery (1,758 GB total transfer): **\$149.43**
 - $5,000 \text{ hours} \times 2.5 \text{ Mbps} = 1,758 \text{ GB}$
 - First 1TB: $1,000 \text{ GB} \times \$0.085 = \$85$
 - Next 758 GB $\times \$0.085 = \64.43

Backend Infrastructure:

- AppSync GraphQL API: **\$15-25**
 - ~300K API calls per month
- Lambda Functions: **\$5-10**
 - Minimal compute for metadata operations
- DynamoDB: **\$8-15**
 - Video metadata and user data storage

Authentication & Analytics:

- AWS Cognito: **\$5-10**
 - 1,000 MAU (first 50K free for sign-ins)
- AWS Pinpoint Analytics: **\$10-15**
 - Basic user analytics and engagement tracking

Additional Services:

- CloudWatch Monitoring: **\$5**
- S3 Request Costs: **\$2**

Total AWS Monthly Cost: \$252 - \$290

Pros at This Scale:

✅ Professional-grade infrastructure ✅ Automatic scaling built-in ✅ Excellent video processing quality ✅ Strong security and compliance ✅ Easy to scale to 10K+ users

Cons at This Scale:

❌ Relatively expensive for small user base ❌ Complex setup and maintenance ❌ Overkill for current size ❌ Requires AWS expertise

🏆 Plan B: Firebase + Mux Hybrid

Monthly Costs Breakdown:

Video Infrastructure (Mux):

- Video Encoding (10 hours new content, Plus quality): **\$40**
 - $10 \text{ hours} \times 60 \text{ min} \times \$0.0067/\text{min} = \$40.20$
- Video Storage (100 hours, Plus quality): **\$18**
 - $100 \text{ hours} \times 60 \text{ min} \times \$0.003/\text{min} = \$18$
- Video Delivery (5,000 hours streaming): **\$288**
 - $5,000 \text{ hours} \times 60 \text{ min} \times \$0.00096/\text{min} = \$288$
 - Note: Includes 100K free delivery minutes (~1,667 hours)
 - Actual charge: $(300K - 100K) \times \$0.00096 = \192

Backend (Firebase):

- Firestore Database: **\$15-25**
 - Document reads/writes, user data
- Firebase Functions: **\$10-15**
 - Webhook processing, business logic
- Firebase Authentication: **Free**
 - Under 10K MAU with email/password
- Firebase Hosting: **\$5**
 - Admin panel hosting

Search (Algolia):

- Algolia Search: **\$0-35**
 - 10K searches/month included free
 - Standard tier if needed: \$35/month

Total Firebase + Mux Monthly Cost: \$240 - \$305

After free tier adjustments: ~\$210 - \$270

Pros at This Scale:

✅ Fastest development time ✅ Mux handles all video complexity ✅ Real-time database updates ✅ Excellent mobile SDK support ✅ Predictable pricing ✅ Free tiers reduce initial costs

Cons at This Scale:

❌ Mux costs scale linearly (can get expensive) ❌ Less control over video processing ❌ Limited customization options ❌ Delivery costs are significant

🏆 Plan C: Cost-Optimized Open Source RECOMMENDED FOR 1000 USERS

Monthly Costs Breakdown:

Video Infrastructure:

- Backblaze B2 Storage (450 GB): **\$2.25**
 - 450 GB × \$0.005/GB
- Cloudflare CDN: **\$0**
 - Free tier covers 1.758 TB
- Video Processing (Self-hosted on DigitalOcean):
 - 2x Droplets (4GB RAM) for FFmpeg encoding: **\$28**
 - 1x Droplet (2GB RAM) for job queue: **\$14**

Application Infrastructure:

- DigitalOcean App Platform (Node.js API): **\$12**
 - Basic tier
- Managed PostgreSQL Database: **\$15**
 - 1GB RAM, 10GB storage
- Redis Cache: **\$15**
 - Upstash or DigitalOcean managed

CDN & Storage:

- Cloudflare Pro (optional, for advanced features): **\$0-20**
 - Free tier is sufficient for this scale

Email & Authentication:

- SendGrid (Email notifications): **\$15**
 - Essentials plan for 50K emails

- Self-hosted Keycloak: **\$0**
 - Runs on application server

Total Open Source Monthly Cost: \$86 - \$106

Pros at This Scale:

✓ **70% cheaper than alternatives**
 ✓ Predictable, transparent costs
 ✓ Complete control over infrastructure
 ✓ No vendor lock-in
 ✓ Can optimize for your specific needs
 ✓ Skills transfer to any cloud platform

Cons at This Scale:

✗ Requires DevOps skills
 ✗ Manual scaling when growing
 ✗ You manage video encoding
 ✗ More setup time initially
 ✗ Need monitoring and alerting setup

Detailed Video Delivery Cost Analysis

Understanding Video Streaming Costs

Key Cost Drivers:

1. **Encoding/Transcoding:** One-time cost per video
2. **Storage:** Monthly cost per GB stored
3. **CDN Bandwidth:** Cost per GB delivered to users
4. **Request Costs:** Cost per video segment request

Video Size Calculations (2.5 Mbps for iPad)

Per Hour of Content:

- Bitrate: 2.5 Mbps (good quality for iPad)
- Size: $2.5 \text{ Mbps} \times 3,600 \text{ seconds} \div 8 \text{ bits} = 1.125 \text{ GB/hour}$
- HLS with multiple qualities (360p, 480p, 720p, 1080p)
- Total storage per source hour: ~4.5 GB (all renditions)

Monthly Storage (100 hours library):

- $100 \text{ hours} \times 4.5 \text{ GB} = 450 \text{ GB total storage}$

Monthly Bandwidth (5,000 hours viewed):

- $5,000 \text{ hours} \times 2.5 \text{ Mbps average viewed quality}$
- $5,000 \times 1.125 = 5,625 \text{ GB raw calculation}$

- With 90% cache hit ratio: ~1,758 GB origin transfer
 - (CDN caches most requests, only 10% hits origin)
-

Cost Scaling Projections

As Your Platform Grows

Users	Viewing Hours	AWS Cost	Firebase+Mux	Open Source
1,000	5,000	\$252-290	\$210-270	\$86-106
5,000	25,000	\$850-950	\$950-1,100	\$220-280
10,000	50,000	\$1,500-1,700	\$1,800-2,100	\$380-450
25,000	125,000	\$3,200-3,800	\$4,200-5,000	\$850-1,100
50,000	250,000	\$5,800-6,500	\$8,200-9,800	\$1,600-2,100

Breakeven Analysis:

- **Under 5K users:** Open Source is most cost-effective
 - **5K-15K users:** AWS becomes competitive with volume discounts
 - **15K+ users:** AWS with reserved capacity beats all others
 - **Mux stays expensive** at scale due to linear pricing
-

Administration Web Application Architecture

Recommended Stack for Admin Portal

Technology Choice: Next.js + React

Why Next.js for Admin Panel:

- Server-side rendering for better SEO
- Built-in API routes (no separate backend needed initially)
- React-based (reuse component library from mobile app)

- Excellent TypeScript support
 - Fast development with App Router
 - Built-in authentication patterns
-

Admin Portal: Complete Architecture

Core Features Required:

1. Content Management System

- Video upload with progress tracking
- Drag-and-drop interface for bulk uploads
- Video metadata editing (title, description, category, age rating)
- Thumbnail management and auto-generation
- Content scheduling (publish at specific time)
- Video analytics dashboard

2. User Management

- View all subscribers
- Subscription status tracking
- User activity monitoring
- Parental control settings management
- Manual subscription modifications
- User support tools

3. Analytics & Reporting

- Total viewing hours
- Most popular content
- User engagement metrics
- Revenue reports
- Subscription churn analysis
- Geographic distribution

4. Subscription & Payment Management

- Stripe integration for payments
- Subscription plan creation/editing
- Coupon and discount code management
- Failed payment handling
- Refund processing
- Invoice generation

5. Content Moderation & Safety

- Automated content analysis results
 - Manual review queue
 - Flag and report management
 - Age-appropriate content verification
 - COPPA compliance tools
-

Admin Portal: Technology Stack

Frontend (Admin Dashboard)

Framework: Next.js 14+ (App Router)

UI Library: shadcn/ui or Mantine

State Management: Zustand or React Query

Forms: React Hook Form + Zod validation

Tables: TanStack Table (formerly React Table)

Charts: Recharts or Chart.js

File Upload: Uppy or React Dropzone

Authentication: NextAuth.js

Key Libraries:

- `next`: Framework
 - `@shadcn/ui` or `@mantine/core`: Component library
 - `@tanstack/react-query`: Server state management
 - `@tanstack/react-table`: Advanced data tables
 - `react-hook-form`: Form handling
 - `zod`: Schema validation
 - `recharts`: Charts and analytics
 - `next-auth`: Authentication
 - `@uploadthing/react` or `uppy`: File uploads
-

Backend API Options

Option 1: Next.js API Routes (Recommended for MVP)

Pros:

- ✓ Single codebase for admin panel
- ✓ No separate deployment

- ✓ Built-in serverless functions
- ✓ Type-safe with TypeScript
- ✓ Easy to start, can migrate later

Cons:

- ✗ Less suitable for heavy video processing
- ✗ Coupled with frontend deployment
- ✗ Limited to Node.js ecosystem

Option 2: Separate Node.js + Express API

Pros:

- ✓ Better separation of concerns
- ✓ Can scale independently
- ✓ More control over infrastructure
- ✓ Better for microservices later

Cons:

- ✗ More complex deployment
- ✗ Need to manage CORS
- ✗ Duplicate types between frontend/backend

Option 3: Serverless Functions (AWS Lambda/Vercel)

Pros:

- ✓ Pay only for execution time
- ✓ Auto-scaling
- ✓ No server management
- ✓ Perfect for variable workload

Cons:

- ✗ Cold start latency
- ✗ Not suitable for long video processing
- ✗ More complex debugging

Admin Portal: Detailed Architecture Plans



Admin Architecture Plan A: Next.js Monolith (MVP)

Best for: Fast development, small team, MVP launch

Stack:

Frontend: Next.js 14 (App Router) + shadcn/ui

Backend: Next.js API Routes

Database: PostgreSQL (via Prisma ORM)


File Uploads: UploadThing or S3 direct

Authentication: NextAuth.js (email + 2FA)

Video Processing: Queue to separate service

Deployment: Vercel or Railway

Architecture:



Implementation Details:

1. Video Upload Flow:

```
// app/api/upload/route.ts
export async function POST(req: Request) {
  // 1. Authenticate admin user
  const session = await getServerSession();
```

```

if (!session?.user?.isAdmin) {
  return new Response('Unauthorized', { status: 401 });
}

// 2. Get presigned upload URL
const { filename, contentType } = await req.json();
const uploadUrl = await generateS3PresignedUrl(filename);

// 3. Return upload URL to client
return Response.json({ uploadUrl });
}

// Client uploads directly to S3
// Then triggers processing:

// app/api/videos/process/route.ts
export async function POST(req: Request) {
  const { videoId, s3Key } = await req.json();

  // Queue video for transcoding
  await videoQueue.add('transcode', {
    videoId,
    s3Key,
    outputFormats: ['1080p', '720p', '480p', '360p']
  });

  return Response.json({ status: 'queued' });
}

```

2. Database Schema (Prisma):

```

model Video {
  id      String  @id @default(cuid())
  title   String
  description String?
  duration Int     // seconds
  category Category
  ageRating String // 3+, 5+, 7+, 12+
  status  VideoStatus @default(PROCESSING)
  s3Key   String
  hlsUrl  String?
  thumbnailUrl String?
  uploadedBy String
  createdAt DateTime @default(now())
}

```

```

    updatedAt DateTime @updatedAt
    views      Int      @default(0)

    @@index([category, status])
    @@index([createdAt])
}

model Subscription {
  id          String @id @default(cuid())
  userId      String @unique
  stripeId    String @unique
  status      SubStatus
  planId      String
  currentPeriodEnd DateTime
  cancelAtPeriodEnd Boolean @default(false)
  createdAt   DateTime @default(now())

  @@index([userId])
  @@index([status])
}

model User {
  id          String @id @default(cuid())
  email       String @unique
  name        String?
  subscription Subscription?
  children    Child[]
  createdAt   DateTime @default(now())
}

model Child {
  id          String @id @default(cuid())
  name        String
  age         Int
  userId      String
  user        User @relation(fields: [userId], references: [id])
  watches     Watch[]
}

model Watch {
  id          String @id @default(cuid())
  childId     String
  videoId     String
  duration     Int // seconds watched

```

```
completed Boolean @default(false)
watchedAt DateTime @default(now())
```

```
child Child @relation(fields: [childId], references: [id])
```

```
@@index([childId, watchedAt])
@@index([videoId])
}
```

3. Payment Integration (Stripe):

```
// app/api/stripe/webhook/route.ts
import { stripe } from '@lib/stripe';
import { headers } from 'next/headers';

export async function POST(req: Request) {
  const body = await req.text();
  const signature = headers().get('stripe-signature');

  let event;
  try {
    event = stripe.webhooks.constructEvent(
      body,
      signature!,
      process.env.STRIPE_WEBHOOK_SECRET!
    );
  } catch (err) {
    return new Response('Webhook Error', { status: 400 });
  }

  // Handle different event types
  switch (event.type) {
    case 'customer.subscription.created':
      await handleSubscriptionCreated(event.data.object);
      break;
    case 'customer.subscription.updated':
      await handleSubscriptionUpdated(event.data.object);
      break;
    case 'customer.subscription.deleted':
      await handleSubscriptionDeleted(event.data.object);
      break;
    case 'invoice.payment_succeeded':
      await handlePaymentSucceeded(event.data.object);
      break;
  }
}
```

```
    case 'invoice.payment_failed':  
      await handlePaymentFailed(event.data.object);  
      break;  
    }  
  
    return Response.json({ received: true });  
  }  
}
```

Monthly Costs:

- Vercel Pro: **\$20/month**
- PostgreSQL (Neon or Supabase): **\$10-25/month**
- Domain + SSL: **\$10/month**
- **Total Admin Portal: \$40-55/month**

Pros:

✅ Fastest time to market (2-3 weeks) ✅ Single codebase, easy to maintain ✅ Excellent developer experience ✅ Can iterate quickly ✅ Free on Vercel hobby tier initially

Cons:

❌ API routes can't handle long video processing ❌ Tightly coupled (harder to scale parts independently) ❌ May outgrow Next.js API routes at scale

Admin Architecture Plan B: Decoupled React + Express

Best for: More control, team with backend expertise

Stack:

Frontend: React (Vite) + shadcn/ui

Backend: Node.js + Express + TypeScript

Database: PostgreSQL (via Prisma)

API Gateway: Optional (Nginx or none)


File Uploads: Multipart to Express, then S3

Authentication: JWT with refresh tokens

Video Processing: BullMQ + separate worker

Deployment: Frontend (Vercel/Netlify), Backend (Railway/Render)

Architecture:



Key Implementation:

1. Express API Structure:

```
src/
├── routes/
│   ├── videos.routes.ts
│   ├── users.routes.ts
│   ├── subscriptions.routes.ts
│   └── analytics.routes.ts
├── controllers/
│   ├── videos.controller.ts
│   └── users.controller.ts
├── services/
│   ├── video.service.ts
│   └── stripe.service.ts
```

```

|   └─ analytics.service.ts
├─ middleware/
|   └─ ┬─ auth.middleware.ts
|       └─ validation.middleware.ts
|       └─ upload.middleware.ts
├─ workers/
|   └─ video-processor.worker.ts
└─ server.ts

```

2. Video Upload Endpoint:

```

// routes/videos.routes.ts
import multer from 'multer';
import { S3Client } from '@aws-sdk/client-s3';
import { Upload } from '@aws-sdk/lib-storage';

const upload = multer({
  storage: multer.memoryStorage(),
  limits: { fileSize: 5 * 1024 * 1024 * 1024 } // 5GB
});

router.post('/videos/upload',
  authenticateAdmin,
  upload.single('video'),
  async (req, res) => {
    try {
      // Upload to S3
      const uploadParams = {
        Bucket: process.env.S3_BUCKET,
        Key: `raw/${Date.now()}-${req.file.originalname}`,
        Body: req.file.buffer,
        ContentType: req.file.mimetype
      };

      const parallelUpload = new Upload({
        client: s3Client,
        params: uploadParams
      });

      const result = await parallelUpload.done();

      // Create database record
      const video = await prisma.video.create({
        data: {

```

```

        title: req.body.title,
        s3Key: uploadParams.Key,
        status: 'PROCESSING',
        uploadedBy: req.user.id
      }
    });

    // Queue for processing
    await videoQueue.add('transcode', {
      videoId: video.id,
      s3Key: uploadParams.Key
    });

    res.json({ video });
  } catch (error) {
    res.status(500).json({ error: 'Upload failed' });
  }
}
);

```

3. Video Processing Worker:

```

// workers/video-processor.worker.ts
import { Worker, Job } from 'bullmq';
import ffmpeg from 'fluent-ffmpeg';
import { S3Client, GetObjectCommand, PutObjectCommand } from '@aws-sdk/client-s3';

const worker = new Worker('transcode', async (job: Job) => {
  const { videoId, s3Key } = job.data;

  // Download from S3
  const inputPath = `/tmp/input-${videoId}.mp4`;
  await downloadFromS3(s3Key, inputPath);

  // Transcode to multiple resolutions
  const outputs = [
    { resolution: '1920x1080', bitrate: '4000k', name: '1080p' },
    { resolution: '1280x720', bitrate: '2500k', name: '720p' },
    { resolution: '854x480', bitrate: '1000k', name: '480p' },
    { resolution: '640x360', bitrate: '600k', name: '360p' },
  ];

  for (const output of outputs) {
    await new Promise((resolve, reject) => {

```

```

    ffmpeg(inputPath)
      .outputOptions([
        '-c:v libx264',
        '-b:v ${output.bitrate}',
        '-s ${output.resolution}',
        '-hls_time 10',
        '-hls_playlist_type vod',
        '-f hls'
      ])
      .output(`/tmp/${videoid}-${output.name}.m3u8`)
      .on('end', resolve)
      .on('error', reject)
      .run();
  });

  // Upload HLS files to S3
  await uploadHLSToS3(videoid, output.name);
}

// Update database
await prisma.video.update({
  where: { id: videoid },
  data: {
    status: 'READY',
    hlsUrl: `https://cdn.example.com/${videoid}/master.m3u8`
  }
});

// Cleanup
cleanupTempFiles(videoid);
}, {
  connection: redis,
  concurrency: 2
});

```

Monthly Costs:

- Frontend Hosting (Vercel): **\$0-20**
- Backend (Railway): **\$20-50**
- PostgreSQL (Railway): **\$10**
- Redis (Upstash): **\$0-10**
- Domain: **\$10**
- **Total Admin Portal: \$40-100/month**

Pros:

✓ Better separation of concerns ✓ Can scale backend independently ✓ More control over video processing ✓ Easier to add microservices later ✓ Better for team collaboration

Cons:

✗ More complex deployment ✗ Need to manage CORS ✗ Two separate codebases ✗ Longer development time (4-6 weeks)



Admin Architecture Plan C: Full Serverless

Best for: Unpredictable traffic, minimal maintenance

Stack:

Frontend: React (Vite) + shadcn/ui

Backend: AWS Lambda + API Gateway

Database: DynamoDB or Aurora Serverless


File Uploads: Direct to S3 with presigned URLs


Authentication: AWS Cognito

Video Processing: Step Functions + Lambda

Deployment: Frontend (S3+CloudFront), Backend (SAM/Serverless Framework)

Architecture:





Monthly Costs:

- CloudFront (Admin): **\$5-10**
- API Gateway: **\$3.50** per million requests
- Lambda: **~\$10-20** (generous free tier)
- DynamoDB: **\$5-15**
- Cognito: **Free** under 50K MAU
- Step Functions: **\$5**
- **Total Admin Portal: \$30-60/month**

Pros:

- ✓ Lowest operational costs at low scale
- ✓ Auto-scales to any load
- ✓ No server management
- ✓ Pay only for what you use
- ✓ Built-in high availability

Cons:

- ✗ Cold start latency (can be 1-3 seconds)
- ✗ More complex local development
- ✗ Harder to debug
- ✗ Longer development time (6-8 weeks)
- ✗ Requires AWS expertise

Payment Processing: Stripe Integration Deep Dive

Stripe Cost Structure (2025)

Base Processing Fees:

- Credit/Debit Cards (US): **2.9% + \$0.30** per transaction
- ACH Direct Debit: **0.8%** (capped at \$5)
- International Cards: **3.9% + \$0.30**
- Currency Conversion: **1.5%** additional

Stripe Billing Fees (as of July 2024):

- Unified Plan: **0.7% of recurring billing volume**
- Was 0.5% (Starter) or 0.8% (Scale), now consolidated

Example Cost Calculation (1000 users):

Assume subscription: **\$9.99/month**

Monthly Recurring Revenue: \$9,990

Credit Card Processing:

- 1000 transactions $\times$ \$0.30 = \$300
- $\$9,990 \times 2.9\% = \289.71
- Total Processing: \$589.71

Stripe Billing Fee:

- $\$9,990 \times 0.7\% = \69.93

Total Stripe Costs: \$659.64

Effective Rate: 6.6% of MRR

Net Revenue: \$9,330.36

Cost Optimization Strategies:

1. **ACH Direct Debit:** Encourage users to pay via bank transfer
 - Cost: 0.8% vs 2.9% + \$0.30
 - Savings on \$9.99: \$0.21 vs \$0.59 per transaction
 - 64% cost reduction
2. **Annual Plans:** Reduce transaction count
 - Monthly: 12 transactions $\times$ \$0.30 = \$3.60/year
 - Annual: 1 transaction $\times$ \$0.30 = \$0.30/year
 - Savings: \$3.30 per customer per year
3. **Tiered Pricing:** Encourage higher plans
 - \$9.99/month: 6.6% effective Stripe fee
 - \$19.99/month: 4.5% effective Stripe fee
 - \$29.99/month: 3.7% effective Stripe fee

Subscription Plan Recommendations

Plan Structure:

KIDS TV SUBSCRIPTION PLANS	
MONTHLY PLANS	

I've created a comprehensive architecture analysis for your kids video streaming platform. Here are the key takeaways:

Quick Recommendation

For rapid MVP development: Go with **Plan B (Firebase + Mux)**

- You'll ship 50% faster by letting Mux handle all video complexity
- Firebase gives you real-time features with minimal backend code
- Your existing React knowledge transfers directly to React Native
- Total cost around \$900/month for 10K users

For long-term cost efficiency: Start with **Plan B**, migrate to **Plan A (AWS)** at scale

- AWS becomes more cost-effective above 50K users
- Better control and optimization opportunities
- Enterprise-grade features for parental controls

If bootstrapping on tight budget: **Plan C (Open Source)**

- ~\$100/month operational costs
- Requires strong DevOps skills
- Best for technical teams comfortable with infrastructure

Critical Technical Decisions

1. **React Native is the right choice** - you'll reuse 70-80% of your web UI code
2. **For offline storage:** Use HLS format with AES-128 encryption, target 2.5 Mbps for iPad quality
3. **Storage management:** 3 hours = ~3.3GB, implement auto-cleanup with background tasks
4. **Must-have libraries:** react-native-video, react-native-fs, WatermelonDB for offline sync

Would you like me to:

- Provide detailed React Native code examples for the video download manager?
- Create a technical specification document for developer handoff?
- Design the database schema for any of these architectures?
- Build a cost calculator to estimate your specific usage patterns?

Retry

S

yes continue to dive deeper into the architecture analysis and the cost of hosting video content and serving over 1000 monthly users with over 5 hours of streaming content, please also dive deep into a recommendation for the administration web application that would be used to upload video content to the server as well as process payment for the application subscribers